

1) Program 1

```
import java.util.Scanner;

class AttendanceChecker {
    public static void main (String[] args) {
        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter total classes:");
        int totalClasses = scanner.nextInt();

        System.out.print("Enter classes attended:");
        int attendedClasses = scanner.nextInt();

        if (totalClasses <= 0) {
            System.out.println("Total classes  
must be greater than 0.");
        }
        else if (attendedClasses < 0 || attendedClasses > totalClasses) {
            System.out.println("Invalid  
attendance value.");
        }
        else {
            double percentage = ((double)attendedClasses / totalClasses) * 100;
            System.out.printf("Attendance: %.2f%%\n", percentage);

            if (percentage >= 75) {
                System.out.println("Status: Eligible for Exam");
            }
        }
        scanner.close();
    }
}
```


Program 2

```
import java.util.Scanner;

public class AgePredictor {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        System.out.print("Enter your current age");
        int age = scanner.nextInt();
        int currentYear = 2026;
        System.out.println("\n--- Age Predictions ---");
        System.out.println("After 10 years" + (age + 10));
        System.out.println("After 50 years:" + (age + 50));
        System.out.println("\nYou will turn 100 in the year:" + (currentYear + (100 - age)));
        scanner.close();
    }
}
```


Program 3

```
import java.util.Scanner;

public class FitnessChallengeTracker {
    public static void main (String [] args) {
        Scanner scanner = new Scanner (System.in);
        int[] steps = new int[7];

        System.out.println ("Fitness Challenge Tracker");
        for (int i = 0; i < 7; i++) {
            System.out.print ("Enter steps for Day " +
                               (i+1) + ": ");
            steps[i] = scanner.nextInt();
        }

        int total = 0;
        int highest = steps[0];
        for (int i = 0; i < 7; i++) {
            total += steps[i];
            if (steps[i] > highest) {
                highest = steps[i];
            }
        }

        double average = (double) total / 7;
        System.out.println ("Your Result");
        System.out.println ("Total Step " + total);
        System.out.println ("Avg: " + average);
        System.out.println ("Highest steps: " + highest);
        scanner.close();
    }
}
```


Program 4

```
import java.util.Scanner;  
public class FibonacciSeries {  
    public static void main (String[] args) {  
        Scanner scanner = new Scanner (System.in);  
        System.out.println("Enter any no.");  
        int n = scanner.nextInt();  
        if (n <= 0) {  
            System.out.println("Enter a +ve no.");  
        }  
        else {  
            System.out.print("Fibonacci series!");  
            int a = 0, b = 1;  
            for (int i = 1; i <= n; i++) {  
                System.out.print(a);  
                if (i < n) System.out.print(",");  
                int next = a + b;  
                a = b;  
                b = next;  
            }  
            System.out.println();  
        }  
        scanner.close();  
    }  
}
```


Program 5

```
import java.util.Scanner;

public class primeNumberChecker {
    public static void main (String[] args) {
        Scanner scanner = new Scanner
            (System.in);
        System.out.print ("Enter a number");
        int num = scanner.nextInt();
        if (num <= 1) {
            System.out.println (num + " is
                NOT prime");
        }
        else {
            boolean isPrime = true;
            for (int i = 2; i <= Math.sqrt(num); i++)
            {
                if (num % i == 0) {
                    isPrime = false;
                    break;
                }
            }
            if (isPrime) {
                System.out.println (num + " is
                    prime");
            }
            else {
                System.out.println (num + " is not
                    prime");
            }
        }
        scanner.close();
    }
}
```


Program 6

import java.util.Scanner;

public class LogicalOperatorsCheck {

Scanner scanner = new Scanner(System.in);

System.out.print("Enter 1st no:");

int a = scanner.nextInt();

System.out.print("Enter second no:");

int b = scanner.nextInt();

System.out.print("Enter 3rd no:");

int c = scanner.nextInt();

if (c == a + b) {

System.out.println("Third no is sum of
two");

}

else {

System.out.println("Not sum")

System.out.println("Expected sum" + (a + b));

}

scanner.close();

}

}

Program 7

```
import java.util.Scanner
```

```
public class MultiplicationTable {
```

```
    public static void main (String[] args) {  
        Scanner scanner = new Scanner(System.in);
```

```
        System.out.print("Enter a no:");
```

```
        int num = scanner.nextInt();
```

```
        System.out.println("Multiplication");
```

```
        for (int i = 1; i <= 10; i++) {
```

```
            System.out.println(num + " x " + i + " = " +  
                                (num * i));
```

```
        }
```

```
        scanner.close();
```

```
    }  
}
```

Program 8

```
import java.util.Scanner
```

```
public class RightAngledTrianglePattern {
```

```
    public static void main (String[] args) {
```

```
        Scanner scanner = new Scanner(System.in);
```

```
        System.out.print("Enter no. of row");
```

```
        int row = scanner.nextInt();
```

```
        System.out.println("Triangle");
```

```
        for (int i = 1; i <= row; i++) {
```

```
            for (int j = 1; j <= i; j++) {
```

```
                System.out.print(" * ");
```

```
            }
```



```
System.out.println ( );
```

```
}
```

```
Scanner.close ( );
```

```
}
```

```
}
```

Program 3

```
import java.util.Scanner
```

```
public class PyramidPattern2
```

```
public static void main (String[] args) {
```

```
Scanner scanner = new Scanner (System.in);
```

```
System.out.print ("Enter rows");
```

```
int rows = scanner.nextInt();
```

```
System.out.println ("Pyramid");
```

```
for (int i = 1; i <= rows; i++) {
```

```
for (int j = i; j <= rows; j++) {
```

```
System.out.print (" ");
```

```
for (int k = 1; k <= 2 * i - 1; k++) {
```

```
System.out.print ("*");
```

```
}
```

```
System.out.println ();
```

```
Scanner.close ();
```

```
}
```

```
}
```


Program 10

```
import java.util.Scanner;
public class PalindromeNumber {
    static boolean isPalindrome (int x) {
        if (x < 0)
            return false;
        int original = x;
        int reversed = 0;
        while (x != 0) {
            int digit = x % 10;
            reversed = reversed * 10 + digit;
            x = x / 10;
        }
        return original == reversed;
    }
}
```

```
public static void main (String[] args) {
    Scanner scanner = new Scanner (System.in);
    System.out.print ("Enter a number: ");
    int num = Scanner scanner.nextInt();
    if (isPalindrome (num)) {
        System.out.println ("Palindrome");
    } else {
        System.out.println ("Not Palindrome");
    }
}
```

```
scanner.close();
}
```


Program 1.

```
import java.util.Scanner;
```

```
public class BasicCalculator {
```

```
    public static void main (String[] args) {
```

```
        Scanner scanner = new Scanner(System.in);
```

```
        System.out.println("Basic calculator");
```

```
        System.out.print("Enter a no:");
```

```
        double a = scanner.nextDouble();
```

```
        System.out.print("Enter operator");
```

```
        char op = scanner.next().charAt(0);
```

```
        System.out.print("Enter again a no:");
```

```
        double b = scanner.nextDouble();
```

```
        double result;
```

```
        String operation;
```

```
        switch (op) {
```

```
            case '+':
```

```
                result = a + b;
```

```
                operation = a + "+" + b + " = " + result;
```

```
                break;
```

```
            case '-':
```

```
                result = a - b;
```

```
                operation = a + "-" + b + " = " + result;
```

```
            case '*':
```

```
                result = a * b;
```

```
                operation = a + "*" + b + " = " + result;
```

```
                break;
```

```
            case '/':
```

```
                if (b == 0) {
```

```
                    System.out.println("Error");
```


result = a / b;

operation = a + " / " + b + " = " + result;

break;

default:

System.out.println("Error: Invalid operator!");

return;

}

System.out.println("\n Result: " + operation);

Scanner.close();

Program 12:

import java.util.Scanner

public class Grade Calculator

public static void main(String[] args) {

Scanner scanner = new Scanner(System.in);

System.out.print("Enter marks");

double marks = scanner.nextDouble();

if (marks < 0 || marks > 100) {

System.out.println("Invalid mark");

} else {

String grade = marks >= 90 ? "A+";

marks >= 85 ? "A";

marks >= 80 ? "A-";

marks >= 75 ? "B+";

marks >= 70 ? "B";

marks >= 65 ? "B-";

marks >= 60 ? "C+";

marks >= 55 ? "C";

marks >= 50? "C-":

marks >= 45? "D+":

marks >= 40? "D"! "F":

String nman = marks >= 80? "Distinction":

marks >= 65? "Credit":

marks >= 50? "pass":

marks >= 40? "Conceded pass": "Fail"

double gpa = marks >= 90? 4.0:

marks >= 85? 3.7:

marks >= 80? 3.3:

marks >= 75? 3.0:

marks >= 70? 2.7:

marks >= 65? 2.3:

marks >= 60? 2.0:

marks >= 55? 1.7:

marks >= 50? 1.3:

marks >= 45? 1.0:

marks >= 40? 0.7; 0.0;

System.out.println("Perwit");

System.out.println("Name: " + nman);

System.out.println("Grade: " + grade);

System.out.println("GPA: " + gpa);

System.out.println("Remain: " + remain);

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

.idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

BasicCalculator.java

AIAgePredictor.java

```
1 import java.util.Scanner;
2
3 public class AIAgePredictor { @BijayAyer
4     public static void main(String[] args) { @BijayAyer
5         Scanner scanner = new Scanner(System.in);
6
7         System.out.print("Enter your current age: ");
8         int age = scanner.nextInt();
9
10        int currentYear = 2026;
11
12        System.out.println("\n--- Age Predictions ---");
13        System.out.println("After 10 years : " + (age + 10));
14        System.out.println("After 25 years : " + (age + 25));
15        System.out.println("After 50 years : " + (age + 50));
16        System.out.println("\nYou will turn 100 in the year: " + (currentYear + (100 - age)));
17
18        scanner.close();
19    }
20 }
```

Run

BasicCalculator

AIAgePredictor

```
/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64190 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st
Enter your current age: 49

--- Age Predictions ---
After 10 years : 59
After 25 years : 74
After 50 years : 99

You will turn 100 in the year: 2077

Process finished with exit code 0
```

code AIAgePredictor 3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

BasicCalculator.java AIAgePredictor.java

1 import java.util.Scanner;

2

3 public class BasicCalculator { @BijayAyer

4 public static void main(String[] args) { @BijayAyer

5 Scanner scanner = new Scanner(System.in);

6

7 System.out.println("--- Basic Calculator ---");

8 System.out.print("Enter first number : ");

9 double a = scanner.nextDouble();

10

11 System.out.print("Enter operator (+, -, *, /): ");

12 char op = scanner.next().charAt(0);

13

14 System.out.print("Enter second number : ");

15 double b = scanner.nextDouble();

16

17 double result;

18 String operation;

19

20 switch (op) {

21 case '+':

22 result = a + b;

23 operation = a + " + " + b + " = " + result;

24 break;

25 case '-':

26 result = a - b;

27 operation = a + " - " + b + " = " + result;

28

Run BasicCalculator AIAgePredictor

/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64194 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

--- Basic Calculator ---

Enter first number : 2

Enter operator (+, -, *, /): -

Enter second number : 3

Result: 2.0 - 3.0 = -1.0

Process finished with exit code 0

code BasicCalculator 3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

BasicCalculator.java

FibonacciSeries.java

AIAgePredictor.java

3

1 import java.util.Scanner;

2

3 public class FibonacciSeries { @BijayAyer

4 public static void main(String[] args) { @BijayAyer

5 Scanner scanner = new Scanner(System.in);

6

7 System.out.print("Enter how many Fibonacci numbers to print: ");

8 int n = scanner.nextInt();

9

10 if (n <= 0) {

11 System.out.println("Please enter a positive number.");

12 } else {

13 System.out.println("\nFibonacci Series:");

14

15 int a = 0, b = 1;

16

17 for (int i = 1; i <= n; i++) {

18 System.out.print(a);

19 if (i < n) System.out.print(", ");

20

21 int next = a + b;

22 a = b;

23 b = next;

24 }

25

26 System.out.println();

27 }

Run

FibonacciSeries

AIAgePredictor

Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64198 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter how many Fibonacci numbers to print: 5

Fibonacci Series:

0, 1, 1, 2, 3

Process finished with exit code 0

code > FibonacciSeries 3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

BasicCalculator.java

FibonacciSeries.java

FitnessChallengeTracker.java

AIAgePredictor.java

3

```
1 import java.util.Scanner;
2
3 public class FitnessChallengeTracker { @BijayAyer
4     public static void main(String[] args) { @BijayAyer
5         Scanner scanner = new Scanner(System.in);
6         int[] steps = new int[7];
7
8         System.out.println("--- Fitness Challenge Tracker ---");
9         for (int i = 0; i < 7; i++) {
10             System.out.print("Enter steps for Day " + (i + 1) + ": ");
11             steps[i] = scanner.nextInt();
12         }
13
14         int total = 0;
15         int highest = steps[0];
16
17         for (int i = 0; i < 7; i++) {
18             total += steps[i];
19             if (steps[i] > highest) {
20                 highest = steps[i];
21             }
22         }
23
24         double average = (double) total / 7;
25
26         System.out.println("\n--- Your Results ---");
27         System.out.println("Total Steps : " + total);
28         System.out.println("Average Steps : " + average);
29         System.out.println("Highest Steps : " + highest);
30     }
31 }
```

Run

FitnessChallengeTracker

AIAgePredictor

Enter steps for Day 1: 104

Enter steps for Day 2: 104

Enter steps for Day 3: 34

Enter steps for Day 4: 9823

Enter steps for Day 5: 2344

Enter steps for Day 6: 4324

Enter steps for Day 7: 53423

--- Your Results ---

Total Steps : 70725

Average Steps : 10103.57

Highest Steps : 53423

code > FitnessChallengeTracker

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

BasicCalculator.java

FibonacciSeries.java

FitnessChallengeTracker.java

GradeCalculator.java

LogicalOperatorsCheck.java

3

```
1 import java.util.Scanner;
2
3 public class LogicalOperatorsCheck {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6
7         System.out.print("Enter first number : ");
8         int a = scanner.nextInt();
9
10        System.out.print("Enter second number : ");
11        int b = scanner.nextInt();
12
13        System.out.print("Enter third number : ");
14        int c = scanner.nextInt();
15
16        if (c == a + b) {
17            System.out.println("\nResult: YES! " + c + " = " + a + " + " + b);
18            System.out.println("The third number IS the sum of the first two.");
19        } else {
20            System.out.println("\nResult: NO! " + c + " ≠ " + a + " + " + b);
21            System.out.println("The third number is NOT the sum of the first two.");
22            System.out.println("Expected sum: " + (a + b));
23        }
24
25        scanner.close();
26    }
27 }
```

Run

LogicalOperatorsCheck

AIAgePredictor

Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64208 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter first number : 3

Enter second number : 3

Enter third number : 2

Result: NO! 2 ≠ 3 + 3

The third number is NOT the sum of the first two.

Expected sum: 6

Process finished with exit code 0

code > LogicalOperatorsCheck

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

Current File

onacciSeries.java

FitnessChallengeTracker.java

GradeCalculator.java

LogicalOperatorsCheck.java

MultiplicationTable.java

3

1 import java.util.Scanner;

2

3 public class MultiplicationTable { @BijayAyer *

4 public static void main(String[] args) { @BijayAyer *

5 Scanner scanner = new Scanner(System.in);

6

7 System.out.print("Enter a number: ");

8 int num = scanner.nextInt();

9

10 System.out.println("\n--- Multiplication Table of " + num + " ---");

11

12 for (int i = 1; i <= 10; i++) {

13 System.out.println(num + " x " + i + " = " + (num * i));

14 }

15 scanner.close();

16 }

17 }

18 }

Run

MultiplicationTable

AIAgePredictor

4 x 2 = 8

4 x 3 = 12

4 x 4 = 16

4 x 5 = 20

4 x 6 = 24

4 x 7 = 28

4 x 8 = 32

4 x 9 = 36

4 x 10 = 40

Process finished with exit code 0

code > MultiplicationTable

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

GradeCalculator.java

LogicalOperatorsCheck.java

MultiplicationTable.java

PrimeNumberCheck.java

PalindromeNumber.java

3

1 import java.util.Scanner;

2

3 public class PalindromeNumber { @BijayAyer

4

5 static boolean isPalindrome(int x) { 1 usage @BijayAyer

6 // negative numbers are not palindromes

7 if (x < 0) return false;

8

9 int original = x;

10 int reversed = 0;

11

12 while (x != 0) {

13 int digit = x % 10; // extract last digit

14 reversed = reversed * 10 + digit; // build reversed number

15 x = x / 10; // remove last digit

16 }

17

18 return original == reversed;

19 }

20

21 public static void main(String[] args) { @BijayAyer

22 Scanner scanner = new Scanner(System.in);

23

24 System.out.print("Enter a number: ");

25 int num = scanner.nextInt();

26

27 if (isPalindrome(num)) {

28

Run

PalindromeNumber

AIAgePredictor

Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64214 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter a number: 343

343 is a Palindrome.

Process finished with exit code 0

code > PalindromeNumber

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

LogicalOperatorsCheck.java

MultiplicationTable.java

PrimeNumberCheck.java

PalindromeNumber.java

PyramidPattern.java

3

1 import java.util.Scanner;

2

3 public class PrimeNumberCheck { @BijayAyer

4 public static void main(String[] args) { @BijayAyer

5 Scanner scanner = new Scanner(System.in);

6

7 System.out.print("Enter a number: ");

8 int num = scanner.nextInt();

9

10 if (num <= 1) {

11 System.out.println(num + " is NOT a Prime Number.");

12 } else {

13 boolean isPrime = true;

14

15 for (int i = 2; i <= Math.sqrt(num); i++) {

16 if (num % i == 0) {

17 isPrime = false;

18 break;

19 }

20 }

21

22 if (isPrime) {

23 System.out.println(num + " is a Prime Number.");

24 } else {

25 System.out.println(num + " is NOT a Prime Number.");

26 }

27 }

Run

PrimeNumberCheck

AIAgePredictor

Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64217 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter a number: 34

34 is NOT a Prime Number.

Process finished with exit code 0

code > PrimeNumberCheck

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

LogicalOperatorsCheck.java

MultiplicationTable.java

PrimeNumberCheck.java

PalindromeNumber.java

PyramidPattern.java

```
1 import java.util.Scanner;
2
3 public class PyramidPattern {
4     public static void main(String[] args) {
5         Scanner scanner = new Scanner(System.in);
6
7         System.out.print("Enter number of rows: ");
8         int rows = scanner.nextInt();
9
10        System.out.println("\n--- Pyramid Pattern ---");
11
12        for (int i = 1; i <= rows; i++) {
13
14            // print spaces
15            for (int j = i; j < rows; j++) {
16                System.out.print(" ");
17            }
18
19            // print stars
20            for (int k = 1; k <= (2 * i - 1); k++) {
21                System.out.print("*");
22            }
23
24            System.out.println();
25        }
26
27        scanner.close();
28    }
29 }
```

Run

PyramidPattern

AIAgePredictor

/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64220 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter number of rows: 5

--- Pyramid Pattern ---

*

Process finished with exit code 0

code > PyramidPattern

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

External Libraries

Scratches and Consoles

applicationTable.java

PrimeNumberCheck.java

PalindromeNumber.java

PyramidPattern.java

RightAngledTrianglePattern.java

3

1 import java.util.Scanner;

2

3 public class RightAngledTrianglePattern { BijayAyer

4 public static void main(String[] args) { BijayAyer

5 Scanner scanner = new Scanner(System.in);

6

7 System.out.print("Enter number of rows: ");

8 int rows = scanner.nextInt();

9

10 System.out.println("\n--- Right-Angled Triangle ---");

11

12 for (int i = 1; i <= rows; i++) {

13 for (int j = 1; j <= i; j++) {

14 System.out.print("*");

15 }

16 System.out.println();

17 }

18

19 scanner.close();

20 }

21 }

22

Run

RightAngledTrianglePattern

AIAgePredictor

Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64226 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter number of rows: 5

--- Right-Angled Triangle ---

*

**

Process finished with exit code 0

code > RightAngledTrianglePattern

3:14 CRLF UTF-8 4 spaces

code main

Project

code sources root, ~/Downloads/java/assingment_2/code

.idea

out

AIAgePredictor

assingment_2.iml

BasicCalculator

code.iml

FibonacciSeries

FitnessChallengeTracker

GradeCalculator

LogicalOperatorsCheck

MultiplicationTable

PalindromeNumber

PrimeNumberCheck

PyramidPattern

RightAngledTrianglePattern

SmartAttendanceChecker.java

AttendanceChecker

External Libraries

< 26 > /Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home

Scratches and Consoles

erCheck.java

PalindromeNumber.java

PyramidPattern.java

RightAngledTrianglePattern.java

SmartAttendanceChecker.java

```
1 import java.util.Scanner;
2
3 class AttendanceChecker { @ BijayAyer
4     public static void main(String[] args) { @ BijayAyer
5         Scanner scanner = new Scanner(System.in);
6
7         System.out.print("Enter total classes conducted: ");
8         int totalClasses = scanner.nextInt();
9
10        System.out.print("Enter classes attended: ");
11        int attendedClasses = scanner.nextInt();
12
13        if (totalClasses <= 0) {
14            System.out.println("Total classes must be greater than 0.");
15        } else if (attendedClasses < 0 || attendedClasses > totalClasses) {
16            System.out.println("Invalid attendance value.");
17        } else {
18            double percentage = ((double) attendedClasses / totalClasses) * 100;
19            System.out.printf("Attendance: %.2f%%\n", percentage);
20
21            if (percentage >= 75) {
22                System.out.println("Status: Eligible for Exam ");
23            } else {
24                System.out.println("Status: Not Eligible ");
25            }
26        }
27    }
28 }
```

Run

AttendanceChecker

AIAgePredictor

/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Applications/IntelliJ IDEA.app/Contents/lib/idea_rt.jar=64229 -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8 -Dsun.st

Enter total classes conducted: 43

Enter classes attended: 43

Attendance: 100.00%

Status: Eligible for Exam

Process finished with exit code 0

code > AttendanceChecker