

```
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<title>MIKU VET CENTER Billing</title>
<style>
body {
    font-family: Arial;
    padding: 20px;
    background: #f4f6f9;
}
h2 {
    text-align: center;
}
input, button {
    width: 100%;
    padding: 10px;
    margin: 5px 0;
    font-size: 16px;
}
button {
    background: #2c7be5;
    color: white;
    border: none;
}
.bill-box {
    background: white;
    padding: 15px;
    margin-top: 15px;
}
.total {
    font-weight: bold;
    font-size: 18px;
}
</style>
</head>
```

```
<body>

<h2>MIKU VET CENTER</h2>

<input type="text" id="client"
placeholder="Client Name">
<input type="text" id="pet" placeholder="Pet
Name">
<input type="text" id="service"
placeholder="Service / Medicine">
<input type="number" id="price"
placeholder="Price (NPR)">
<input type="number" id="quantity"
placeholder="Quantity" value="1">

<button onclick="addItem()">Add Item</
button>

<div class="bill-box">
  <div id="items"></div>
  <p class="total">Total: NPR <span
id="total">0</span></p>
</div>

<button onclick="saveBill()">Save Bill</
button>
<button onclick="clearBill()">Clear</button>

<script>
let total = 0;
let items = [];

function addItem() {
  let service =
  document.getElementById("service").value;
  let price =
  parseFloat(document.getElementById("price"
).value);
```

```
let quantity =  
parseInt(document.getElementById("quantity").value);  
  
if (!service || !price) {  
    alert("Enter service and price");  
    return;  
}  
  
let itemTotal = price * quantity;  
total += itemTotal;  
  
items.push({service, price, quantity,  
itemTotal});  
  
document.getElementById("items").innerHTML +=  
`<p>${service} (${quantity}) - NPR ${  
itemTotal}</p>`;  
  
document.getElementById("total").innerText  
= total;  
  
document.getElementById("service").value  
= "";  
document.getElementById("price").value =  
"";  
  
document.getElementById("quantity").value =  
1;  
}  
  
function saveBill() {  
    let client =  
document.getElementById("client").value;  
    let pet =  
document.getElementById("pet").value;
```

```
if (!client) {
    alert("Enter client name");
    return;
}

let bill = {
    date: new Date().toLocaleString(),
    client,
    pet,
    items,
    total
};

let bills =
JSON.parse(localStorage.getItem("mikuBills"))
|| [];
bills.push(bill);
localStorage.setItem("mikuBills",
JSON.stringify(bills));

alert("Bill Saved Successfully!");
clearBill();
}

function clearBill() {
    total = 0;
    items = [];

    document.getElementById("items").innerHTML =
    "";
    document.getElementById("total").innerText =
    "0";
}

</script>

</body>
</html>
```