








# How NSA successfully Broke Trillions of Encrypted

## Connections



Yes, it seems like the mystery has been solved.

We are aware of the United States *National Security Agency (NSA)* powers to break almost unbreakable encryption used on the Internet and intercept nearly Trillions of Internet connections – thanks to the revelations made by whistleblower Edward Snowden in 2013.

However, what we are not aware of is exactly how did the NSA apparently intercept VPN connections, and decrypt SSH and HTTPS, allowing the agency to read hundreds of Millions of personal, private emails from persons around the globe.

Also Read: Every Call You Make or Text You Send, They'll Be Tracking From Today

Now, computer scientists Alex Halderman and Nadia Heninger have presented a paper at the ACM Conference on Computer and Communications Security that advances the most plausible theory as to how the NSA broke some of the most widespread encryption used on the Internet.



- ► Hacking Password
- ► Hacking Software
- ► Password Hacker

According to the paper, the NSA has exploited common implementations of the Diffie-Hellman key exchange algorithm – a common means of exchanging cryptographic keys over untrusted channels – to decrypt a large number of HTTPS, SSH, and VPN connections.

Diffie-Hellman – the encryption used for HTTPS, SSH, and VPNs – helps users communicate by swapping cryptographic keys and running them through an algorithm that nobody else knows except the sender and receiver.

**Also Read:** NSA will not stop spying on us, next move Quantum computer to break strongest Encryption

It is described as secure against surveillance from the NSA and other state-sponsored spies, as it would take hundreds or thousands of years and by them and a nearly unimaginable amount of money to decrypt directly.

However, a serious vulnerability in the way the Diffie-Hellman key exchange is implemented is allowing the intelligence agencies and spies to break and eavesdrop on trillions of encrypted connections.

To crack just one of the extremely large prime numbers of a Diffie-Hellman in the most commonly used 1024-bit Diffie-Hellman keys would take about a year and cost a few hundred Million dollars.

Also Read: How to Crack RC4 Encryption in WPA-TKIP and TLS

However, according to researchers, only a few prime numbers are commonly used that might have fit well within the agency's \$11 Billion-per-year budget dedicated to "groundbreaking cryptanalytic capabilities."

"Since a handful of primes are so widely reused, the payoff, in terms of connections they could decrypt, would be enormous," said Alex Halderman and Nadia Heninger in a blog post published Wednesday.

"Breaking a single, 1024-bit prime would allow the NSA to passively decrypt connections to two-thirds of VPNs and a quarter of all SSH servers globally. Breaking a second 1024-bit prime would allow passive eavesdropping on connections to nearly 20% of the top million HTTPS websites. In other words, a one-time investment in massive computation would make it possible to eavesdrop on trillions of encrypted connections."

Around 92% of the top 1 Million Alexa HTTPS domains make use of the same two primes for Diffie-Hellman, possibly enabling the agency to pre-compute a crack on those two prime numbers and read nearly all Internet traffic through those servers.



According to the duo, this NSA technological project to crack crypto on a scale has "not seen since the Enigma cryptanalysis during World War II."

For in-depth detail, you can read the full paper entitled Imperfect Forward Secrecy: How Diffie-Hellman Fails In Practice [PDF].

Also Read: USB Killer v2.0 — Latest USB Device that Can Easily Burn Your Computer

Ads by Google

▶ Computer Hacking

▶ Crack

► NSA Surveillance

Crack Encryption, Diffie-Hellman, Encrypted Connection, Encryption, Hacking News, NSA, VPN Software

Join us on Facebook: Vou and 802,198 others like this.

#### ABOUT THE AUTHOR



#### Swati Khandelwal

Swati Khandelwal is Senior Technical Writer and Cyber Security Analyst at The Hacker News. She is a Technology enthusiast with a keen eye on the Cyberspace and other tech related developments. She is lover of digital culture, gadgets, creative media, technology, and general interest reporting.



# SUBSCRIBE TO UPDATE Want more Interesting Articles to your Inbox every Morning?. What's your email? Sign Me Up



# Free IPv6 Certification

Get started in minutes! Become an IPv6 Sage



#### LATEST STORIES



ISIS Supporter Hacks 54,000 Twitter Accounts and Posts Details of Heads of the CIA and FBI

Hackers have Hacked into US Arrest Records Database
What is Threat Intelligence and How It Helps to Identify

Security Threats
FBI Deputy Director's Email Hacked by

Teenager Who Hacked CIA Chief
ProtonMail Paid Hackers \$6000
Ransom in Bitcoin to Stop DDoS
Attacks

Aponymous Group

ProtonMail

Anonymous Group Leaks Identities of 1000 KKK Members Fourth, a 16-



Fourth, a 16yearold Hacker,

(i) X

Arrested over TalkTalk Hack

Researcher releases Free Hacking Tool that Can Steal all Your Secrets from Password Manager  $\,$ 







Buge · 21 days ago

A>round 92% of the top 1 Million Alexa

HTTPS domains make use of the same two primes for Diffie-Hellman, possibly enabling the agency to pre-compute a crack on those two prime numbers and read nearly all Internet traffic through those servers.

That is a completely false statement.

From the paper:

8.4% of Alexa Top 1M HTTPS domains allow DHE\_EXPORT, of which 92.3% use one of the two most popular primes, shown here.

So only 7.7% of top 1M Alexa sites are vulnerable, not 92%. Please learn some reading comprehension.

6 ^ V · Reply · Share



Samir Itelesfesses · 22 days ago

Swati Khandelwal,

your articles are really interesting!!

Keep the very good work!

∧ | ∨ · Reply · Share ›



#### LibertylsBetter • 22 days ago

It is a good thing that Congress and the government are looking out from us and protecting us from abuses of power. It is a good thing that the Left and moderate Republicans really believe in the inherent goodness of government and they will monitor themselves. The fact that the IRS was accused of seriously abusing it's powers at the exact same time Lois Lerner's hard drive crashed is pure coincidence. Hillary was looking out for security and the safety of the nation first and her own personal advancement second with the personal unsecured server. Yes, government will look out for us, the people first and themselves...second. Obama, Holder and now Lynch found "Not a smidgeon of corruption." Well, I feel better that the government investigated government corruption and found no corruption of government. It's probably impossible to have abuse of power in the U.S., right? Let's give them more power for our own good.

1 ^ V · Reply · Share



P4 · 23 days ago

Interesting and terrifying theory very much.

1 A V · Reply · Share



Andrey Arapov • 23 days ago

Thank you for the article.

Just to clarify this point:

>"Diffie-Hellman – the encryption used for HTTPS, SSH, and VPNs – helps users communicate by swapping cryptographic keys and running them through an algorithm that nobody else knows except the sender and receiver."

Everyone, including sender and receiver know the Diffie-Hellman algorithm and the group. (Otherwise they would not be able to communicate and exchange a shared secret [see below]).

What they do not know is the shared secret key which used to encipher/decipher the data. (The data is then encrypted with some cipher, e.g. AES using that secret key)

DH (Diffie-Hellman) is the key exchange algorithm so that two parties (sender and receiver) can exchange a secret between themselves so that the secret key would never pass over the communication channel (be it secure or insecure communication channel, it does not matter). That's the key point of DH. (You can see how it works in this easy-to-understand DH example <a href="https://github.com/arno01/dhte...">https://github.com/arno01/dhte...</a>, code is available too)

Since 2010 it was pretty clear that it is time to move from DH primes of 1024 to at least 2048 bits (accepted minimum now).

DH (Diffie-Hellman) primes of 2048 or larger are considered safe. See "5. RECOMMENDATION" on page 11 of the https://weakdh.org/imperfect-f...

Here is a good page made by Cisco - "Recommendations for Cryptographic Algorithms" http://www.cisco.com/web/about...

They have also mentioned algorithms that are QCR = quantum computer resistant.

# Cheers

5 ^ V · Reply · Share ›



Skuly Kido • 23 days ago

So, basically you have a super secure algorithm, which could have a thousand different keys, which would take years to decrypt every key, but you use 2 of them? Seriously? I'm amazed D:

1 ^ V · Reply · Share ›



sehrgut → Skuly Kido · 21 days ago

Not exactly: the primes are used to parameterize the function. The keys are still random, but the "variant" of the Diffie-Hellman function used is publicly-agreed. The problem is that the particular, extremely-common "variants" were possible to pre-compute, allowing easy discovery of the random keys passed through it.

3 ^ V · Reply · Share ›



Grackos · 23 days ago

wut

∧ | ∨ · Reply · Share ›

ALSO ON THE HACKERS NEWS

WHAT'S THIS?

Researcher releases Free Hacking Tool that Can Steal all Your Secrets from Password ...

FBI Deputy Director's Email Hacked by Teenager Who Hacked CIA Chief

6 comments • 2 davs ago

Avat James A Garfield - yes its safe. this do not compromise keepass encryption at all. this thing can be done on linux with little effort too. this ...

Avat sammy - These guys actually make Hillary look smart! At least her e-mail server had a small measure of security, unlike AOL. How do such ...

#### ProtonMail Paid Hackers \$6000 Ransom in **Bitcoin to Stop DDoS Attacks**

4 comments • 2 days ago

Avat Ted Wood — Never pay random. Foolish move.

#### **Anonymous Group Leaks Identities of 1000 KKK Members**

2 comments • 2 days ago

Avat uldics — I red some disputes about which revealing was the right one and a lot of accused persons making statements of blah blah blah. ...

Subscribe

Add Disqus to your site

Privacy

**DISQUS** 





## **Popular Stories**



Anonymous Group Leaks Identities of 1000 KKK Members



Researcher releases Free HACKED Hacking Tool that Can Steal all Your Secrets from

Password Manager



Hackers WIN \$1 Million **Bounty for Remotely** Hacking latest iOS 9 iPhone

Kim Dotcom's Decentralized Internet



- For You, Powered By You



Anonymous Hackers to Leak 1000 of KKK Members Details on Million Mask

March (Nov 5, 2015)



Hackers have Hacked into **US Arrest Records Database** 



ty Direct FBI Deputy Director's Email Hacked by Teenager Who Hacked CIA Chief



Meet The World's First Person Who Hacked His Body to ACKED INS BOOK TO NOW.
BITCOM PAYMENT CHIEF IMPOILANT A Bitcoin Payment



Fourth, a 16-year-old Hacker, Arrested over TalkTalk Hack



Warning: 18,000 Android Apps Contains Code that Spy on Your Text Messages



About | THN Magazine | The Hackers Conference | Sitemap | Advertise on THN | Submit News | Privacy Policy | Contact 🦒

