

Microsoft Sentinel SIEM/SOC Lab

Hybrid Endpoint Monitoring, Threat Detection, and Incident Response

Project Portfolio Report

Prepared By

Bikash Raya

Key Technologies

Microsoft Sentinel • Azure Arc • Azure Monitor Agent (AMA) • Log Analytics Workspace • Data Collection Rules (DCR) • Data Collection Endpoint (DCE) • Microsoft Azure • Microsoft Defender • VMware Workstation • Windows 11 • Ubuntu 22.04 LTS • Windows Server 2025

Project Scope

- Hybrid Endpoint Onboarding
 - Centralized Log Collection
 - Security Monitoring
 - Threat Detection
 - Incident Investigation and Response
-

June 2026

Microsoft Sentinel SIEM/SOC Lab.....	1
1. Executive Summary.....	3
2. Project Objectives.....	3
3. Solution Architecture.....	3
Core Components.....	3
Monitored Endpoints.....	4
Data Flow Architecture.....	4
4. Microsoft Sentinel Infrastructure Deployment.....	5
4.1 Resource Group Creation.....	5
4.2 Log Analytics Workspace Deployment.....	6
4.3 Data Collection Endpoint Configuration.....	9
4.4 Microsoft Sentinel Enablement.....	12
5. Role-Based Access Control (RBAC).....	13
6. Endpoint Deployment and Preparation.....	14
6.1 VMware Windows 11 Virtual Machine.....	14
6.2 VMware Ubuntu 22.04 LTS Virtual Machine.....	16
6.3 Azure Windows Server 2025 Virtual Machine.....	18
7. Azure Arc Onboarding.....	18
Onboarding Process:.....	19
8. Azure Monitor Agent and Data Collection Rules.....	23
8.1 Azure Monitor Agent Installation.....	23
8.2 Data Collection Rules (DCR) Configuration.....	24
Windows Data Sources.....	24
Linux Data Sources.....	24
9. Telemetry Validation.....	29
9.1 Heartbeat Validation.....	29
9.2 Syslog Validation.....	30
10. Threat Detection Configuration.....	31
10.1 Windows Security Auditing.....	32
10.2 Failed RDP Login Analytics Rule.....	32
11. Alert and Incident Validation.....	35
12. Incident Response.....	38
13. Results.....	39
14. Conclusion.....	40

1. Executive Summary

This project focused on designing and implementing a hybrid Security Information and Event Management (SIEM) laboratory using Microsoft Sentinel. The objective was to build a centralized monitoring environment capable of collecting, analyzing, and detecting security events across both on-premises and cloud-based systems.

The environment consisted of a Windows 11 virtual machine and an Ubuntu 22.04 virtual machine hosted in VMware Workstation to simulate on-premises infrastructure, along with an Azure-hosted Windows Server 2025 virtual machine. Azure Arc was used to onboard the on-premises systems into Azure, while Azure Monitor Agent (AMA), Data Collection Rules (DCR), and a Data Collection Endpoint (DCE) were configured to collect telemetry and forward logs to Microsoft Sentinel.

The project successfully demonstrated endpoint onboarding, centralized log management, telemetry validation, and threat detection through a custom analytics rule designed to identify failed Remote Desktop Protocol (RDP) login attempts.

2. Project Objectives

The key objectives of this project were:

The objectives of this project were to:

- Deploy Microsoft Sentinel as a centralized SIEM platform.
- Create and configure a Log Analytics Workspace for centralized log storage.
- Configure a Data Collection Endpoint (DCE) and Data Collection Rules (DCR).
- Implement Role-Based Access Control (RBAC) for secure administration.
- Onboard on-premises Windows and Linux virtual machines using Azure Arc.
- Integrate an Azure-hosted Windows Server 2025 virtual machine into the monitoring environment.
- Install and configure Azure Monitor Agent (AMA) on all endpoints.
- Validate telemetry ingestion through Heartbeat, Syslog, and Windows Security Event logs.
- Create a custom analytics rule for Failed RDP Login detection.
- Generate, investigate, and resolve security incidents within Microsoft Sentinel.

3. Solution Architecture

Core Components


Component	Purpose
-----------	---------

Microsoft Sentinel	Central SIEM for threat detection, analytics, incident management, and investigation.
Log Analytics Workspace (Sentinel-LAW)	Centralized repository for all collected logs and telemetry.
Data Collection Endpoint (Sentinel-DCE)	Secure endpoint for agents to send data to Azure Monitor services.
Data Collection Rules (DCR)	Define what data is collected and where it is sent.
Azure Monitor Agent (AMA)	Lightweight agent installed on endpoints to collect and forward logs.
Azure Arc	Enables management of on-premises servers in Azure.

Monitored Endpoints

Endpoint	Type	Hosting Environment
Windows 11 VM	On-Premises	VMware Workstation
Ubuntu 22.04 LTS VM	On-Premises	VMware Workstation
Windows Server 2025 VM	Cloud	Microsoft Azure

Data Flow Architecture




A Data Collection Endpoint (Sentinel-DCE) was deployed to support Azure Monitor Agent communication and Data Collection Rule associations within the monitoring environment.

4. Microsoft Sentinel Infrastructure Deployment

4.1 Resource Group Creation

A dedicated resource group named **Sentinel-RG-Lab** was created to logically group and manage all related Azure resources.

Screenshots: Resource Group "Sentinel-RG-Lab" created in Azure Portal.



4.2 Log Analytics Workspace Deployment

The **Sentinel-LAW** workspace was deployed within the **Sentinel-RG-Lab** resource group. This workspace serves as the foundation for log storage, query execution, and integration with Microsoft Sentinel.

Screenshots: Log Analytics Workspace "Sentinel-LAW" successfully deployed.

Resource Manager - Microsoft Azure

Home > Resource Manager

Resource Manager | Resource groups

Default Directory

Search

+ Create Manage view Refresh Export to CSV Open query Assign tags Group by none

Filter for any field, Subscription equals all Location equals all Add filter

Name	Subscription
Sentinel-RG-Lab	Azure subscription 1

Tags

- Organization

Tools

- Resource graph explorer
- Resource graph queries
- Resource visualizer
- Resource explorer
- ARM API playground
- Resource mover

Deployments

- Templates
- Template specs

Help

Showing 1 - 1 of 1. Display count: auto

Give feedback

Notifications

More events in the activity log

Resource group created

Creating resource group 'Sentinel-RG-Lab' in subscription 'Azure subscription 1' succeeded.

Go to resource group Pin to dashboard

a few seconds ago

Create Log Analytics workspace

Home > Log Analytics workspaces

Create Log Analytics workspace

Basics Tags Review > Create

A Log Analytics workspace is the basic management unit of Azure Monitor Logs. There are specific considerations you should take when creating a new Log Analytics workspace. [Learn more](#)

With Azure Monitor Logs you can easily store, retain, and query data collected from your monitored resources in Azure and other environments for valuable insights. A Log Analytics workspace is the logical storage unit where your log data is collected and stored.

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure subscription 1

Resource group * Sentinel-RG-Lab

Create new

Instance details

Name * Sentinel-LAW

Region * Australia East

Review > Create

Provisional

Next: Tags >

Create Log Analytics workspace

https://portal.azure.com/#view/Microsoft_OperationsManagementSuite_Workspace/CreateWorkspaceBladeV2?...
Import favorites | Udemy SOC Lab | amonies145@outlo... | ChatGPT

Microsoft Azure | Search resources, services, and docs (G+)

Copilot | BtaSecOps_Labs@outlo...
ONLINE DIRECTORY BACKSCOPES

Create a resource

Home

Dashboard

All services

FAVORITES

Application templates

All resources

Resource groups

App Services

Function App

Azure SQL Database

Azure Cosmos DB

Virtual machines

Load balancers

Storage accounts

Virtual networks

Microsoft Entra ID

Monitor

Advisor

Microsoft Defender for Cloud

Cost Management + Billing

Help + support

Home | Log Analytics workspaces

Create Log Analytics workspace

Validation passed

Basics | Tags | Review + Create

Log Analytics workspace
By Microsoft

Basics

Subscription | Azure subscription 1

Resource group | Sentinel-HQ-Lab

Name | Sentinel-LAW

Region | Australia East

Pricing

Pricing tier | Pay-as-you-go (Per GB 2018)

The cost of your workspace depends on the volume of data ingested and how long it is retained. Regional pricing details are available on the [Azure Monitor pricing page](#). You can change to a different pricing tier after the workspace is created. [Learn more about Log Analytics pricing models.](#)

Tags


None

Create | Previous | Download a template for automation

1 the
Lighttrain

Search

2:34 P
2/06/20



4.3 Data Collection Endpoint Configuration

A Data Collection Endpoint (Sentinel-DCE) was created to act as the destination for telemetry from Azure Monitor Agents. The endpoint uses HTTPS and supports secure communication from hybrid environments.

Additionally, the **Microsoft.Insights** resource provider was registered to enable monitoring features.

In Azure Cloud Shell:

```
az provider register --namespace Microsoft.Insights
```

Check status:

```
az provider show --namespace Microsoft.Insights --query registrationState
```

Wait until output is:

"Registered"

Screenshot: DCE "Sentinel-DCE" created.

The image displays two screenshots of the Microsoft Azure portal interface, specifically the 'Create data collection endpoint' wizard.

Top Screenshot (Basics Tab):

- Endpoint details:**
 - Endpoint Name: Sentinel-DCE
 - Subscription: Azure subscription 1
 - Resource Group: Sentinel-RG-Lab
 - Region: Australia East

Bottom Screenshot (Review + create Tab):

- Basics:**
 - Endpoint Name: Sentinel-DCE
 - Subscription: Azure subscription 1
 - Resource Group: Sentinel-RG-Lab
- Error Message:** The subscription is not registered to use namespace 'microsoft.insights'. See <https://aka.ms/ps-not-found> for how to register subscriptions.
- Instructions (Right Sidebar):**
 - Azure Portal:**
 - Sign in to the Azure portal.
 - Navigate to **Subscriptions** and select your subscription.
 - Go to **Resource providers**.
 - Search for **microsoft.insights** and click **Register**.
 - Wait until the status shows **Registered**; then retry the operation.
 - Azure CLI:**

Run the following command:

```
Bash
az provider register --namespace Microsoft.Insights
```

To check the registration status, use:

```
Bash
az provider show --namespace Microsoft.Insights --query "registrationState"
```
 - Azure PowerShell:**


How do I check if a resource provider is registered in Azure?

What permissions are needed to register a resource provider in Azure?

Can you guide me through registering a resource provider using Azure CLI?

I want to ...


Screenshot: Microsoft.Insights resource provider registered.



4.4 Microsoft Sentinel Enablement

Microsoft Sentinel was enabled on the **Sentinel-LAW** workspace. This activated SIEM capabilities such as analytics rules, threat intelligence, incident management, and integration with other Microsoft security tools.

Screenshot: Microsoft Sentinel successfully enabled on the workspace.




5. Role-Based Access Control (RBAC)

To enforce least-privilege access, the following Azure roles were assigned to the administrator account:

Role	Scope	Purpose
Monitoring Reader	Resource Group	Allows viewing of monitoring data (e.g., logs, metrics).
Log Analytics Contributor	Workspace	Grants read/write access to Log Analytics data and configurations.
Microsoft Sentinel Contributor	Workspace	Enables creation and management of analytics rules, incidents, and playbooks.

These roles ensure that users can monitor and manage security operations without excessive permissions.

Screenshots: Role assignments applied to user.



6. Endpoint Deployment and Preparation


6.1 VMware Windows 11 Virtual Machine

A **Windows 11 Pro** VM was deployed on VMware Workstation to simulate an on-premises workstation.

Configuration Steps:

- Enabled **Remote Desktop Protocol (RDP)**.
- Configured **Windows Firewall** to allow RDP and outbound HTTPS.
- Verified network connectivity to Azure.
- Tested local event generation.

Screenshot: Windows 11 VM running in VMware.



6.2 VMware Ubuntu 22.04 LTS Virtual Machine


An Ubuntu 22.04 LTS Server VM was deployed to represent a Linux server in a hybrid environment.

Configuration Steps:

- Applied system updates: `sudo apt update && sudo apt upgrade -y`

- Installed `rsyslog` (enabled by default).
- Generated test syslog entries to validate logging functionality.
- Ensured outbound connectivity to Azure endpoints.

Screenshot: Ubuntu VM.




6.3 Azure Windows Server 2025 Virtual Machine

A Windows Server 2025 Datacenter VM was provisioned in Azure to simulate a cloud workload.

- Deployed with **System-Assigned Managed Identity**.
- Public IP assigned for RDP access during setup.
- Joined to the same Log Analytics Workspace for telemetry ingestion.

Screenshot: Azure Portal view of Windows Server 2025 VM.



7. Azure Arc Onboarding

Azure Arc enabled the extension of Azure management to non-Azure machines.


Onboarding Process:


1. Generated **onboarding script** from the Azure Portal under **Azure Arc > machines > create > onboard** and complete the steps to download the script
2. Executed the script on both the **Windows 11** and **Ubuntu** VMs.
 1. Run the commands to fix the issue running the script file :PS
C:\WINDOWS\system32> Get-ExecutionPolicy
RemoteSigned PS C:\WINDOWS\system32> Set-ExecutionPolicy -Scope
CurrentUser -ExecutionPolicy RemoteSigned
3. Script automatically:
 1. Installed the **Azure Connected Machine Agent**.
 2. Authenticated with Azure using service principal or interactive login.
 3. Registered the machine as an Azure resource.

After successful onboarding:



- Both VMs appeared in the Azure Portal under **Azure Arc > Servers**.
- Tags and resource metadata were applied for organization.


Screenshots: Azure Arc > machines > create > Onboard existing machines.





Screenshots: Issue and fix for running script file in Win 11 VM







Screenshot: Ubuntu VM successfully connected via Azure Arc.

labuser@labuser-virtual-machine :~ /Desktop\$ dir

OnboardingScript.sh

labuser@labuser-virtual-machine :~ /Desktop\$ chmod +x OnboardingScript. sh

labuser@labuser-virtual-machine :~ /Desktop\$./OnboardingScript. sh



8. Azure Monitor Agent and Data Collection Rules


8.1 Azure Monitor Agent Installation

The **Azure Monitor Agent (AMA)** was installed on all three endpoints:

Endpoint	Installation Method
Windows 11 VM	PowerShell script
Ubuntu VM	Bash script via terminal
Azure Windows Server 2025	Azure Extension (automated)

The agent establishes secure TLS connections to the **Data Collection Endpoint (Sentinel-DCE)** and begins transmitting logs based on DCR associations.

Screenshot: Sentinel-DCE



8.2 Data Collection Rules (DCR) Configuration

Two DCRs were created:

1. **Windows-DCR:** Collects Windows Event Logs.
2. **Linux-DCR:** Collects Syslog messages.

Windows Data Sources

- **Event Types:** Security
- **Event IDs Included:** 4624 (Success), 4625 (Failure), 4648 (Explicit Credentials), etc.
- **Channels:** Security, System, Application

Linux Data Sources

- **Facilities:** auth, authpriv, cron, daemon, kern, user
- **Log Levels:** info, notice, warning, err, crit, alert, emerg

Each DCR was associated with its respective endpoints using **Data Collection Rule Associations (DCRA)**.

Screenshots: DCR configuration showing Windows and Linux Syslog sources.

Windows Security Events via AMA

Disconnected Status Microsoft Provider Last Log Received

Related content

0 Workbooks 1 Quizzes 21 Analytics rules templates

Data received

Go to log analytics

Security Events

0

Data types

SecurityEvents

Create Data Collection Rule

Basic Resources Collect Review + create

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all of your resources.

Rule details

Rule name * DCR-WindowsSecurityEvents

Subscription * Azure subscription 1

Resource group * Sentinel-RG-Lab

Prerequisites

To integrate with Windows Security Events via AMA, you must:

- Workspace data sources: read and write permissions
- To collect data from non-Azure VMs, they must be connected to the workspace.

Configuration

Enable data collection rule

Security Events logs are collected only from Windows VMs.

Refresh

Rule name Created

No results

+ Create data collection rule

Next: Resources >

Microsoft Azure portal interface showing the "Add new data source" step in the "Create Data Collection Rule" wizard. The "Data source" tab is active, and the "Data source type" is set to "Windows Event Logs". The "Event Log Selection Mode" is set to "Basic (Use this to enable collection of event logs)". The "Application" section is expanded, showing a list of event log categories with checkboxes: Critical, Error, Warning, Information, Verbose, Security, Audit success, Audit failure, System, Critical, Error, Warning, Information, Verbose. The "Save" button is visible at the bottom.

Microsoft Azure portal interface showing the "Add new data source" step in the "Create Data Collection Rule" wizard. The "Destination" tab is active, and the "Data collection rule region" is set to "Australia East". The "Add destination" button is highlighted. The "Destination type" is set to "Log Analytics Workspaces". The "Subscription" is set to "Azure subscription 1". The "Log Analytics Workspaces" dropdown shows "Sentinel-LAW (Sentinel-RG-Lab)". The "Apply" button is highlighted.

Microsoft Azure portal interface showing the "Create Data Collection Rule" wizard for "Windows Security Events via AMA". The wizard is in the "Collect" step, where the user selects "All Security Events" to stream. The "Prerequisites" section indicates that workspace data sources are read and write permissions are required. The "Configuration" section shows the rule name "Created by user" and a "Go to log analytics" link. The "Data received" section displays a graph showing 0 events received from May 28 to June 2, 2023.

Create Data Collection Rule

Data collection rule management

Basic Resources **Collect** Review + create

Select which events to stream:

- ☒ All Security Events
- ☐ Common
- ☐ Minimal
- ☐ Custom

Prerequisites

To integrate with Windows Security Events via AMA, you must:

- ✓ **Workspace data sources:** read and write permissions are required.
- ✓ To collect data from non-Azure VMs, they must be connected to the workspace.

Configuration

Enable data collection rule

Security Events logs are collected only from Windows machines.

Refresh

Rule name: Created by user

No results

+ Create data collection rule

+ Previous Next/Review + create

Microsoft Azure portal interface showing the "Create Data Collection Rule" wizard for "Windows Security Events via AMA". The wizard is in the "Review + create" step, where the user reviews the rule configuration. The "Prerequisites" section indicates that workspace data sources are read and write permissions are required. The "Configuration" section shows the rule name "Created by user" and a "Go to log analytics" link. The "Data received" section displays a graph showing 0 events received from May 28 to June 2, 2023.

Create Data Collection Rule

Data collection rule management

Basic Resources **Collect** **Review + create**

Basic

Data rule name: DCR-WindowsSecurityEvents

Subscription: Azure subscription 1

Resource Group: Sentinel-RIG-Lab

Selected resources

Name	Type
desktop-m05um0	microsoft.hybridcompute/machines

Selected events: AllEvents

+ Previous **Create**

Microsoft Azure

Home > Monitor > Data Collection Rules > Create Data Collection Rule


Add new data source

Data source Destination

	Facility	Log Level
☐	LOG_ALERT	LOG_DEBUG
☐	LOG_AUDIT	LOG_INFO
☒	LOG_AUTH	LOG_INFO
☒	LOG_AUTHPRIV	LOG_INFO
☐	LOG_CLOCK	LOG_DEBUG
☐	LOG_CRON	LOG_DEBUG
☒	LOG_DAEMON	LOG_NOTICE
☐	LOG_FTP	LOG_DEBUG
☒	LOG_KERN	LOG_INFO
☐	LOG_LOCAL0	LOG_DEBUG
☐	LOG_LOCAL1	LOG_DEBUG
☐	LOG_LOCAL2	LOG_DEBUG
☐	LOG_LOCAL3	LOG_DEBUG

Save Next: Destinations > Cancel

Feedback



9. Telemetry Validation

9.1 Heartbeat Validation

Heartbeat logs confirm that agents are communicating with Azure Monitor.

KQL Query:


Heartbeat

```
| project TimeGenerated, Computer, OSType, OSName
| summarize LastSeen=max(TimeGenerated), OS=any(OSType) by Computer
| sort by LastSeen desc
```

Results:

- All three endpoints reported heartbeat data within the last 5 minutes.
- OS types correctly identified (Windows/Linux).
- Confirmed bidirectional communication.

Screenshot: Query results showing all three machines reporting Heartbeat.



9.2 Syslog Validation

To verify Linux log ingestion:

KQL Query:

```
Syslog
| take 10
```

Results:

- Logs from Ubuntu VM displayed successfully.
- Included SSH authentication attempts, system startups, and cron jobs.
- Timestamps aligned with local system time (UTC).

Screenshot: Syslog entries from Ubuntu VM visible in Logs.

TimeGenerated [UTC]	Computer	EventTime [UTC]	Facility	HostName	SeverityLevel	SyslogMessage	ProcessID	HostIP	ProcessName
6/3/2026, 6:03:47:642 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	daemon	labuser-virtual-machine	warning	Configuration file /run/systemd/system/netplan-on-cleanu...	1	127.0.1.1	systemd
6/3/2026, 6:03:47:486 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	authpriv	labuser-virtual-machine	info	new user name=azuremetricssent, UID=996, GID=996, home...	10218	127.0.1.1	sshd
6/3/2026, 6:03:47:290 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	daemon	labuser-virtual-machine	warning	/lib/systemd/system/napd.service[2]: Unknown key name ...	1	127.0.1.1	systemd
6/3/2026, 6:03:47:290 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	daemon	labuser-virtual-machine	warning	Configuration file /run/systemd/system/netplan-on-cleanu...	1	127.0.1.1	systemd
6/3/2026, 6:03:47:126 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	daemon	labuser-virtual-machine	warning	/lib/systemd/system/napd.service[2]: Unknown key name ...	1	127.0.1.1	systemd
6/3/2026, 6:03:47:118 AM	labuser-virtual-machine	6/3/2026, 6:03:47:000 AM	authpriv	labuser-virtual-machine	info	Configuration file /run/systemd/system/netplan-on-cleanu...	1	127.0.1.1	systemd
6/3/2026, 6:03:47:016 AM	labuser-virtual-machine	6/3/2026, 6:03:46:000 AM	authpriv	labuser-virtual-machine	info	new user name=azuremetricssent, UID=997, GID=996, ho...	10134	127.0.1.1	sshd
6/3/2026, 6:03:46:981 AM	labuser-virtual-machine	6/3/2026, 6:03:46:000 AM	authpriv	labuser-virtual-machine	info	new group name=azuremonitoragent, GID=996	10128	127.0.1.1	groupadd
6/3/2026, 6:03:46:981 AM	labuser-virtual-machine	6/3/2026, 6:03:46:000 AM	authpriv	labuser-virtual-machine	info	group added to /etc/gshadow name=azuremonitoragent	10128	127.0.1.1	groupadd
6/3/2026, 6:03:46:978 AM	labuser-virtual-machine	6/3/2026, 6:03:46:000 AM	authpriv	labuser-virtual-machine	info	group added to /etc/group name=azuremonitoragent, GID...	10128	127.0.1.1	groupadd

Screenshot: SecurityEvents for windows and syslog for ubuntu are working - confirmed
 union SecurityEvent, Syslog
 | where TimeGenerated > ago(30m)
 | summarize count() by Computer

Advanced hunting

Explore your content from Microsoft Sentinel

All data from Microsoft Sentinel, including tables, queries and functions is now available for you to explore.

Query: Syslog | where TimeGenerated > ago(30m) | summarize count() by Computer

Results:

Computer	count
labuser-virtual-ma...	1745
DESKTOP-NTT0U9UD	8994

10. Threat Detection Configuration

10.1 Windows Security Auditing

To capture login events, auditing policies were enabled on the **Windows 11 VM**:

- **Audit Logon Events:** Success and Failure
- **Audit Account Logon Events:** Success and Failure
- **Special Logon Auditing:** Enabled


This ensures that **Event ID 4625 (failed logon)** is generated upon failed RDP attempts.

Screenshot: Local Security Policy showing audit settings enabled.

```
auditpol /set /subcategory:"Logon" /success:enable /failure:enable
```

```
auditpol /set /subcategory:"Logoff" /success:enable /failure:enable
```

```
auditpol /set /subcategory:"Special Logon" /success:enable /failure:enable
```



10.2 Failed RDP Login Analytics Rule

A **Scheduled Analytics Rule** was created in Microsoft Sentinel to detect potential brute-force attacks.

Microsoft Defender Portal → Microsoft Sentinel → Analytics → Create → Scheduled rule

Property	Value
Rule Name	Failed_RDP_Logins
Severity	Medium
Tactics	Initial Access
Technique	T1110 – Brute Force
Query	See below
Query Frequency	Every 5 minutes
Lookback Period	5 minutes
Threshold	>3 failed attempts per user/computer
Incident Creation	Enabled

Detection Query:

```
Event
| where EventID == 4625
| extend Account = tostring(parse_json(EventData).TargetUserName)
| summarize FailedAttempts = count() by Account, Computer
| where FailedAttempts > 3
```

Screenshot: Analytics rule creation form with query and settings.

Microsoft Defender | Default Directory

Search > Analytics

Manage all your rules in one place

Now you can manage all your rules on one page, providing a centralized and streamlined approach to rule management. This enhancement not only simplifies your workflow but also ensures that you can easily access, modify, and oversee all your rules in one convenient location.

Go to unified rules page

Rules by severity

High (0) Medium (0) Low (0) Informational (0)

Active rules Rule templates Analytics

Create Analytics workbooks Rule runs (Preview) Enable Disable Delete Import Export Columns

Scheduled query rule Rule type Status Tactics Techniques Sub-techniques Source name Last modified

No analytics rules were found

What is it?
Analytics rules provide you the ability to detect and respond to threats in your organization. [Learn more](#)

How does it work?
You can create a new analytics rule or enable a rule from our gallery of built-in rule templates.

Make the most out of analytics rules

Reduce noise
Carefully define the threats you want to investigate in your environment. Control the threshold, severity, and more.

Map entities
When you define analytics rules, make sure to map important entities. This enables advanced investigation options when that entity is triggered.

Enable built-in analytics rules
Microsoft Sentinel provides a rich set of built-in rule templates that you can enable and customize.

Respond to alerts automatically
Define automated Playbooks and associate them with your analytics rules so they can automatically respond when an alert is triggered.

No analytics rules selected
Select an analytics rule to view more details

Microsoft Defender | Default Directory

Search > Analytics > Analytics rule wizard

Analytics rule wizard - Create a new Scheduled rule

General

Create an analytics rule that will run on your data to detect threats.

Analytics rule details

Name *

Failed_RDP_Logins

Description

Severity

Medium

MITRE ATTACK


2 Selected

Status

Enabled

Next: Set rule logic

Cancel



11. Alert and Incident Validation

To test the detection rule:


1. Multiple **failed RDP login attempts** were made to the **Windows 11 VM** using invalid credentials.
2. Event ID **4625** entries appeared in the **Event** table.
3. Within 5 minutes, the analytics rule triggered.
4. An **alert** was generated in Microsoft Sentinel.
5. An **incident** was automatically created and assigned a severity level.

Incident Details:

- Title: Multiple failed RDP logins detected
- Entities: Host (WIN11-VM), User (attempted username)
- Alerts: 1 (linked to rule)
- Status: New

The incident was manually reviewed and closed for testing purposes.

Screenshot: Manually replicating failed RDP by entering the wrong Password.



Screenshot: Alert generated in Microsoft Sentinel.

Alerts - Microsoft Defender

https://security.microsoft.com/alerts?tid=aa486a3-0a7b-4473-b5cd-4fa3c0f1a255

Microsoft Defender

Find Defender solutions

Home

Exposure management

Investigation & response

Incidents & alerts

Alerts

Hunting

Actions & submissions

Partner catalog

Threat intelligence

Assets

Microsoft Sentinel

Search

Threat management

Content management

Configuration

Tables

Data connectors

Analytics

Summary rules

Watchlist

Automation

Email & collaboration

Cloud security

Cases

SOC optimization

Reports

Alerts

Loading...

Built-in alert tuning was updated with new rules. These rules help streamline your incident and alert queues by prioritizing high-risk alerts, automating alerts. Review or manage the affected alert types in Alert Tuning. Learn more about built-in rules. [Don't show again](#)

Export 1 Week 3 Alerts Search for name or ID Customize columns

Filter bar: Status: New, In progress Add filter Reset all

Alert name	Tags	Severity	Investigation state	Status	Category	Detection source	Product name	Impacted assets
Failed_RDP_Logins		Medium	New	New	Credential Access	Scheduled detection	Microsoft Sentinel	
Failed_RDP_Logins		Medium	New	New	Credential Access	Scheduled detection	Microsoft Sentinel	
Failed_RDP_Logins		Medium	New	New	Credential Access	Scheduled detection	Microsoft Sentinel	

Microsoft Defender

Find Defender solutions

Home

Exposure management

Investigation & response

Incidents & alerts

Alerts

Hunting

Actions & submissions

Partner catalog

Threat intelligence

Assets

Microsoft Sentinel

Search

Threat management

Content management

Configuration

Tables

Data connectors

Analytics

Summary rules

Watchlist

Automation

Email & collaboration

Cloud security

Cases

SOC optimization

Reports

Alerts > Failed_RDP_Logins

Loading...

Part of incidents: Failed_RDP_Logins. View incident page

What happened

ANALYTICS RULE

Analytics rule details

Rule name: Failed_RDP_Logins [View rule in Sentinel](#)

Rule description

Related events

Query results

View query 1 item Customize columns

Account	Computer	FailedAttempts
Computer	DESKTOP-NTSUNJ0	5
FailedAttempts	DESKTOP-NTSUNJ0	5

Failed_RDP_Logins

Medium Unknown New

Manage alert Move alert to another incident

Set Classification

Alert details

Alert ID: aa16a468-464a-4796-9c7b-31b172e565d1 Categories: Credential Access

Detection source: Scheduled detection Service source: Microsoft Sentinel

Detection technology: Generated on: Jun 5, 2026 10:46:07 AM

First activity: Jun 5, 2026 10:35:41 AM Last activity: Jun 5, 2026 10:40:41 AM


Workspace: Sentinel-LABV

Evidence

No related evidence was found

Analytics rule details

Rule name Rule description




12. Incident Response

The generated incident was assigned for investigation within Microsoft Sentinel. After reviewing the associated Event ID 4625 authentication failures, it was confirmed that the activity was generated as part of authorized lab testing.

An investigation comment was added, and the incident status was changed to **Resolved**.

Investigation Comment:

Investigation completed. Failed authentication attempts were generated as part of authorized Microsoft Sentinel lab testing. Detection rule functioned as expected, alert was generated successfully, and no malicious activity was identified. Incident resolved.



In a production environment, the incident would be escalated and handled according to the organization's incident response playbooks. However, as the activity was confirmed to be legitimate testing, the incident was documented and marked as **Resolved**.

13. Results

All project objectives were met with full success:

Objective	Status	Notes
Deploy Microsoft Sentinel	✓	Enabled on Log Analytics Workspace
Create Log Analytics Workspace	✓	Named Sentinel-LAW
Configure DCE and DCR	✓	Secure data ingestion pipeline established
Implement RBAC	✓	Least-privilege roles assigned
Onboard on-prem Windows/Linux	✓	Via Azure Arc
Onboard Azure VM	✓	Direct integration
Install AMA	✓	All endpoints reporting
Validate telemetry	✓	Heartbeat and Syslog confirmed
Centralized logging	✓	Unified visibility across hybrid estate

Create analytics rule	✓	Detects RDP brute-force attempts
Generate alerts/incidents	✓	End-to-end detection validated
Investigate and Resolve Incident	✓	Incident assigned, reviewed, and resolved

14. Conclusion

This project successfully implemented a hybrid Microsoft Sentinel SIEM/SOC laboratory environment. Windows and Linux endpoints were onboarded using Azure Arc, while an Azure-hosted Windows Server was integrated directly into the monitoring environment. Telemetry collection was validated through Heartbeat and Syslog logs, confirming successful connectivity and data ingestion.

A custom Failed RDP Login detection rule was implemented to demonstrate security monitoring and threat detection capabilities. The successful generation of alerts and incidents confirmed that Microsoft Sentinel was operating effectively as a centralized SIEM platform capable of monitoring, detecting, and responding to security events across a hybrid infrastructure.