


Tech Stack:

- GUI - ICED (Rust)
- Extensions API - Axum (Rust)
- Rustls + RcGen, tokio-rustls, hyper (Proxy)



[illegible]

Nullock HTTP Proxy - Proxy Tab (Intercept)

Tab Manager

Note:

Forward

Forward

Forward all

Drop

Drop all

Intercept on	Host	Direction	Method	URL	Params	TLS	Mime type	IP
☒	https://x.co	→	GET	/something/1/	✓	✓	NA	25.195.213.9
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								

Request

Proxy

Raw

Hex

Notes

Inspect

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

LLR

Nullock HTTP Proxy - Intruder (Intruder tab)

Tab Manager

Planning Attacks Intruder Resource Hub Payload Hub ☒ Intruder Settings

Attack Name Start Time Payload Manager ☒

Crash Override 07:10
AcidBurn 07:10

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

Attack Manager

Attack Name Payload

1 POST /example?p=8posload&v=8load8 Position
2 Cookie: c=8example8
3 Content-Length: 19
4
5 p2=8Hackers&p3=819958

Notes
Inspecting

Tab Manager

Payloads	Intruder	Resource Hub	Payload Hub	Intruder Settings
<Payload Name> <Payload Name> <Payload Name> Clear	Payload Name: ex: XSS Rat Payload: <Payload Name> Payload Type: ex: XSS		Payload Name: <Payload Name> Payload: <Payload> Payload Type: <Payload Type> +Add Clear Save	
Saved Payloads				
	#	Payload Name	Payload	Payload Type
	1	Posiden	<script>prompt(123456789);	XSS
	2	Astroid	' or data @>'e'a"!'b"3'--	SQLI
	3			
	4			
	5			
	6			
	7			
	8			
	9			
	10			
	11			

Nulllock HTTP Proxy - Intruder (Payload Hub)

Tab Manager

Resource Pools

< Pool Name 1 >

< Pool Name 2 >

< Pool Name 3 >

Clear

Intruder
Resource Hub
Payload Hub
 Intruder Settings

Resource Manager

Pool Name (PN): (ex: Posidem)

Max Concurrent Requests (MCR): (ex: 10)

Thread Amount (TA): (ex: 1)

Delay Between Threads (DBT): (ex: 10)

☒ Fixed
☐ With Random Variations
☐ Incremental Delay of (ex: 10)

PN: < Pool Name >

MCR: < Max Concurrent Requests >

TA: < thread amount >

DBT: < Delay Between Threads >

Add

Clear

Save

Saved Resource Pools

#	Pool Name	MCR	TA	DBT	DBT Type	
1	Luxicon	15	10	1	Fixed	Use
2	Negas	20	8	1	Random	Use
3	Chicago	25	5	2	Incremental	Use
4						Remove
5						Clear
6						
7						
8						
9						
10						

Nullock HTTP Proxy - Intruder (Resource Hub)

Tab Manager

Repeater Tabs

Repeater Repeater Hub

Repeater Tab Manager

Tab Name:

Method:

Note:

Repeater Settings

Tab Name:

Method:

Note:

Saved Repeater Tabs

#	Tab Name	Method	Note	
1	Gorgo	GET	NA	+Use
2				+Use All
3				Remove
4				Clear
5				
6				
7				
8				
9				
10				

Nullock HTTP Proxy - Repeater (Repeater Hub)