

**Practical File
Of
Web Designing Laboratory
(UGCA1928)**



Submitted By: -
Bikkar Singh
Roll No. 2447072
Class: BCA 4th Sem

Submitted to: -
Ms. Silky Verma
Assistant professor
(Dept. of Computer Application)

**PUNJAB INSTITUTE OF MANAGEMENT AND TECHNOLOGY
(AFFILIATED TO IKG PUNJAB TECHNICAL UNIVERSITY, JALANDHAR)**

Practical File Index Format

Sr. No.	Name of the Practical	Page No.	Teacher's Signature
1	Create a simple HTML page to demonstrate the use of different tags.	3	
2	Design index page of a book on web designing.	6	
3	Display Index Head of your college on a web page.	8	
4	Create a Hyperlink to move around within a single page to load another page.	11	
5	Display letter using different Text formatting Tags.	14	
6	Design Time Table of your department and highlights of most important periods.	16	
7	Use Tables to provide layout to your web page.	20	
8	Embed Audio and Video into your web page.	24	
9	Divide a web page vertically and horizontally and display logo of your college in left pane and logo of university in right pane.	26	
10	Create a student Bio- Data.	29	
11	Design front page of hospital with different style sheets.	33	
12	Design a web page and display two different pages at a time.	37	
13	Write a program to create a login form. On submitting the form, the user should get navigated to a profile page using JavaScript.	41	
14	Write a code to create a Registration Form. On submitting the form, the user should be asked to login with the new credentials using JavaScript.	44	
15	Write an HTML code to create your Institute website/Department website/ Tutorial website for specific subject. Also use Java Script for validation.	48	

Practical 01:- Create a simple HTML page to demonstrate the use of different tags.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>HTML Tags Demo</title>

</head>

<body>

    <!-- Heading tags -->

    <h1>Welcome to HTML Demo</h1>

    <h2>This is a subheading</h2>

    <!-- Paragraph and formatting -->

    <p>This is a <b>bold</b> word and this is <i>italic</i>.</p>

    <!-- Link -->

    <p>

        Visit

        <a href="https://www.example.com">Example Website</a>

    </p>

    <!-- Image -->

    <h3>Image Example</h3>

    <!-- Lists -->

    <h3>Lists</h3>

    <ul>

        <li>Apple</li>

        <li>Banana</li>

    </ul>

    <ol>
```

```
<li>First Item</li>
<li>Second Item</li>
</ol>

<!-- Table -->
<h3>Table Example</h3>

<table border="1">
  <tr>
    <th>Name</th>
    <th>Age</th>
  </tr>

  <tr>
    <td>Ali</td>
    <td>20</td>
  </tr>

  <tr>
    <td>Sara</td>
    <td>22</td>
  </tr>
</table>

<!-- Form -->
<h3>Form Example</h3>

<form>
  Name:
  <input type="text"><br><br>

  Email:
  <input type="email"><br><br>

  <input type="submit" value="Submit">
</form>
```

</body>

</html>

Output:-

Welcome to HTML Demo

This is a subheading

This is a **bold** word and this is *italic*.

Visit [Example Website](#)

Image Example

 Sample Image

Lists

- Apple
 - Banana
1. First Item
 2. Second Item

Table Example

Name	Age
Ali	20
Sara	22

Form Example

Name:

Email:

Practical 02:- Design index page of a book on web designing.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Book Index Page</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f2f2;
      margin: 40px;
    }

    .container {
      background-color: white;
      padding: 20px;
      border-radius: 10px;
      width: 500px;
      margin: auto;
      box-shadow: 0px 0px 10px gray;
    }

    h1 {
      text-align: center;
      color: darkblue;
    }

    h2 {
      color: darkred;
    }

    ul {
      line-height: 1.8;
    }

    li {
      font-size: 18px;
    }

    footer {
      text-align: center;
      margin-top: 20px;
      color: gray;
    }
  </style>
</head>

<body>

  <div class="container">
```

```
<h1>Web Designing</h1>
<h2>Index</h2>

<ul>
  <li>Chapter 1 : Introduction to Web Designing</li>
  <li>Chapter 2 : Basics of HTML</li>
  <li>Chapter 3 : Text Formatting Tags</li>
  <li>Chapter 4 : Lists and Tables</li>
  <li>Chapter 5 : Hyperlinks and Images</li>
  <li>Chapter 6 : Forms in HTML</li>
  <li>Chapter 7 : Introduction to CSS</li>
  <li>Chapter 8 : CSS Properties and Styling</li>
  <li>Chapter 9 : JavaScript Basics</li>
  <li>Chapter 10 : Responsive Web Design</li>
</ul>

<footer>
  © 2026 Web Designing Book
</footer>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:-

Web Designing

Index

- Chapter 1 : Introduction to Web Designing
- Chapter 2 : Basics of HTML
- Chapter 3 : Text Formatting Tags
- Chapter 4 : Lists and Tables
- Chapter 5 : Hyperlinks and Images
- Chapter 6 : Forms in HTML
- Chapter 7 : Introduction to CSS
- Chapter 8 : CSS Properties and Styling
- Chapter 9 : JavaScript Basics
- Chapter 10 : Responsive Web Design

© 2026 Web Designing Book

Practical 03:- Display Index Head of your college on a web page.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>College Index Head</title>


    <style>

        body {

            font-family: Arial, sans-serif;

            background-color: #f0f8ff;

            margin: 0;

            padding: 0;

        }


        .header {

            background-color: darkblue;

            color: white;

            text-align: center;

            padding: 25px;

        }


        .content {

            margin: 30px;

            padding: 20px;

            background-color: white;

            border-radius: 10px;

            box-shadow: 0px 0px 8px gray;

        }


        h1 {

            margin: 0;

        }


        h2 {
```



```
        color: darkred;
    }

    ul {
        line-height: 2;
        font-size: 18px;
    }

    footer {
        text-align: center;
        background-color: darkblue;
        color: white;
        padding: 10px;
        margin-top: 20px;
    }
</style>
</head>

<body>

    <div class="header">
        <h1>Doraha College of Computer Education</h1>
        <p>Affiliated to IK Gujral Punjab Technical University</p>
    </div>

    <div class="content">

        <h2>College Index</h2>

        <ul>
            <li>Home</li>
            <li>About College</li>
            <li>Courses Offered</li>
            <li>Departments</li>
            <li>Faculty Details</li>
            <li>Library</li>
        </ul>
    </div>
</body>
</html>
```

```
        <li>Computer Labs</li>

        <li>Admissions</li>

        <li>Contact Us</li>
    </ul>

</div>

<footer>
    © 2026 ABC College of Computer Education
</footer>

</body>
</html>
```

Output:-

Doraha College of Computer Education

Affiliated to IK Gujral Punjab Technical University

College Index

- Home
- About College
- Courses Offered
- Departments
- Faculty Details
- Library
- Computer Labs
- Admissions
- Contact Us

© 2026 Doraha College of Computer Education

Practical 04:- Create a Hyperlink to move around within a single page to load another page.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Hyperlink Example</title>


    <style>

        body {

            font-family: Arial, sans-serif;

            margin: 20px;

        }


        h1 {

            color: darkblue;

        }


        .section {

            margin-top: 80px;

        }


        a {

            color: blue;

            text-decoration: none;

            font-weight: bold;

        }

    </style>

</head>


<body>


    <h1>Hyperlink Demonstration</h1>


    <!-- Internal Links -->

    <h2>Move Within Same Page</h2>
```

```
<a href="#about">Go to About Section</a><br>
<a href="#contact">Go to Contact Section</a>

<!-- Another Page Link -->
<h2>Open Another Page</h2>

<a href="secondpage.html">Open Second Page</a>

<!-- About Section -->
<div class="section" id="about">
    <h2>About Section</h2>
    <p>
        This section gives information about the website.
    </p>
</div>

<!-- Contact Section -->
<div class="section" id="contact">
    <h2>Contact Section</h2>
    <p>
        Email: info@example.com
    </p>
</div>

</body>
</html>
```

Output:-

Hyperlink Demonstration

Move Within Same Page

[Go to About Section](#)
[Go to Contact Section](#)

Open Another Page

[Open Second Page](#)

About Section

This section gives information about the website.

Contact Section

Email: info@example.com

Practical 05:- Display letter using different Text formatting Tags.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Letter Formatting</title>

</head>

<body>

    <h1 align="center"><u>Application Letter</u></h1>

    <p>

        <b>From:</b><br>

        Bikkar Singh<br>

        BCA Department<br>

        ABC College

    </p>

    <p>

        <b>To:</b><br>

        The Principal<br>

        ABC College

    </p>

    <p>

        <b>Date:</b> <i>27 May 2026</i>

    </p>

    <p>

        <b>Subject:</b> <u>Application for Leave</u>

    </p>

    <p>

        Respected Sir/Madam,
```

</p>

<p>

I am a student of BCA department.

I am suffering from fever and the doctor has advised me to take rest.

Therefore, I kindly request you to grant me leave for <mark>3 days</mark>.

</p>

<p>

Thank you.

</p>

<p>

Yours Obediently,

Bikkar Singh

</p>

</body>

</html>

Output:-

Application Letter

From:
Bikkar Singh
BCA Department
Doraha College

To:
The Principal
Doraha College

Date: 27 May 2026

Subject: Application for Leave

Respected Sir/Madam,

I am a student of **BCA** department. I am suffering from *fever* and the doctor has advised me to take rest. Therefore, I kindly request you to grant me leave for **3 days**.

Thank you.

Yours Obediently,
Bikkar Singh

Practical 06:- Design Time Table of your department and highlights of most important periods.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Department Time Table</title>

</head>

<style>

    body {

        font-family: Arial, sans-serif;

        background-color: #f2f2f2;

    }

    h1 {

        text-align: center;

        color: darkblue;

    }

    table {

        width: 90%;

        margin: auto;

        border-collapse: collapse;

        background-color: white;

    }

    th, td {

        border: 1px solid black;

        padding: 12px;

        text-align: center;

    }

    th {

        background-color: darkblue;

        color: white;

    }

}
```



```

        .important {
            background-color: yellow;
            font-weight: bold;
        }

        .break {
            background-color: lightgray;
            font-weight: bold;
        }
    </style>
</head>

<body>

    <h1>BCA Department Time Table</h1>

    <table>

        <tr>
            <th>Day</th>
            <th>9:00 - 10:00</th>
            <th>10:00 - 11:00</th>
            <th>11:00 - 12:00</th>
            <th>12:00 - 1:00</th>
            <th>1:00 - 2:00</th>
        </tr>

        <tr>
            <td>Monday</td>
            <td>English</td>
            <td class="important">Web Designing</td>
            <td>Math</td>
            <td class="break">Lunch</td>
            <td>Lab</td>
        </tr>

```

```

<tr>
    <td>Tuesday</td>
    <td>Programming</td>
    <td>Math</td>
    <td class="important">DBMS</td>
    <td class="break">Lunch</td>
    <td>Lab</td>
</tr>

<tr>
    <td>Wednesday</td>
    <td>English</td>
    <td>Programming</td>
    <td>Web Designing</td>
    <td class="break">Lunch</td>
    <td class="important">Seminar</td>
</tr>

<tr>
    <td>Thursday</td>
    <td>Math</td>
    <td class="important">Programming Lab</td>
    <td>DBMS</td>
    <td class="break">Lunch</td>
    <td>Sports</td>
</tr>

<tr>
    <td>Friday</td>
    <td>English</td>
    <td>Web Designing</td>
    <td class="important">Project Work</td>
    <td class="break">Lunch</td>
    <td>Library</td>
</tr>

```

</table>

</body>

</html>

Output:-

BCA Department Time Table

Day	9:00 - 10:00	10:00 - 11:00	11:00 - 12:00	12:00 - 1:00	1:00 - 2:00
Monday	English	Web Designing	Math	Lunch	Lab
Tuesday	Programming	Math	DBMS	Lunch	Lab
Wednesday	English	Programming	Web Designing	Lunch	Seminar
Thursday	Math	Programming Lab	DBMS	Lunch	Sports
Friday	English	Web Designing	Project Work	Lunch	Library

Practical 07:- Use Tables to provide layout to your web page.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Table Layout Web Page</title>


    <style>

        body {

            font-family: Arial, sans-serif;

        }


        table {

            width: 100%;

            border-collapse: collapse;

        }


        td {

            border: 1px solid black;

            padding: 15px;

        }


        .header {

            background-color: darkblue;

            color: white;

            text-align: center;

            font-size: 28px;

        }


        .menu {

            background-color: lightgray;

            width: 20%;

            vertical-align: top;

        }

    </style>


```

```

        .content {
            background-color: white;
        }

        .footer {
            background-color: darkblue;
            color: white;
            text-align: center;
        }

        ul {
            list-style-type: none;
            padding: 0;
        }

        li {
            padding: 8px;
        }
    </style>
</head>

<body>

    <table>

        <!-- Header -->
        <tr>
            <td colspan="2" class="header">
                My College Website
            </td>
        </tr>

        <!-- Menu and Content -->
        <tr>

            <!-- Left Menu -->

```

```

<td class="menu">
    <h3>Menu</h3>

    <ul>
        <li>Home</li>
        <li>About</li>
        <li>Courses</li>
        <li>Gallery</li>
        <li>Contact</li>
    </ul>
</td>

<!-- Main Content -->
<td class="content">

    <h2>Welcome to Our College</h2>

    <p>
        This web page layout is created using HTML tables.
        The left side contains the navigation menu and
        the right side contains the main content area.
    </p>

    <p>
        Tables can be used to arrange sections of a web page
        in rows and columns.
    </p>

</td>
</tr>

<!-- Footer -->
<tr>
    <td colspan="2" class="footer">
        © 2026 My College Website
    </td>

```

```
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

Output:-

My College Website	
Menu Home About Courses Gallery Contact	Welcome to Our College This web page layout is created using HTML tables. The left side contains the navigation menu and the right side contains the main content area. Tables can be used to arrange sections of a web page in rows and columns.
© 2026 My College Website	

Practical 08:- Embed Audio and Video into your web page.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Audio and Video Example</title>


    <style>

        body {

            font-family: Arial, sans-serif;

            background-color: #f2f2f2;

            text-align: center;

            margin: 20px;

        }

        h1 {

            color: darkblue;

        }

        .container {

            background-color: white;

            padding: 20px;

            margin: 20px auto;

            width: 60%;

            border-radius: 10px;

            box-shadow: 0px 0px 8px gray;

        }

    </style>

</head>

<body>

    <h1>Embedding Audio and Video</h1>

    <!-- Audio Section -->
```



```

<div class="container">

    <h2>Audio Example</h2>

    <audio controls>
        <source src="sample.mp3" type="audio/mpeg">
        Your browser does not support audio.
    </audio>

</div>

<!-- Video Section -->
<div class="container">

    <h2>Video Example</h2>

    <video width="400" controls>
        <source src="sample.mp4" type="video/mp4">
        Your browser does not support video.
    </video>

</div>


</body>
</html>

```

Output:-

Embedding Audio and Video

Audio Example



Video Example



Practical 09:- Divide a web page vertically and horizontally and display logo of your college in left pane and logo of university in right pane.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>College and University Logo</title>

</head>

<style>

    body {

        margin: 0;

        font-family: Arial, sans-serif;

    }

    /* Top Header */

    .header {

        background-color: darkblue;

        color: white;

        text-align: center;

        padding: 20px;

        font-size: 28px;

    }

    /* Main Section */

    .main {

        display: flex;

        height: 500px;

    }

    /* Left Pane */

    .left {

        width: 50%;

        background-color: #f2f2f2;

        text-align: center;

        padding-top: 50px;
```

```

        border-right: 2px solid black;
    }

    /* Right Pane */
    .right {
        width: 50%;
        background-color: #e6f7ff;
        text-align: center;
        padding-top: 50px;
    }

    img {
        width: 200px;
        height: 200px;
        border: 2px solid black;
    }

    h2 {
        color: darkred;
    }
</style>
</head>

<body>

    <!-- Horizontal Division -->
    <div class="header">
        College and University Logos
    </div>

    <!-- Vertical Division -->
    <div class="main">

        <!-- Left Pane -->
        <div class="left">

```

```
<h2>College Logo</h2>
```

```

```

```
</div>
```

```
<!-- Right Pane -->
```

```
<div class="right">
```

```
<h2>University Logo</h2>
```

```

```

```
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Output:-

College and University Logos

College Logo



University Logo



Practical 10:- Create a student Bio- Data.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Student Bio-Data</title>


<style>

    body {

        font-family: Arial, sans-serif;

        background-color: #f2f2f2;

    }


    .container {

        width: 60%;

        margin: auto;

        background-color: white;

        padding: 20px;

        border-radius: 10px;

        box-shadow: 0px 0px 10px gray;

    }


    h1 {

        text-align: center;

        color: darkblue;

    }


    table {

        width: 100%;

        border-collapse: collapse;

    }


    td {

        padding: 10px;

        border-bottom: 1px solid gray;
```

```

    }

    .label {
        font-weight: bold;
        width: 35%;
    }

    img {
        width: 120px;
        height: 140px;
        border: 2px solid black;
    }

    .photo {
        text-align: center;
    }
</style>
</head>

<body>

    <div class="container">

        <h1>Student Bio-Data</h1>

        <table>

            <tr>

                <td class="label">Student Photo</td>

                <td class="photo">
                    
                </td>
            </tr>

            <tr>

```

```
<td class="label">Name</td>
<td>Bikkar Singh</td>
</tr>

<tr>
<td class="label">Father's Name</td>
<td>Mr. XYZ Singh</td>
</tr>

<tr>
<td class="label">Date of Birth</td>
<td>10 January 2005</td>
</tr>

<tr>
<td class="label">Gender</td>
<td>Male</td>
</tr>

<tr>
<td class="label">Course</td>
<td>BCA</td>
</tr>

<tr>
<td class="label">College</td>
<td>ABC College</td>
</tr>

<tr>
<td class="label">Email</td>
<td>bikkar@example.com</td>
</tr>

<tr>
<td class="label">Phone Number</td>
```

```

        <td>9876543210</td>

    </tr>

    <tr>

        <td class="label">Address</td>

        <td>Punjab, India</td>

    </tr>

    <tr>

        <td class="label">Hobbies</td>

        <td>Reading, Coding, Sports</td>

    </tr>

</table>


</div>

</body>
</html>

```

Output:-

Student Bio-Data

Student Photo	
Name	Bikkar Singh
Father's Name	Mr. Randhir Singh
Date of Birth	10 January 2005
Gender	Male
Course	BCA
College	Doraha College
Email	bikkar@example.com
Phone Number	9876543210
Address	Punjab, India
Hobbies	Reading, Coding, Sports

Practical 11:- Design front page of hospital with different style sheets.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Hospital Front Page</title>

  <!-- Internal Style Sheet -->
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f9ff;
      margin: 0;
      padding: 0;
    }

    .header {
      background-color: darkblue;
      color: white;
      text-align: center;
      padding: 25px;
    }

    .navbar {
      background-color: #0077b6;
      padding: 12px;
      text-align: center;
    }

    .navbar a {
      color: white;
      text-decoration: none;
      margin: 20px;
      font-size: 18px;
    }
  </style>
</head>
<body>
  <div class="header">
    <h1>Hospital Front Page</h1>
  </div>
  <div class="navbar">
    <a href="#">Home</a>
    <a href="#">About</a>
    <a href="#">Services</a>
    <a href="#">Contact</a>
  </div>
  <div class="content">
    <h2>Welcome to our Hospital</h2>
    <p>We provide the best medical services and care for all our patients. Our team of experts is dedicated to ensuring your health and well-being. Contact us today for more information.</p>
  </div>
</body>
</html>
```

```
.main {
    padding: 30px;
    text-align: center;
}

.main h2 {
    color: darkred;
}

.services {
    display: flex;
    justify-content: center;
    gap: 20px;
    margin-top: 20px;
}

.box {
    background-color: white;
    padding: 20px;
    width: 200px;
    border-radius: 10px;
    box-shadow: 0px 0px 8px gray;
}

.footer {
    background-color: darkblue;
    color: white;
    text-align: center;
    padding: 10px;
    margin-top: 30px;
}

</style>
</head>

<body>
```

```

<!-- Header -->
<div class="header">
    <h1>City Care Hospital</h1>
    <p>Your Health is Our Priority</p>
</div>

<!-- Navigation Bar -->
<div class="navbar">
    <a href="#">Home</a>
    <a href="#">About</a>
    <a href="#">Doctors</a>
    <a href="#">Services</a>
    <a href="#">Contact</a>
</div>

<!-- Main Content -->
<div class="main">

    <h2>Welcome to City Care Hospital</h2>

    <p>
        We provide quality healthcare services with modern medical facilities
        and experienced doctors.
    </p>

    <!-- Service Boxes -->
    <div class="services">

        <div class="box">
            <h3>Emergency</h3>
            <p>24×7 Emergency Services</p>
        </div>

        <div class="box">
            <h3>Cardiology</h3>

```

```

        <p>Heart Care Treatment</p>
    </div>

    <div class="box">
        <h3>Laboratory</h3>
        <p>Advanced Lab Testing</p>
    </div>

</div>


</div>

<!-- Footer -->
<div class="footer">
    © 2026 City Care Hospital
</div>

</body>
</html>

```

Output:-



Practical 12:- Design a web page and display two different pages at a time.

Main Page (index.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Two Pages Display</title>

    <style>
        body {
            font-family: Arial, sans-serif;
            margin: 0;
        }

        h1 {
            text-align: center;
            background-color: darkblue;
            color: white;
            padding: 15px;
            margin: 0;
        }

        .container {
            display: flex;
            height: 500px;
        }

        iframe {
            width: 50%;
            border: 2px solid black;
        }
    </style>
</head>

<body>
```

```
<h1>Display Two Web Pages</h1>

<div class="container">

    <!-- First Page -->
    <iframe src="page1.html"></iframe>

    <!-- Second Page -->
    <iframe src="page2.html"></iframe>

</div>

</body>
</html>
```

First Page (page1.html)

```
<!DOCTYPE html>
<html>
<head>
    <title>Page 1</title>

    <style>
        body {
            background-color: lightblue;
            text-align: center;
            font-family: Arial;
        }
    </style>
</head>

<body>

    <h2>College Information</h2>

    <p>
        Welcome to Doraha College.
```

```
</p>
```

```
</body>
```

```
</html>
```

Second Page (page2.html)

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Page 2</title>
```

```
    <style>
```

```
        body {
```

```
            background-color: lightyellow;
```

```
            text-align: center;
```

```
            font-family: Arial;
```

```
        }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
    <h2>University Information</h2>
```

```
    <p>
```

```
        Affiliated to IK Gujral Punjab Technical University.
```

```
    </p>
```

```
</body>
```

```
</html>
```

Output:-

Display Two Web Pages	
College Information Welcome to Doraha College.	University Information Affiliated to IK Gujral Punjab Technical University.

Practical 13:- Write a program to create a login form. On submitting the form, the user should get navigated to a profile page using JavaScript.

```
<!DOCTYPE html>

<html>

<head>

    <title>Login Form</title>

    <style>

        body {

            font-family: Arial;

            background-color: #f2f2f2;

            text-align: center;

        }

        .login-box, .profile-box {

            width: 300px;

            margin: 100px auto;

            padding: 20px;

            background: white;

            border-radius: 10px;

            box-shadow: 0px 0px 10px gray;

        }

        input {

            width: 90%;

            padding: 10px;

            margin: 10px;

        }

        button {

            padding: 10px 20px;

            background-color: blue;

            color: white;

            border: none;

            cursor: pointer;

        }

    </style>

</head>

<body>

    <div class="login-box">

        <input type="text"/>

        <input type="password"/>

        <input type="submit" value="Login"/>

    </div>

    <div class="profile-box">

        <h3>User Profile</h3>

        <div>

            <div>Name</div>

            <div>Email</div>

            <div>Phone</div>

            <div>Address</div>

        </div>

        <div>

            <div>Edit Profile</div>

            <div>Logout</div>

        </div>

    </div>

</body>

</html>
```

```

        .profile-box {
            display: none;
        }
    </style>
</head>

<body>

    <!-- Login Form -->
    <div class="login-box" id="loginPage">
        <h2>Login Form</h2>

        <input type="text" id="username" placeholder="Enter Username">

        <input type="password" id="password" placeholder="Enter Password">

        <button onclick="login()">Login</button>
    </div>

    <!-- Profile Page -->
    <div class="profile-box" id="profilePage">
        <h2>Welcome to Profile Page</h2>
        <p id="welcomeText"></p>
    </div>

    <script>
        function login() {

            let user = document.getElementById("username").value;

            if(user == "") {
                alert("Please enter username");
            }
            else {
                // Hide Login Page

```


```
document.getElementById("loginPage").style.display = "none";

// Show Profile Page
document.getElementById("profilePage").style.display = "block";

// Display Username
document.getElementById("welcomeText").innerHTML =
    "Hello " + user + "!";
    }
}
</script>

</body>
</html>
```

Output:-

A screenshot of a web application's login form. The form is centered on a light gray background. It has a white rounded rectangle container. At the top of the container is the title "Login Form" in bold black text. Below the title are two text input fields. The first field has the placeholder text "Enter Username" in a light gray font. The second field has the placeholder text "Enter Password" in a light gray font. Below the password field is a blue rectangular button with the word "Login" in white text.

Practical 14:- Write a code to create a Registration Form. On submitting the form, the user should be asked to login with the new credentials using JavaScript.

```
<!DOCTYPE html>

<html>

<head>

    <title>Registration Form</title>

    <style>

        body {

            font-family: Arial;

            background-color: #f2f2f2;

            text-align: center;

        }

        .box {

            width: 350px;

            margin: 80px auto;

            padding: 20px;

            background: white;

            border-radius: 10px;

            box-shadow: 0px 0px 10px gray;

        }

        input {

            width: 90%;

            padding: 10px;

            margin: 10px;

        }

        button {

            padding: 10px 20px;

            background-color: green;

            color: white;

            border: none;

            cursor: pointer;

        }

    </style>

</head>

<body>

    <div class="box">

        <h2>Registration Form</h2>

        <input type="text" value="Name" />

        <input type="password" value="Password" />

        <input type="password" value="Confirm Password" />

        <input type="button" value="Register" />

    </div>

</body>

</html>
```

```

        #loginBox {
            display: none;
        }
    </style>
</head>

<body>

    <!-- Registration Form -->
    <div class="box" id="registerBox">
        <h2>Registration Form</h2>

        <input type="text" id="regUser" placeholder="Enter Username">

        <input type="password" id="regPass" placeholder="Enter Password">

        <button onclick="register()">Register</button>
    </div>

    <!-- Login Form -->
    <div class="box" id="loginBox">
        <h2>Login Form</h2>

        <input type="text" id="loginUser" placeholder="Enter Username">

        <input type="password" id="loginPass" placeholder="Enter Password">

        <button onclick="login()">Login</button>

        <p id="message"></p>
    </div>

    <script>

        let savedUser = "";

```

```

let savedPass = "";

// Registration Function
function register() {

    savedUser = document.getElementById("regUser").value;
    savedPass = document.getElementById("regPass").value;

    if(savedUser == "" || savedPass == "") {
        alert("Please fill all fields");
    }
    else {
        alert("Registration Successful! Please Login.");

        // Hide Registration Form
        document.getElementById("registerBox").style.display = "none";

        // Show Login Form
        document.getElementById("loginBox").style.display = "block";
    }
}

// Login Function
function login() {

    let user = document.getElementById("loginUser").value;
    let pass = document.getElementById("loginPass").value;

    if(user == savedUser && pass == savedPass) {
        document.getElementById("message").innerHTML =
            "Login Successful!";
    }
    else {
        document.getElementById("message").innerHTML =
            "Invalid Username or Password";
    }
}

```


```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output:-

A registration form with a white background and rounded corners, centered on a light gray background. The form has a title "Registration Form" in bold black text. Below the title are two input fields: "Enter Username" and "Enter Password", both with light gray placeholder text. At the bottom of the form is a green "Register" button with white text.

Registration Form

Enter Username

Enter Password

Register


```
.course {
    background: white;
    padding: 15px;
    margin-bottom: 15px;
    border-radius: 10px;
}

form {
    background: white;
    padding: 20px;
    border-radius: 10px;
    width: 300px;
}

input, textarea {
    width: 100%;
    padding: 10px;
    margin-top: 10px;
}

button {
    margin-top: 10px;
    padding: 10px 20px;
    background-color: green;
    color: white;
    border: none;
}

footer {
    background-color: darkblue;
    color: white;
    text-align: center;
    padding: 10px;
}

</style>
```

```
</head>

<body>

    <!-- Header -->
    <header>
        <h1>BCA Tutorial Website</h1>
        <p>Learn HTML, CSS and JavaScript</p>
    </header>

    <!-- Navigation -->
    <nav>
        <a href="#">Home</a>
        <a href="#">Courses</a>
        <a href="#">About</a>
        <a href="#">Contact</a>
    </nav>

    <!-- Course Section -->
    <section>
        <h2>Our Courses</h2>

        <div class="course">
            <h3>HTML</h3>
            <p>Learn basics of web page design.</p>
        </div>

        <div class="course">
            <h3>CSS</h3>
            <p>Learn styling and designing websites.</p>
        </div>

        <div class="course">
            <h3>JavaScript</h3>
            <p>Learn website interactivity and validation.</p>
        </div>
    </section>

```

```

</section>

<!-- Contact Form -->
<section>
    <h2>Contact Us</h2>

    <form onsubmit="return validateForm()">

        <input type="text" id="name" placeholder="Enter Name">

        <input type="email" id="email" placeholder="Enter Email">

        <textarea id="message" placeholder="Enter Message"></textarea>

        <button type="submit">Submit</button>

    </form>
</section>

<!-- Footer -->
<footer>
    <p>© 2026 BCA Tutorial Website</p>
</footer>

<script>

    function validateForm() {

        let name = document.getElementById("name").value;
        let email = document.getElementById("email").value;
        let message = document.getElementById("message").value;

        if(name == "" || email == "" || message == "") {
            alert("All fields are required!");
            return false;
        }
    }

```

```
        alert("Form Submitted Successfully!");  
        return true;  
    }  
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output:-

BCA Tutorial Website

Learn HTML, CSS and JavaScript

[Home](#) [Courses](#) [About](#) [Contact](#)

Our Courses

HTML

Learn basics of web page design.

CSS

Learn styling and designing websites.

JavaScript

Learn website interactivity and validation.

Contact Us

© 2026 BCA Tutorial Website