


1. Write HTML code to set background image on a page Write HTML code to set background image on a page.

```
<!DOCTYPE html>
<html>
  <head>
    <title>Background Image Example</title>
    <style>
      body {
        background-image: url("../images_folder/image.png");
        background-size: cover;
        background-repeat: no-repeat;
        /* background-position: center; */
        color: purple;
        text-align: center;
      }
    </style>
  </head>
  <body>
    <h1>Background Image Example</h1>
    <p>This page has a background image of pashupathi temple of Nepal.</p>
  </body>
</html>
```



2. Write HTML code to set an image in any particular position on a page.

```
<!DOCTYPE html>
<html lang="en">
```

```

<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>image at a particular position</title>
</head>
<body>
  <center>
    <h1>Image at a particular position</h1>
    <p>Image of pashupathi temple.</p>
    
  </center>
</body>
</html>

```

Image at a particular position

Image of pashupathi temple.



3. Write HTML code to prepare a document using different heading format.
Eg. (H1 to H6).

```


<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Heading format</title>

```

```

</head>
<body>
  <center>
    <h1>About Myself</h1>
    <h2>My Name</h2>
    <p>My name is Bikram Gyawali</p>
    <h3>My Age</h3>
    <p>I am <u>19</u> year old</p>
    <h3>My Study</h3>
    <p>I am currently studing <i>BCA 3rd sem at SMC</i>.</p>
    <h4>Address</h4>
    <p>I am from <b>Butwal</b></p>
  </center>
</body>
</html>

```



4. How to set Bullet and Numbering.

```

<!-- Question nbr 4 first question -->
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Bullets</title>
  </head>
  <body>
    <ul type="square">
      <li>
        Hardware
        <ul type="circle">
          <li>Keyboard</li>

```

```

        <li>Mouse</li>
        <li>HDD</li>
      </ul>
    </li>
    <li>
      Software
      <ul type="circle">
        <li>System Software</li>
        <li>Application Software</li>
        <li>Tailored Software</li>
      </ul>
    </li>
  </ul>
</body>
</html>

```

- Hardware
 - Keyboard
 - Mouse
 - HDD
- Software
 - System Software
 - Application Software
 - Tailored Software

5. Another list


```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>4 second Question</title>
  </head>
  <body>
    <ol type="1">
      <li>
        Progamming
        <ol type="I">

```

```
<li>
  Basic Language
  <ol type="a">
    <li>QBasic</li>
    <li>OOPs</li>
  </ol>
</li>
<li>
  Advanced Language
  <ol type="a">
    <li>ASP .Net</li>
    <li>Php</li>
    <li>Java</li>
  </ol>
</li>
</ol>
</li>
<li>
  Desiging

  <ol type="I">
    <li>
      Graphics Desiging
      <ol type="a">
        <li>Photoshop</li>
        <li>InDesign</li>
      </ol>
    </li>
    <li>
      web Page Desiging
      <ol type="a">
        <li>HTML</li>
        <li>CSS</li>
        <li>JavaScript</li>
      </ol>
    </li>
  </ol>
</li>
</ol>
</body>
</html>
```

- 
1. Programming
 - I. Basic Language
 - a. QBasic
 - b. OOPs
 - II. Advanced Language
 - a. ASP .Net
 - b. Php
 - c. Java
 2. Designing
 - I. Graphics Designing
 - a. Photoshop
 - b. InDesign
 - II. web Page Designing
 - a. HTML
 - b. CSS
 - c. JavaScript

6. Write a code to generate the following table.

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Table</title>
  </head>
  <body>
    <table cellpadding="0" cellspacing="0" border="1">
      <tr colspan="7">
        <th>BCA 3<sup>rd</sup> Semester Routine</th>
      </tr>
      <tr rowspan="2">
        <th>Day/Time</th>
        <th>7am-8am</th>
        <th>8am-9am</th>
        <th>9am-9:30am</th>
        <th>9:30am-10:30am</th>
        <th>10:30am-11:30am</th>
        <th>11:30am-12:30pm</th>
      </tr>
      <tr>
        <td>Sunday</td>
        <td>Web Tech</td>
        <td>SAD</td>
        <td rowspan="6">Break</td>
        <td>DSA</td>
```

```
<td>Statics</td>
<td>Java</td>
</tr>
<tr>
<td>Monday</td>
<td>DSA</td>
<td>Statics</td>
<td>Java</td>
<td>Web Tech</td>
<td>SAD</td>
</tr>
<tr>
<td>Tuesday</td>
<td>Java</td>
<td>Web Tech</td>
<td>SAD</td>
<td>Statics</td>
<td>DSA</td>
</tr>
<tr>
<td>Wednesday</td>
<td>Java</td>
<td>Web Tech</td>
<td>Statics</td>
<td>DSA</td>
<td>SAD</td>
</tr>
<tr>
<td>Thursday</td>
<td>Web Tech</td>
<td>Statics</td>
<td>DSA</td>
<td>Java</td>
<td>SAD</td>
</tr>
<tr>
<td>Friday</td>
<td>Java</td>
<td>SAD</td>
<td>Web Tech</td>
<td>Statics</td>
<td>DSA</td>
</tr>
<tr>
<td>Saturday</td>
```

```

        <td colspan="6">Holiday</td>
    </tr>
</table>
</body>
</html>

```

BCA 3 rd Semester Routine						
Day/Time	7am-8am	8am-9am	9am-9:30am	9:30am-10:30am	10:30am-11:30am	11:30am-12:30pm
Sunday	Web Tech	SAD	Break	DSA	Statics	Java
Monday	DSA	Statics		Java	Web Tech	SAD
Tuesday	Java	Web Tech		SAD	Statics	DSA
Wednesday	Java	Web Tech		Statics	DSA	SAD
Thursday	Web Tech	Statics		DSA	Java	SAD
Friday	Java	SAD		Web Tech	Statics	DSA
Saturday	Holiday					

7. What do you mean by internal and external link? Prepare an Inter and external link to visit historical place in Nepal.

Internal Links:

Definition:

An internal link is a hyperlink that connects two pages within the same website.

Example:

`<a href="/about">About Us</a>` would link to the "/about" page on the same website.

External Links:

• Definition:

An external link is a hyperlink that directs users to a page on a different website.

• Example:

`<a href="https://www.example.com">Example Website</a>` would link to the "example.com" website.


```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Links</title>
  </head>
  <body>
    <h1>Historical Place in Nepal</h1>
    <ol>
      <li>
        <p>Using internal link</p>
        <a href="./pashupathi.html">Visit Pashupathi Nath temple</a>
      </li>
      <li>
        <p>In this we are using the external link</p>
        <a
          href="https://en.wikipedia.org/wiki/Patan_Durbar_Square"
          target="_blank"
        >Learn more about Patan Durbar Square on Wikipedia</a>
      </li>
    </ol>
  </body>
</html>

```

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body>
    <h1>Learn about PashupathiNath Temple</h1>
    <p>
      Shri Pashupatinātha Temple (Nepali: श्री पशुपतिनाथ मन्दिर) is a revered
      Hindu temple dedicated to Pashupati, a manifestation of the god Śiva.
      Located on the banks of the sacred Bagmati River in Kathmandu, Nepal, the
      temple is one of the oldest and most significant religious complexes in
      South Asia. Recognised as a UNESCO World Heritage Site since 1979, it
      forms part of the "Kathmandu Valley" inscription and is described as an
      "extensive Hindu temple precinct" comprising a vast network of temples,
    </p>
  </body>
</html>

```

```
    āśramas, inscriptions, and images accumulated over centuries.[1]
</p>

</body>
</html>
```

Historical Place in Nepal

1. Using internal link

[Visit Pashupathi Nath temple](#)

2. In this we are using the external link

[Learn more about Patan Durbar Square on Wikipedia](#)

Learn about PashupathiNath Temple

Shri Pashupatinātha Temple (Nepali: श्री पशुपतिनाथ मन्दिर) is a revered Hindu temple dedicated to Pashupati, a manifestation of the god Śiva. Located on the banks of the sacred Bagmati River in Kathmandu, Nepal, the temple is one of the oldest and most significant religious complexes in South Asia. Recognised as a UNESCO World Heritage Site since 1979, it forms part of the "Kathmandu Valley" inscription and is described as an "extensive Hindu temple precinct" comprising a vast network of temples, āśramas, inscriptions, and images accumulated over centuries.[1]



8. Write HTML code to prepare an attractive Registration Form

```
<!-- Write HTML code to prepare an attractive Registration Form. -->
<!DOCTYPE html>
<html lang="en">
  <head>
```

```

<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Form</title>
</head>
<body bgcolor="skyblue">
  <center>

    <fieldset  >
      <legend>
        <h4>User Register</h4>
      </legend>

      <form action="">
        <table>
          <tr>

            <th> <label for="name">Name:</label>

            <td>
              <input type="text" placeholder="Your Name" id="name" />
            </td>
          </th>
        </tr>
        <tr>
          <th>
            <label for="email">Email:</label>
          <td>
            <input type="email" placeholder="Your Email" id="email"
/>
          </td>
        </th>
      </tr>
      <tr>
        <th>
          <label for="password">Password:</label>
        <td>
          <input type="password" placeholder="Your Password"
id="password" />
        </td>
      </th>
    </tr>
    <tr></tr>
    <tr></tr>
    <tr></tr>
  </form>

```

```

        <tr>
            <th>
                <button type="submit" >Submit</button>
            </th>
        </tr>
    </table>
</form>
</center>
</body>
</html>

```

USeR Register

Name:
Email:
Password:

9. Write HTML code to prepare login form using Field Set and Legend Properties

```

<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <title>Document</title>
    </head>
    <body>
        <div>

            <center>
                <fieldset style="background-color: skyblue;" >
                    <legend>
                        <h1>USeR Login</h1>
                    </legend>

                    <form action="">
                        <table>
                            <tr>
                                <th>
                                    <label for="fname"> User Name:</label>

```

```
</th>
<td>
  <input
    type="text"
    id="fname"

    placeholder="Enter your Name "
    maxlength="20"
  />
</td>
</tr>
<tr></tr>
<tr></tr>
<tr></tr>
<tr></tr>
<tr></tr>
<tr>
  <th>
    <label for="pass">Password :</label>
  </th>
  <td>
    <input
      type="password"
      id="pass"

      placeholder="Enter the password"
    />
  </td>
</tr>

<tr></tr>
<tr></tr>
<tr></tr>
<tr></tr>
<tr></tr>

<tr>
  <th></th>
  <td>
    <button type="button">Login</button>

  </td>
</tr>
</table>
</form>
```

```
        </center>
    </div>
</fieldset>
</body>
</html>
```

User Login

User Name:

Password :

10. How to insert Google map in your page? Write an HTML code i.e. tag to display your college location in Google map.

Steps to Get Your Google Maps Embed Code

1. Go to Google Maps.
2. Search for your college name or address.
3. Click the "**Share**" button.
4. Go to the "**Embed a map**" tab.
5. Copy the `<iframe>` code provided.

Html code :

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
</head>
<body>
    <center>
        <h2>My college location</h2>
        <iframe
            src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3531.960203934
096!2d85.30833267462482!3d27.718514976176102!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f1
3.1!3m3!1m2!1s0x39eb18e2e18378a9%3A0xd4ab1b15086c7f45!2sSaraswati%20Multiple%20Ca
mpus!5e0!3m2!1sen!2snp!4v1750060751730!5m2!1sen!2snp"
            width="600"
            height="450"
```

```

        style="border: 1px bold skyblue"
        allowfullscreen=""
    ></iframe>
</center>
</body>
</html>

```

My college location



11. Write HTML code to prepare an attractive Frame.

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<frameset rows="15%, *" border="1px">
    <frame src="./Banner.html">

    <frameset cols="25%,*">
        <frame src="./Content.html">
        <frame src="./mainForFrame.html" name="main">
    </frameset>
</frameset>
</frameset>

```

</html>



Welcome to the Saraswati

List of the content

[Register](#)

[Login](#)

[Routine](#)

[student](#)

[Links](#)

USer Login

User Name:

Password :

If you need full code of the content also check it out:

<https://github.com/BikramGyawali/BCA-All-Notes/tree/96fec92f38920232a3c2f6d001a4881783fb1e80/Third%20Semester/Web%20technology/Progarms/all%20in%20one>

12. What is an internal CSS? Prepare an attractive page using internal CSS?

An internal CSS is used to define a style for a single HTML page. An internal CSS is defined in the <head> section of an HTML page, within a <style> element. The following example sets the text color of ALL the <h1> elements (on that page) to blue, and the text color of ALL the <p> elements to red.

Html code :

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
    <style>
      body {
        background-color: whitesmoke;
      }
    </style>
  </head>
  <body>
    <h1>Welcome to the Saraswati</h1>
    <p>List of the content</p>
    <p><a href="#">Register</a><br>
    <a href="#">Login</a><br>
    <a href="#">Routine</a><br>
    <a href="#">student</a><br>
    <a href="#">Links</a></p>
    <h3>USer Login</h3>
    <p>User Name: <input type="text"></p>
    <p>Password : <input type="password"></p>
    <p><input type="button" value="Login"> <input type="button" value="Sign Up"></p>
  </body>
</html>
```



```

    }
    h1 {
        color: Purple;
        text-align: center;
    }
    p {
        color: gray;
        font-size: 30px;
        text-align: center;
    }
    img {
        width: 30vw;
        height: 50vh;
        display: block;
        margin: 0 auto;
    }
</style>
</head>
<body>
    <h1>Welcome to My Page</h1>
    <p>
        In this i am using Internal css to add styling in the elemets.And put the
        at center
    </p>

    
</body>
</html>

```

Welcome to My Page

In this i am using Internal css to add styling in the elemets.And put the image at center



13. Prepare a dropdown menu using HTML and CSS?

Index.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Navbar</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>

    <div class="navbar">
      <ul>
        <li><a href="">Home</a></li>
        <li><a href="">About</a></li>
        <li>
          <a href="">Service</a>
          <ul>
            <li><a href="#">Hardware</a></li>
            <li><a href="#">Software Training</a></li>
            <li>
              <a href="#">Tuition</a>
              <ul>
                <li><a href="#">Account</a></li>
                <li><a href="#">Math</a></li>
                <li><a href="#">English</a></li>
                <li><a href="#">Science</a></li>
              </ul>
            </li>
            <li><a href="#">Language</a></li>
          </ul>
        </li>
        <li><a href="">News</a></li>
        <li><a href="">Gallery</a></li>
        <li><a href="">Contact</a></li>
      </ul>
    </div>

  </body>
</html>
```

Style.css

```
.navbar ul {
  list-style: none;
  display: flex;
  color: white;
}
ul li {
  border: 2px solid #fff;
  border-radius: 15px;
  width: 120px;
  height: 35px;
  line-height: 35px;
  text-align: center;
  float: left;
  position: relative;
  background-color: violet;
}
.navbar ul > li > a {
  text-decoration: none;
  text-align: center;
  display: block;
  /* due to display we get hover effect in the background colour also */
}
.navbar ul > li > a:hover {
  background-color: rgb(168, 72, 72);
  color: white;
  border-radius: 15px;
  text-align: center;
  font: small;
}

.navbar ul ul {
  display: none;
  position: absolute;
}
.navbar ul li:hover > ul {
  display: block;
}
.navbar ul ul ul {
  margin-left: 100px;
  top: 0px;
}
```



14. . Prepare a Slide Show using CSS?

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>

    <style>
      * {
        padding: 0;
        margin: 0;
      }
      h1 {
        /* text-align: center; */
        color: blueviolet;
      }
      .slides {
        position: relative;
        width: 500px;
        height: 500px;
        margin: auto;
        overflow: hidden;
        margin-top: 20px;
      }
      .slide {
        position: absolute;
        height: 100%;
        width: 100%;
        animation: images 10s infinite;
        opacity: 0;
      }
      img {
```

```
    width: 90%;
    height: 50%;
  }
  .slide:nth-child(1) {
    animation-delay: 1s;
  }
  .slide:nth-child(2) {
    animation-delay: 3s;
  }
  .slide:nth-child(3) {
    animation-delay: 6s;
  }

  @keyframes images {
    0% {
      opacity: 0;
    }
    10% {
      opacity: 1;
    }
    30% {
      opacity: 1;
    }
    40% {
      opacity: 0;
    }
    100% {
      opacity: 0;
    }
  }
</style>
</head>
<body>
  <div class="slides">
    <h1>Slide show in css</h1>
    <div class="slide"></div>
    <div class="slide">
      
    </div>
    <div class="slide">
      
    </div>
  </div>
</body>
</html>
```

Slide show in css



15. Prepare Image Gallery using CSS?

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
    <style>
      .gal {
        display: flex;
        flex-wrap: wrap;
        gap: 15px;
        justify-content: center;

        width: 70vw;
      }
      .gal img {
        width: 300px;
        height: 200px;
        border: 2px solid violet;
        transition: transform 0.3s ease-in-out;
      }
      .gal img:hover {
        transform: scale(1.07);
      }
    </style>
  </head>
  <body>
```

```


<h1 style="text-align: center">Image gallery</h1>
<div class="gal">
  
  
  
  
</div>
</body>
</html>

```

Image gallery



16. What is XML? Prepare XML Schema for following diagram.



Answer:

Extensible Markup Language (XML) is a markup language and file format for storing, transmitting, and reconstructing data. It defines a set of rules for encoding documents in a format that is both human-readable and machine-readable.

Code:

Lab.xml(for xml code)

```
<?xml version='1.0' encoding="UTF-8"?>

<Employee xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
xs:noNamespaceSchemaLocation="14schema.xsd">
    <Name>
        <FirstName>John</FirstName>
        <LastName>Doe</LastName>
    </Name>
    <Contact>
        <MobileNo>1234567890</MobileNo>
        <LandLine>0987654321</LandLine>
    </Contact>
    <Address>
        <City>New York</City>
        <Street>Main St</Street>
        <Tole>Downtown</Tole>
    </Address>
</Employee>
```

14schema.xsd (for xml schema)

```
<?xml version='1.0' encoding='UTF-8'?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
<xs:element name="Employee">
<xs:complexType>
<xs:sequence>
<xs:element name="Name">
<xs:complexType>
<xs:sequence>
<xs:element name="FirstName" type="xs:string"/>
<xs:element name="LastName" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Contact" >
<xs:complexType>
```



```

<xs:sequence>
<xs:element name="MobileNo" type="xs:integer"/>
<xs:element name="LandLine" type="xs:integer"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Address">
<xs:complexType>
<xs:sequence>
<xs:element name="City" type="xs:string"/>
<xs:element name="Street" type="xs:string"/>
<xs:element name="Tole" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>

```

17. How to install IIS Server or List steps to install IIS Server.

IIS (Internet Information Services) is a **web server** created by Microsoft. It is used to host websites, web applications, and services (like ASP.NET) on Windows systems.

Steps:

1. **Open Control Panel**
 - Press Windows + R, type control, press **Enter**.
2. Click on **Programs**.
3. Select **Turn Windows features on or off**.
4. In the popup window:
 - Find **Internet Information Services**
 - ☒ Check the checkbox to enable it
 - (Optional) Expand to enable:
 - Web Management Tools
 - World Wide Web Services
 - Application Development Features (like ASP, ASP.NET, etc.)
5. Click **OK**.
6. Wait for the installation to complete.
7. To test it:
 - Open a browser
 - Type http://localhost

- You should see the **IIS Welcome page**

18. Prepare an attractive calculator using ASP.Net with C#.

Calculator.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeFile="Calculator.aspx.cs" Inherits="Calculator" %>

<asp:Content ID="Content1" ContentPlaceHolderID="MainContent" runat="server">
    <center>
        <asp:Label runat="server" Text="FirstNumber" ID="l1"></asp:Label>
        <asp:TextBox runat="server" ID="t1"></asp:TextBox>
        <br /><br />
        <asp:Label runat="server" ID="l2" Text="SecondNumber"></asp:Label>
        <asp:TextBox runat="server" ID="t2"></asp:TextBox>
        <br /><br />
        <asp:Label ID="result" runat="server"></asp:Label>
        <br /><br />
        <asp:Button ID="add" Text="Add" OnClick="sum" runat="server" />
        <asp:Button ID="sub" Text="Subtraction" OnClick="diff" runat="server" />
        <asp:Button ID="mul" Text="Multiplication" OnClick="multiply" runat="server" />
        <asp:Button ID="div" Text="Division" OnClick="divide" runat="server" />
    </center>
</asp:Content>
```

Calculator.aspx.cs

```
using System;
using System.Web.UI;

public partial class Calculator : Page
{
    protected void Page_Load(object sender, EventArgs e)
    {
    }
}
```

```

protected void sum(object sender, EventArgs e)
{
    int a = int.Parse(t1.Text);
    int b = int.Parse(t2.Text);
    int c = a + b;
    result.Text = "Addition="+c.ToString();
}
protected void diff(object sender, EventArgs e)
{
    int a = int.Parse(t1.Text);
    int b = int.Parse(t2.Text);
    int c = a - b;
    result.Text = "subtraction=" + c.ToString();
}
protected void multiply(object sender, EventArgs e)
{
    int a = int.Parse(t1.Text);
    int b = int.Parse(t2.Text);
    int c = a * b;
    result.Text = "multipliation=" + c.ToString();
}
protected void divide(object sender, EventArgs e)
{
    try
    {
        float a = float.Parse(t1.Text);
        float b = float.Parse(t2.Text);

        float c = a / b;
        result.Text = "Division="+c.ToString();
    }
    catch (DivideByZeroException)
    {
        result.Text = "Divide by zero";
    }
}
}

```

FirstNumber

SecondNumber

Addition=8

19. Write an ASP. Net program to prepare attractive Registration Form.

RegisterForm.aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/Site.Master"
AutoEventWireup="true" CodeFile="RegisterForm.aspx.cs"
Inherits="RegisterForm" %>
<asp:Content ID="Content1" ContentPlaceHolderID="MainContent"
runat="server">
    <center>
        <br /><br /><br /><br />
        <asp:Label ID="l1" runat="server" Text="Name : " ></asp:Label>
        <asp:TextBox ID="t1" runat="server" ></asp:TextBox>
        <asp:RequiredFieldValidator ID="r1" runat="server"
ErrorMessage="Enter Username"
ControlToValidate="t1"></asp:RequiredFieldValidator><br /><br />
        <asp:Label ID="l2" runat="server" Text="Password :
"></asp:Label>
        <asp:TextBox ID="t2" runat="server"
TextMode="Password"></asp:TextBox>
        <asp:RequiredFieldValidator runat="server" ErrorMessage="Enter
Password" ControlToValidate="t2" ID="r2"></asp:RequiredFieldValidator>
        <br /><br />
        <asp:Button ID="b1" runat="server" Text="Register"
OnClick="btn" />

        <br /><br />
        <asp:Label ID="l3" runat="server" ></asp:Label>
    </center>
</asp:Content>
```


RegisterForm.aspx.cs

```
using System;

public partial class RegisterForm : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }
}
```

```
protected void btn(object sender,EventArgs e)
{
    string name = t1.Text;
    string pass = t2.Text;
    l3.Text = "You have register " + name;
}
}
```



20. Define html links and their type with example.

HTML links, also known as hyperlinks, are used to connect one web page to another. They can link to pages within the same website (internal links), to different websites (external links), to specific sections within a page, to email addresses, or even initiate file downloads. The anchor tag `<a>` is used to define a link in HTML.

Basic Syntax:

```
<a href="URL">Link Text</a>
```

Types of HTML Links

1. Internal Links

Internal links are hyperlinks that point to other pages within the same website or domain. They are useful for website navigation and help users and search engines access other content on the same site.

Example:

```
<a href="about.html">About Us</a>
```

This link navigates to a file named 'about.html' located in the same directory as the current page.

Linking to a section in the same page:

```
<a href="#services">Our Services</a>
```

<h2 id="services">Services Section</h2>

2. External Links

External links are hyperlinks that point to pages on a different website or domain. These are useful when you want to reference resources, articles, or websites outside of your own.

Example:

```
<a href="https://www.wikipedia.org" target="_blank">Visit Wikipedia</a>
```

The "target=_blank" attribute ensures the link opens in a new tab, keeping the user on your site.

Comparison Table

Below is a simple comparison between internal and external links:

Link Type	Purpose	Example
Internal Link	Links to another page in the same website	Contact
External Link	Links to a page on a different website	Google