






CPP practice
practice.cpp
OPEN EDITORS 1 unsaved
practice.cpp cpp
CPP PRACTICE
cpp
practice.cpp
practice.exe
#include <iostream>
using namespace std;
int main()
{
int val1;
int val2;
int val3;
cout << "Please enter your 3 numbers: ";
cin >> val1 >> val2 >> val3;
// Prints the numbers in the original order entered
cout << val1 << "\n" << val2 << "\n" << val3 << "\n";
// Prints the numbers in reverse order
cout << val3 << "\n" << val2 << "\n" << val1 << "\n";
system("PAUSE");
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
Please enter your 3 numbers: 24 32 22
24
32
22
22
32
24
Press any key to continue . . .
Build with Agent
AI responses may be inaccurate.
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build next
Agent
Auto
OUTLINE
TIMELINE



File Edit Selection View Go Run
EXPLORER
OPEN EDITORS
practice.cpp cpp
practce2.cpp cpp
CPP PRACTICE
cpp
practce2.cpp
practice.cpp
practice.exe
practice.cpp
practce2.cpp
cpp > practice.cpp > main()
#include<iostream>
using namespace std;
int main()
{
char letter;
letter= 'A';
cout << letter << '\n';
letter= 'B';
cout << letter << '\n';
cin>>letter;
return 0;
}
CPP practice
CHAT
Build with Agent
AI responses may be inaccurate.
Generate Agent Instructions to onboard AI onto your codebase.
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
OUTLINE
TIMELINE



practice.cpp
practice2.cpp
practice.exe
#include<iostream>
using namespace std;
int main()
{
char letter;
letter= 65;
cout << letter << '\n';
letter= 66;
cout << letter << '\n';
cin>>letter;
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
Build with Agent
AI responses may be inaccurate.
Generate Agent Instructions to onboard AI onto your codebase.



CPP practice
practice.cpp
practice2.cpp
OPEN EDITORS
practice.cpp
practice2.cpp
CPP PRACTICE
cpp
practice2.cpp
practice.cpp
practice.exe
#include<iostream>
using namespace std;
int main()
{
char letter;
letter= 'A';
cout << letter << '\n';
letter= 'B';
cout << letter << '\n';
cin>>letter;
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
Build with Agent
AI responses may be inaccurate.
Generate Agent Instructions to onboard AI onto your codebase.
Describe what to build next
Agent
Auto
OUTLINE
TIMELINE
Ln 12, Col 2
Spaces: 4
UTF-8
CRLF
C++
28°C Mostly clear



practice.cpp
practice2.cpp
CPP PRACTICE
cpp
practice2.cpp
practice.cpp
practice.exe
using namespace std;
int main()
{
int num1, num2;
cout << "Enter two integers: ";
cin >> num1 >> num2;
cout << "Addition = " << num1 + num2 << endl;
cout << "Subtraction = " << num1 - num2 << endl;
cout << "Multiplication = " << num1 * num2 << endl;
if (num2 != 0)
cout << "Division = " << (double)num1 / num2 << endl;
else
cout << "Division is not possible by zero." << endl;
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
A
B
cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
Enter two integers: 13 5
Addition = 18
Subtraction = 8
Multiplication = 65
Division = 2.6
PS E:\CPP practice\cpp>
Build with Agent
AI responses may be inaccurate.
Generate Agent instructions to onboard AI onto your codebase.
OUTLINE
TIMELINE



practice.cpp
practice2.cpp
cpp > practice.cpp > ...
#include <iostream>
#include <cmath>
using namespace std;
int main()
{
double x1, y1, x2, y2;
double distance;
cout << "Enter x1 and y1: ";
cin >> x1 >> y1;
cout << "Enter x2 and y2: ";
cin >> x2 >> y2;
distance = sqrt((x2 - x1) * (x2 - x1)
+ (y2 - y1) * (y2 - y1));
cout << "Distance = " << distance << endl;
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS



} ; if ($?) { .\practice
Code
Code
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice
} ; if ($?) { .\practice }
Enter x1 and y1: 2 1
Enter x2 and y2: 3 5
Distance = 4.12311
PS E:\CPP practice\cpp>
Ln 1, Col 1
Spaces: 4
UTF-8
CRLF



practice.cpp
practce2.cpp
CHAT
cpp > practice.cpp > main()
#include <iostream>
using namespace std;
int main()
{
double radius;
const double PI = 3.14159;
cout << "Enter radius of circle: ";
cin >> radius;
double area = PI * radius * radius;
cout << "Area of Circle = " << area << endl;
return 0;
}
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Subtraction = -6422352
Code
Build with Agent
AI responses may be inaccurate.
Generate Agent Instructions to onboar
onto your codebase.



TERMINAL
PORTS
Subtraction = -6422352
Multiplication = 0
Division = 0
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
Enter x1 and y1: 2 1
Enter x2 and y2: 3 5
Distance = 4.12311
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
Enter radius of circle: 45
Area of Circle = 6361.72
PS E:\CPP practice\cpp>
Code
Code
Ln 18, Col 2
Spaces: 4



practice.cpp
practice2.cpp
CHAT
cpp > practice.cpp > ...
#include <iostream>
using namespace std;
int main()
{
double length, width;
cout << "Enter length: ";
cin >> length;
cout << "Enter width: ";
cin >> width;
double area = length * width;
cout << "Area of Rectangle = " << area << endl;
return 0;
}
Build with A
AI responses may be in
Generate Agent Instructions
onto your codeba
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS



Area of Circle = 6361.72
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) {
} ; if ($?) { .\practice }
Enter length: 45
Enter width: 25
Area of Rectangle = 1125
PS E:\CPP practice\cpp>



practice.cpp
practce2.cpp
CHAT
cpp > practice.cpp > main()
#include <iostream>
using namespace std;
int main()
{
double base, height;
cout << "Enter base: ";
cin >> base;
cout << "Enter height: ";
cin >> height;
double area = base * height * 0.5;
cout << "Area of Triangle = " << area << endl;
return 0;
}
Build
AI responses
Generate Agent
onto


} ; if ($?) { .\practice }
Enter length: 45
Enter width: 25
Area of Rectangle = 1125
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice
} ; if ($?) { .\practice }
Enter base: 23
Enter height: 13
Area of Triangle = 149.5
PS E:\CPP practice\cpp>


practice.cpp
cpp > practice.cpp > main()
#include <iostream>
#include <iomanip>
using namespace std;
int main()
{
double item1 = 12.95;
double item2 = 24.95;
double item3 = 6.95;
double item4 = 14.95;
double item5 = 3.95;
double subtotal;
double salesTax;
double total;
subtotal = item1 + item2 + item3 + item4 + item5;
salesTax = subtotal * 0.06;
total = subtotal + salesTax;
cout << fixed << setprecision(2);
cout << "Item 1 Price: $" << item1 << endl;
cout << "Item 2 Price: $" << item2 << endl;
cout << "Item 3 Price: $" << item3 << endl;
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Code
Build with Agen
AI responses may be
Generate Agent Instructions
onto your codebase.


cpp > practice.cpp > main()
double total;
subtotal = item1 + item2 + item3 + item4 + item5;
salesTax = subtotal * 0.06;
total = subtotal + salesTax;
cout << fixed << setprecision(2);
cout << "Item 1 Price: $" << item1 << endl;
cout << "Item 2 Price: $" << item2 << endl;
cout << "Item 3 Price: $" << item3 << endl;
cout << "Item 4 Price: $" << item4 << endl;
cout << "Item 5 Price: $" << item5 << endl;
cout << "Subtotal: $" << subtotal << endl;
cout << "Sales Tax: $" << salesTax << endl;
cout << "Total: $" << total << endl;
return 0;
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Enter radius of circle: 45
Code
Build with Ag
AI responses may be inac
Generate Agent Instructions to
onto your codebase


PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
Enter height: 13
Area of Triangle = 149.5
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice
} ; if ($?) { .\practice }
Item 1 Price: $12.95
Item 2 Price: $24.95
Item 3 Price: $6.95
Item 4 Price: $14.95
Item 5 Price: $3.95
Subtotal: $63.75
Sales Tax: $3.82
Total: $67.58
PS E:\CPP practice\cpp>
Ln 34, Col 2



practice.cpp

```cpp
#include <iostream>
using namespace std;

int main()
{
    int number;

    cout << "Enter a five-digit number: ";
    cin >> number;

    int digit1 = number / 10000;
    int digit2 = (number / 1000) % 10;
    int digit3 = (number / 100) % 10;
    int digit4 = (number / 10) % 10;
    int digit5 = number % 10;


    cout << digit1 << "   "
         << digit2 << "   "
         << digit3 << "   "
         << digit4 << "   "
         << digit5 << endl;


    return 0;
}
```


Click to add a breakpoint


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
Item 1 Price: $12.95
Item 2 Price: $24.95
Item 3 Price: $6.95
Item 4 Price: $14.95
Item 5 Price: $3.95
Subtotal: $63.75
Sales Tax: $3.82
Total: $67.58
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g
} ; if ($?) { .\practice }
Enter a five-digit number: 12345
1   2   3   4   5
PS E:\CPP practice\cpp>
```


Sales Tax: $3.82
Total: $67.58
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp
} ; if ($?) { .\practice }
Enter a five-digit number: 12345
1 2 3 4 5
PS E:\CPP practice\cpp>


practice.cpp
practce2.cpp
cpp > practice.cpp > main()
#include <iostream>
using namespace std;
int main()
{
int var1, var2, temp;
cout << "Enter value of var1: ";
cin >> var1;
cout << "Enter value of var2: ";
cin >> var2;
cout << "\nBefore swapping:" << endl;
cout << "var1 = " << var1 << endl;
cout << "var2 = " << var2 << endl;
temp = var1;
var1 = var2;
var2 = temp;
cout << "\nAfter swapping:" << endl;
cout << "var1 = " << var1 << endl;
cout << "var2 = " << var2 << endl;
return 0;
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
CHAT
Build wit
AI responses may
Generate Agent Instruc
onto your co


PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
PS E:\CPP practice\cpp> cd "e:\CPP practice\cpp\" ; if ($?) { g++ practice.cpp -o practice
} ; if ($?) { .\practice }
Enter value of var1: 20
Enter value of var2: 30
Before swapping:
var1 = 20
var2 = 30
After swapping:
var1 = 30
var2 = 20
PS E:\CPP practice\cpp> .\world\world.cpp
Ln 26, Col 2


Go Run
CPP practice
practice.cpp
practce2.cpp
cpp > practice.cpp > main()
#include <iostream>
using namespace std;
int main()
{
char lower;
cout << "Enter a lowercase alphabet: ";
cin >> lower;
char upper = lower - 32;
cout << "Uppercase alphabet: " << upper << endl;
return 0;
}
CHAT
Build with Age
AI responses may be inaccu
Generate Agent Instructions to
onto your codebase.