MovieTech

Grip-Equipment

... you can rely on!

Poducts & Accessories

Version: 11/2020

Dollies | Cranes| Slider | Tracks | Accessories

ABOUT US

For more than 25 years, the name MovieTech stands for professional film equipment.
Our aim is to find optimal solutions to move the camera and facilitate the work on the film set by providing highly functional and reliable products.

To keep this promise, our products are carefully developed and manufactured in our factory in Munich. In order to meet the needs and desires of our customers and to cope with the changing conditions of the market, we cooperate constantly with end users, rental companies and universities.

We offer a wide range of accessories that can be combined with each other and used with a large variety of products. Due to this we are able to achieve a wide variety of applications and combinations.
By providing reliable maintenance and rapid repair services we further help you to prevent interruptions and keep downtimes short. Thanks to a large network of dealers, distributors and rentals, our products can be purchased or rented worldwide. You will find MovieTech equipment on film sets almost anywhere in the world.

The product range of the MovieTech brand includes camera cranes, dollies, remote heads and track systems.
Additionally, we offer lightweight equipment for broadcast and video under the brand ABC Products.
Please visit our ABC Products's website for more information.

MTS Media Technical System s.r.o. is also part of the MovieTech family, offering premium solutions and services in the field of studio and stage technology.
MovieTech is therefore active in the manufacturing of products for the whole media market ranging from film and broadcast to video and studio equipment.

MovieTech AG
Martin-Kollar-Str. 9
81829 München
Germany

Tel.: +49(0)89-43 68 91 3
Fax: +49(0)89-43 68 91 55

MADE
IN
GERMANY

Visit our Websites:

www.movietech.de

www.abc-products.de

www.mts-germany.com

PRICE LIST CONTENT

MovieTech

MAGNUM DOLLY

MAGNUM DOLLY

YOUR TRUSTED COMPANION ON EVERY SET!
The Magnum Dolly is a trusted workhorse.
The quality of the Magnum is the result of decades of technical experience and constant improvement in every detail of its construction. The Dolly has reached an unrivalled level of precision and reliability.

We know how important it is that your equipment does not fail on the set even in the most adverse shooting conditions.

MADE IN GERMANY
We proudly manufacture our camera support equipment for movie makers around the world in our factory in Munich, Germany. Our motto is "Grip Equipment you can rely on" and in order do meet the highest standards demanded by our customers we do this with great passion and care.

Technical features:
- lift capacity: 250kg (551 lb)
- column height min/max: 80cm / 148cm
- weight: 140kg
- Number of lifts on full batteries: > 500 lifts

**The photo does not correspond to the standard delivery package.

2000-0SET	Magnum Dolly System	
2000-0	1 x	Magnum Dolly Column
1000-300	1 x	Magnum Base Dolly incl. steering rod (standard)
2003-0	2 x	24 V Battery
2058-0	2 x	Dolly Seat Round
2008-0000A	1 x	Hand Control
2052-0	1 x	Seat Adaptor
1200-250	1 x	Combi-Wheels (Studio-/track wheels)
1040-0	1 x	Hand control holder
1010-0	1 x	Steering rod standard

1000-300
Leggero Base Dolly
incl. steering rod

2000-0
Magnum Dolly Column

1036-01
Platform System Set
(4 pcs.)
Set consists of 4pcs

1036-4000
Platform
(1 pc.)

1037-0 / 1037-0Set
Platform extension

Set consists of 4pcs

1045-0
Low Platform

2118-100
Ring platform incl. cover

2090-0
U-Bangi
with Euro-Clamp

2120-0
* DuoJib

2100-0
* Mini Jib

2114-01
* MovieJib

8410-0
Crane Column (3 pcs.)
(for connection to
1002-0 - not included)

1002-0
Base plate with Euro
Adapter

1003Set
Base plate with Euro
turnstile mount

2058-0
round seat

1028-0
Assistant seat and
platfrom mount

2025-0Set
Set of carrying bars

2075
Dolly Tool Kit in Hard
Case

2004-0SET
24V charging station

2002-0
Magnum charger unit 24
/ 48 V

2003-0
24V Battery w. charge
level indicator

2008-5000A
Hand control tester

2015-0
Battery tester

2020-0
Shorting bridge f. 24V
operation

2019-0
Mains power Supply Box
230V
- on request -

2019-01
Mains power Supply Box
115
- on request -

2008-0000A
Magnum
wired hand control

2089-01
Magnum wireless
hand control
- on request -

* Please go to product page

1013-00 Telescopic steering rod	**1010-0** Steering rod standard	**1012-0** Steering rod short	**1020-0** Leggero steer-out extension

1040-0 Hand control holder	**1040-400** Hand control holder for telescopic steering rod	**1040-500** Hand control holder short	**1040-600** Hand control holder short f. telescopic steering rod

2099-0 Push Bar for Leggero Dolly	**2013-0** Swivel arm adapter f. Hand control	**1029-1** Multi Adapter f. steering rod	**M2005** Dolly Cover, waterproof	**M2180** parking Cover	**2084-0** Counterbalance rod

improved !

2087-01 Set System low rig set incl. hard case	**2080-0 Set** Low Rig set	**2080-1100** Low and side angle bracket, Mitchell	**2080-1000** Low and side angle bracket, bowl	**2080-1200** Angle bracket 4-way leveller, Mitchell

1212-0 Tool f. pneumatic wheels	**1215-10Set** Set of soft Studio wheels (8 pcs.), 40 shore	**1216-10Set** Set of standard studio wheels (8pcs.), 80 shore	**1210-0Set** Set of pneumatic wheels (8 pcs.)

2161 Transport case for Magnum/Alpha column	**2160** Transport Case for Magnum/Alpha Dolly	**2163** Transport case for 2 Batteries + Charger	**2165** Transport case for platform Set	**2171** Transport case for Ubangi	**2167** Transport case for DuoJib complete

ALPHA DOLLY

ALPHA DOLLY

The Alpha Dolly is an electromechanical center column dolly, powered by standard camera battery packs. It's a lightweight, compact and flexible dolly system with a low starting position of the column (710mm/ 27.95 inch) and a new slender design.

It takes only three standard Li-Ion batteries (e.g. 14,4V/10-15A) to operate the dolly which results in quick and easy availability regarding the power supply.

The new seating position beside the column is equivalent to that of the familiar working method of the hydraulic scissor arm dollies.
Via seat arm adapters available in different lengths and a new
telescopic seat arm, the seating position may be adjusted in height. Moreover, the camera operator may rotate with the column thanks to the integrated 360° rotation system.

Technical features:
- lift capacity: 100kg (220 lb)
- column height min/max: 71cm / 139cm
- weight: 133kg
- Number of lifts on full batteries > 300 lifts

**The photo does not correspond to the standard delivery package.


2300-0SET   Alpha Dolly System

2300	1 x	Alpha Dolly Column
2300- 5000	1 x	Alpha Base Dolly
1010-0	1 x	Steering rod (standard)
2300-8200	1 x	Alpha Dolly hand control
2058-0	1 x	Seat round
2056-0	1 x	Seat arm vertical 30cm/12´

2300-5000
Alpha Dolly Base

2300-0
Alpha Dolly Column
(without batteries)

1036-01
Platform System Set
Set consists of 4pcs

1036-400
Platform
(1 pc.)

1037-0
Platform extension

1045-0
Low Platform

2090-0
U-Bangi
with Euroclamp

2114-01
* MovieJib

2100-0
* Mini Jib

8240-0
* Jib 100
(tripod not included)

2075
Magnum Tool Kit in Hard Case

8410-0
Crane Column (3 pcs.)
(for connection to
1002-0 - not included)

1002-0
Base plate with Euro Adapter

1003Set
Base plate with Euro turnstile mount

2058-0
round seat

2300-8500
Telescopic Seat

1028-0
Assistant seat and platfrom mount

2025-0Set
Set of carrying bars

* Please go to product page

No image available	**No image available**		
M5232 V mount battery 14,4V for Alpha Dolly	M2602 V -mount charging station 4+4	2008-5000A Hand control tester with Alpha adapter	2300-8000 Alpha dolly wired hand control
1013-00 Telescopic steering rod	1010-0 Steering rod standard	1012-0 Steering rod short	1020-0 Leggero steer-out extension
1040-0 Hand control holder	1040-400 Hand control holder for telescopic steering rod		

1040-500 Hand control holder short	1040-600 Hand control holder short f. telescopic steering rod	1029-1 Multi Adapter f. steering rod	M2005 Dolly Cover, waterproof
M2180 parking Cover	2084-0 Counterbalance rod		

improved !

2087-01 Set System low rig set incl. hard case	2080-0 Set Low Rig set	2080-1100 Low and side angle bracket, Mitchell	2080-1000 Low and side angle bracket, bowl
2080-1200 Angle bracket 4-way leveller, Mitchell			

2099-0 Push Bar for Leggero Dolly	2013-0 Swivel arm adapter f. Hand control	1212-0 Tool f. pneumatic wheels	1215-10Set Set of soft Studio wheels (8 pcs.), 40 shore
1216-10Set Set of standard studio wheels (8pcs.), 80 shore	1210-0Set Set of pneumatic wheels (8 pcs.)		

2161 Transport case for Magnum/Alpha column	2160 Transport Case for Magnum/Alpha Dolly	2165 Transport case for platform Set	2171 Transport case for Ubangi

![MovieTech]

4X4 DOLLY

The brand new MovieTech 4×4 Dolly features many innovations which are uncommon in its class. By simply lifting the push bar, the operator can switch from 2- to 4-wheel-steering. A stable stainless steel steering gear ensures a long life and reliable switch control.

Technical features:
- 2- and 4- wheel steering mode
- Size (L x W) standard platform: 137x76cm
- Size (L x W) additional platform: 137x109cm
- Weight w. standard platform:43.6 kg
- Weight w. additional platform: 48.8 kg
- Max. payload: 300kg
- Track width: 62cm

2- and 4-wheel steering mode

**The photo does not correspond to the standard delivery package.

2912-0	4 x 4 Dolly

1 x   Base Dolly with Push bar (without pushbar extensions)
1 x   Platform standard
1 x   Set of pneumatic wheels
1 x   Pushbar

2912-2100 Additional Platform for. 4x4 Dolly (1 pc.)	**2912-3000 - 1pc** **2912-3000Set - 2pcs** Extension for push bar	**2912-0095** Adapter f. steering rod w. 1/4" & 3/8" threads
2912-3300 shift handle	**2912-1000** Turnstile	**2912-6110** Steering angle fixation

2961-01SET 4x Dolly trackwheel set (4pcs)	**2950-500** Skater track wheels incl. transport case	**7531-0SET** Levelling legs set (4 pcs.) + Hand crank	NEW **2912-8200Set** Levelling leg extension set (4 pcs.)

2100-0 *Mini Jib (Jib only)	**2114-01** * MovieJib (Jib only)	**8240-0** * Jib 100 (tripod not included)
2912-0099Set Tripod feet (3 pcs)	**2300-8500** Telescopic Seat	**2058-0** round seat

N100-6
Euromount 80/120mm
w. clamp bolt

N800-2
System low rig adapter
"big" f. SLRT 80mm)

N200-1000
Clamp bolt 25 mm

NEW

2140-0
Cranked Riser "M"
47,5 - 87 cm

NEW

2141-0
Cranked Riser "XL"
65,5 - 140 cm

2087-01 Set
System low rig set
incl. hard case

8410-0
Crane Column (3 pcs.)
(for connection to 1002-
0 - not included)

8410-0350
Adapter Jimy-Jib

8410-2200
Euro Mount for
Crane Column

Please go to the following pages for more accessories

4X4 DOLLY ON SET

SPRINTER DOLLY

The dolly may be steered from both ends and in different modes thanks to an innovative steering system.

Steering rod and push-bar can be mounted by insertion either at the front- or at the back of the dolly. Thereby the grip never gets in the way of the camera.

**The photo does not correspond to the standard delivery package.

2900-0   **LightDolly Sprinter**

     1 x   Standard Platform
     2 x   running board
     4 x   pneumatic wheels
     1 x   Skater track wheel set in hard case
     1 x   Pushbar and steering rod
     1 x   Turnstile

2900-02   **LightDolly Sprinter**   **"Big Wheel"**

     1 x   "Big Wheel" Platform
     4 x   Pneumatic wheels
     1 x   Skater track wheel set in hard case
     1 x   Pushbar and steering rod
     1 x   Turnstile

2907-0 Platform for Sprinter Dolly "Big Wheel"	2906-0Set Big pneumatic wheels (4 pcs.)	2900-140Set Additional platform for Sprinter (2 pcs.)	2300-8500 Telescopic seat	2058-0 round seat

2961-01SET Dolly Trackwheel set (4 pcs)	2950-500 Skater track wheels incl. transport case	2140-0 Cranked Riser "M" 47,5 - 87 cm	2141-0 Cranked Riser "XL" 65,5 - 140 cm

MovieTech

magnetic end-stop

NEW!

SCOOTER DOLLY

The Scooter Dolly is a quick and easy to setup compact camera dolly for use on narrow gauge track. Thanks to the easily extendible track length, the Scooter Dolly is much more versatile than conventional slider systems.

Its exceptional smoothness and quiet operation as well as durability make it a unique product of its kind. The rails of the Scooter Dolly can be connected and therefore allow limitless travel.

Technical features:
- Dimensions (dolly): 33,6 x 30,2 cm
- Weight of the dolly: 4,5kg
- Track width: 220 mm
- Track lenght: 90cm / 160cm / 230cm
(tracks can be connected)

**The photo does not correspond to the standard delivery package.

2207-0SET	**Scooter Dolly Set**
	1 x Scooter Dolly (2207-0A)
	2 x Track connector
	2 x Ground plate
	1 x Protection case with foaming mold
2207-0A	**Scooter Dolly** (dolly only)

2207-0A
Scooter Dolly
(Dolly only)

2207-90
Camera base plate /
euromount

2206-100
Push bar

N200-5001
Low boy adapter
28 mm for light stand

2205-0Set
Rocker Plate incl.
adapter f. Scooter Dolly

2031-3Set
Bowl insert 150 mm

2032-1Set
Bowl insert 100 mm

2041-10Set
Mitchell base plate

8530-2
Clamp ring 80 mm

2250-6200SET1
4 WAay leveler with
Standard Mount

2041-40Set
Euro Mount for
Scooter Dolly

2207-50
Euromount
Track Connector

2207-20
Ground levelling plate

2207-10
Track end stop, 1pc
- old version -

NEW

2207-1100
Magnetic track end stop
(1pc)

M5847
Magic Arm with
3/8" screw

2207-30
Connector to tripod or base plate

2207-3500
Track Connector (double)

2207-5500
Track Connector with Mitchell base plate

2207-50
Connector to Euromount

2207-4501
Connector Bolt for track connector

2091-0
Rotable Adapter with brake

2500-2Set
Scooter Dolly track kit 0,90m

2501-1Set
Scooter Dolly track kit 1,60m

2502-1Set
Scooter Dolly track kit 2,30m

M5622
Rubber protection cap for Master Track (plastic)

2594-0 / 2595-0
Protection screw f. male/female Master T.

2207-8300
Soft bag for Scooter Rails 0,90m

2207-8100
Soft bag for Scooter Rails 1,60m

2207-8200
Soft bag for Scooter Rails 2,30m

2207-8400
Hard case for Scooter Dolly

Counter screw for bowl 150mm
2207-2100 - 3/8"
2207-2110 - M10

Counter screw for bowl 100mm
2207-2120 - 3/8"
2207-2130 - M10

Counter screw for Flatbase
2207-2140 - 3/8"
2207-2150 - M10

Counter screw for fluid heads with internal thread
2207-2160 - 3/8"
2207-2170 - M10

SCOOTER DOLLY ON SET

MT GRIP KIT

The MovieTech GRIP KIT is a modular kit that offers you a wide range of assembling possibilities. It is the variable tool kit for your daily needs on set.

You can mount your GRIP KIT with three or four legs, as a levelling star base, on studio wheels, with a platform or without, on tracks – whatever fits your needs.

A wide range of accessories such as levelling legs, seat arms and risers offer many functional features for all professional requirements.

**The photo does not correspond to the standard delivery package.

2970-01SET   **Basic Three Leg Set**

1 x   Base
3 x   Arm Normal Track
3 x   Endpiece
3 x   levelling legs M16 short
1 x   Euro Mount hardcoated

2970-02SET   **Basic Track Wheel Set**   (track gauge 62cm)

1 x   Base
4 x   Arm Normal Track
4 x   Endpiece
1 x   Pushbar
4 x   Skateboard wheels
3 x   levelling legs M16 short
1 x   Euro Mount hardcoated

2970-04ASET   **Basic Dolly Kit**   (track gauge 62cm)

1 x   Base
4 x   Arm Normal Track
4 x   Endpiece
1 x   Pushbar
4 x   Skateboard wheels
3 x   levelling legs M16 short
1 x   Euro Mount hardcoated
1 x   Platform Set (4 pcs.)
1 x   Hard case or soft bag

2970-05ASET   **Advanced Dolly Kit**   (track gauge 62cm)

1 x   Base
4 x   Arm Normal Track
4 x   Endpiece
1 x   Pushbar
4 x   Skateboard wheels
3 x   levelling legs M16 short
1 x   Euro Mount hardcoated
1 x   Platform Set (4 pcs.)
1 x   Seat arm
1 x   Seat
1 x   Riser adjustable, broadcast
1 x   Ball Adapter light 100 mm, broadcast
1 x   Hard case or soft bag

2970-1001/N100-1
Base plate incl.
Euromount

2970-1006
Base plate for Mitchell
Mount

2970-1009Set
Base plate for several
adapter (mitchell/ ball)

2970-1010
Adapter f. MT Rocker
Plate

2970-1200
MT Rocker Plate incl.
adapter f. MT Grip Kit

2970-700/2970-700 Set4
Platform for MT Grip Kit 1 pc
or Set of 4pcs

2053-0/2058-0
Seat Arm 30cm and
Seat

2912-1000
Turnstile (mountable on
standard base plate)

2970-5000
Pushbar for MT Grip Kit

2970-1011
Strap
connector

2912-0099Set
Tripod rests (3 pcs.)

N100-6
Euromount 80/120 w.
clamp bolt

370mm

2970-1002Set
Arm standard track
width, 1 pcs. incl. screws

185mm

2970-1004Set
Arm narrow track width,
1 pcs. incl. screws

155mm

2970-1005Set
Connecting piece f. arm
extension, incl. scews

110mm

2970-1003
End piece, incl. bolts

2250-6200SET1
4 Way leveller with
Standard Mount

2970-2300SET3 /SET4
Levelling legs "short"
3 or 4 pcs

2970-2200SET3 /SET4
Levelling Legs "long"
3 or 4 pcs

2970-2860SET3 / SET4
Spikes, pointed screw
Price / spike 4 pcs

M1066
Hand crank for
levelling legs 1pc

2970-4000SET3 /SET4
Studio wheels 3/4pcs

2970-3000SET4
Skater track wheels
4 pcs

8511-01 Set
ABC Light Track 6.40 m
incl. soft-bag

8521-300
ABC Light Track Curve
(1/16 circle)

2500-0/2501-0/2502-0
MovieTech Master Track
Alu 0.90 /1,60 / 2,30 m

/2540-0
Master Track/curve
1/8 circle

M3397
Hard-case for
MT Grip Kit

MovieTech

MOVIE JIB

The MovieJib – is lightweight and incredibly flexible. Using the MovieJib you will achieve "floating" shots while panning. The jib may be mounted via an M12 threaded bolt. An adjustable euro mount enables to mount ball adapters or a lightweight remote head.

Technical features:
- Minimum length: 165 cm / 5,5 "
- Maximum length: 215 cm / 7,1"
- Max. height with tripod (127 cm):   280 cm / 9,2"
- Max. load min. extended: 40 kg / 88 lb
- Max. load max. extended: 30 kg / 66 lb
- Max payload: 72 kg / 158,4 lb
- selfweight (jib):   41 kg / 90,2 lb

**The photo does not correspond to the standard delivery package.

2114-0SET	MovieJIB
	1 x MovieJib (telescopic jib arm)
	1 x Parallelogramm rod with trim weight
	1 x Bullstand 120 - Jib Tripod
	1 x Counterweight rod / length 725 mm / diameter 30 mm
	1 x Softbag
2114-01	**MovieJIB (without tripod)**

2041-10 Mitchell base plate	2031-3 Bowl Insert 150 mm	2032-1 Bowl Insert 100 mm
2041-30 SET Adapter Euroclamp	2041-40 SET Adapter Euromount	8315-30 Display Support
2112 / 2111 / 2110 Counterweight 5kg / 10kg / 16 kg	2114-3000 MovieJib Head with Mitchell mount	2114-3100 MovieJib Head with Euroclamp
2114-60 Adapter to Euromount	2114-1000 Adapter to Bowl 150mm	2114-1100 Adapter to flatbase
M 2146 / M2139 / M2138 Counterweight 1,25kg / 2,5kg / 5kg	832180 Softcase MovieJib	2192 Case for Movie Jib
7510-0Set Standard Base Dolly CD5 Pneumatic Wheels	7530-0Set Wide Base Dolly CD6 Pneumatic Wheels	8321-03 Bullstand tripod

MINI JIB

The MovieTech Mini Jib arm is very versatile and robust, enabling smooth camera shoots for all kinds of camera sizes. The weight balancing is smoothly accomplished via a telescopically cranked back end. The length of the front arm is 83 cm/ 33 inch (from the pivot to the head).
The Jib arm is equipped with a horizontal and vertical handbrake.
The horizontal pan radius is 360°. Optional attachments and adapters allow further height, extension and side positions available.

Technical features:
- length front arm: 83 cm / 2,9 "
- Maximum height on Magnum Dolly   235 cm / 7,9"
- Max payload: 80 kg / 176 lb
- may counterweight: 4 x 16
- selfweight (jib)   23 kg / 50,6 lb

**The photo does not correspond to the standard delivery package.

2100-0	Mini Jib

1 x   Crane support with integrated brake
1 x   Main segment
1 x   Back end segment (telescopic) with hand crank
1 x   Parallelogram rod with integrated vertical brake
1 x   Euro mount at the jib end (may be installed up - or downwards)
1 x   Counterweight rod
2 x   handles

2117-0 System low rig adapter f. MiniJib	2103-0 Low rig adapter f. MiniJib	2101-0 Off-Set rig for MiniJib	2104-0 Mini low rig	2105-0 Adapter Mini low rig "S"	2116-0 Adapter Mini low rig "M"

S

2112 / 2111 / 2110 Counterweight 5kg / 10kg / 16 kg	2115-0 Adapter Mini low rig "L"	2102-0 Euro Adapter Mount f. MiniJib	2106-0 MiniJib connector rod to Magnum column	2169 Transport case for MiniJib

DuoJib

DUO JIB

The DuoJib is specially designed to be operated on a MAGNUM Dolly. It allows for smooth and steady movements thanks to the gliding 360° rotation of the Magnum and the precise mechanics of the column. The Duo Jib is very quickly and easily assembled and dismounted. Mounted on a Magnum Dolly, the Jib will automatically lift and lower by activating the column movement.

Technical features:
- Max payload standard mode: 250 kg
- Max. payload high rig mode: 200 kg
- Max. payload low rig mode: 200 kg
- Max. platfom height (euro adapter):   272 cm

**The photo does not correspond to the standard delivery package.

2120-0	DuoJib
	1 x Platform with Turnstile
	1 x High and low
	3 x Counterweight rod
	1 x Parallelogram rod
	1 x Crane support
	1 x End segment
	1 x Connection rod
	1 x Duo Jib

2110
Counterweight 16 kg

2111
Counterweight 10 kg

2112
Counterweight 5 kg

2167
Case for DuoJib

JIB 100

The Jib arm is a very versatile and easily transportable piece of equipment that can be used for all kinds of camera types.
The Jib 100 can be reduced to very small packing dimensions and assembled within minutes which makes it the perfect equipment for use on the go.

Technical features
- Selfweight: 19 kg
- Boom length: 162 cm
- Total Jib length: 240 cm
- Max. camera payload: 20 kg
- Max. counterweight   40 kg

**The photo does not correspond to the standard delivery package.

8240-0	Jib100

1 x   Jib with crane support and euromount clamp
1 x   Counterweight bar (30 mm outside diameter) with Quickpin-handles
1 x   Soft bag

2041-10
Mitchell base plate

2031-3
Bowl Insert
150 mm

2032-1
Bowl Insert
100 mm

2041-30 SET
Adapter Euroclamp

2041-40 SET
Adapter Euromount

8321-01
Tripod 132 X
modified w. leveling legs

8315-30
Display Support

2192
Transport Case for Movie
Jib / Jib 100

2114-60
Adapter to Euromount

2114-1000
Adapter to Bowl 150mm

2114-1100
Adapter to flatbase

2112
Counterweight 5 kg

2111
Counterweight 10 kg

2110
Counterweight 16 kg

M2146
Counterweight 1,25 kg

M2139
Counterweight 2,5 kg

M2138
Counterweight 5 kg

NEW!

KIRIN CRANE SYSTEM

Starting from 5m Jib up to 14m the Kirin Crane is an ultra versatile camera crane system, offering a variety of set-up versions for Remotehead-, Platform-, or Jib-operation.

STRONG. ROBUST. SAFE.

These features make the Kirin Crane the perfect tool on the set, both with Remote Head and with a manned platform!
Due to its modular concept from the jib to the platform crane to the outstanding camera crane with 14m range, it is extremely versatile!
The feedback, ideas and wishes of many users all over the world have been implemented with this new crane concept. The crane can be assembled in the shortest possible time thanks to the modular lightweight construction and the new locking mechanism.

HART-COAT®
surface !

The patented Hart-Coat® surface treatment effectively protects the crane from scratches and other external influences. Backlash-free connecting plates and additional struts increase the stability of the crane system. In developing this new crane concept, safety and user-friendliness have always been paramount.

Kirin Crane System

- incl. 4 way leveller

KIRIN REMOTE VERSIONS

Remote Version - 14m - R14

- extremely long front arm 14m
- 3 x bracing elements
- payload: 40 kg

2 000   14 000   700
17 300

4700-05

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additonal counter weight basket
- 9 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 43 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 6 x Telescopic bracing rod (flute)
- 10 x Bracing End piece
- 10 x Turnbuckle for bracing
- 1 x Bracing bracket
- 3 x Bracing support

Remote Version - 12m - R12

- payload: 60 kg

2 000   12 000   700
15 300

4700-04

-

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additonal counter weight basket
- 8 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 28 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Remote Version - 10m - R10

- standard for most applications
- 2 x bracing elements
- payload: 70 kg

2 000   10 000   700
13 300

4700-03

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additonal counter weight basket
- 7 x Kirin Segment 1,5m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 23 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Remote Version - 8m - R8

- payload: 80 kg

2 000   8 000   700
11 300

4700-02

- 1 x Remotehead-Mount, rotatable inkl. 4Way leveller
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 9 x Kirin Segment 1,5m
- 1 x Kirin Segment 1m
- 1 x Kirin Segment 0,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 17 x Bracing rod 1,5m
- 5 x Bracing rod 1m
- 3 x Bracing rod 0,5m
- 4 x Telescopic bracing rod (flute)
- 8 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

NEW!

KIRIN CRANE

HART-COAT®
surface !

The KIRIN CRANE SYSTEM is the result of countless feedback from our customers all over the world. But even though we have been working with greatest care and attention to detail in the development of this new camera crane, there is absolutely nothing like the real stress test in its "natural habitat" – the film set.

In order to improve even the very last details, the KIRIN was used in several productions. Always with the aim of developing a user-friendly, versatile, robust and reliable camera crane that users will love.

Its versatility is probably the biggest strength of the KIRIN Crane. It can be set up in various platform versions, too.

KIRIN PLATFORM VERSIONS

Platform Version - 6,5 m - P6,5

- payload: 150 kg

2 000   6 500   545

9 850

4700-09

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 1 x Additonal counter weight basket
- 5 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 1 x Bracing tower tall

- 15 x Bracing rod 1,5m
- 2 x Bracing rod 1m
- 4 x Telescopic bracing rod (flute)
- 10 x Bracing End piece
- 8 x Turnbuckle for bracing
- 1 x Bracing bracket
- 2 x Bracing support

Platform Version - 5 m - P5

- only 1 basked needed
- payload: 180 kg

2 000   5 000   545

8 350

4700-08

-

- 1 x Platform incl. turnstile	- 12 x Bracing rod 1,5m
- 1 x Crane Main Segment	- 2 x Bracing rod 1m
- 1 x Counter weight basket	- 4 x Telescopic bracing rod (flute)
- 4 x Kirin Segment 1,5m	- 8 x Bracing End piece
- 2 x Rocker end piece	- 8 x Turnbuckle for bracing
- 1 x Bracing tower tall	- 1 x Bracing support
	- 1 x Bracing bracket

Platform Version - 3,5 m - P3,5

- payload: 250 kg

2 000   3 500   545

6 850

4700-07

- 1 x Platform incl. turnstile	- 7 x Bracing rod 1,5m
- 1 x Crane Main Segment	- 2 x Bracing rod 1m
- 1 x Counter weight basket	- 4 x Telescopic bracing rod (flute)
- 3 x Kirin Segment 1,5m	- 8 x Bracing End piece
- 2 x Rocker end piece	- 8 x Turnbuckle for bracing
- 1 x Bracing tower tall	- 1 x Bracing bracket

Platform Version - 2 m - P2

- no tower / bracing needed
- payload: 250 kg

2 000   2 000   545

5 350

4700-06

- 1 x Platform incl. turnstile
- 1 x Crane Main Segment
- 1 x Counter weight basket
- 2 x Kirin Segment 1,5m
- 2 x Rocker end piece
- 2 x Bracing rod 1,5m

KIRIN JIB VERSIONS

NEW!

The KIRIN CRANE is probably the most versatile crane system in its segment.

In combination with
- a special jib-head
- counterweight bars (instead of a bucket)
- a smaller tower
it can also operate as Jib-arm with up to 80kg payload.

Different handle options ensure ergonomic and precise operation of the KIRIN JIB.

HART-COAT®
surface !

Jib Version - 5 m - J5

1 500   5 000   520
7 490

- small tower !
- special jib head
- payload: 80 kg

4700-12

- 1 x Jib Head with exchangeable Bowl insert 150mm
- 1 x Crane Main Segment
- 1 x Jib counter weight holder
- 1 x Bracing tower small
- 4 x Kirin Segment 1m
- 3 x Kirin Segment 0,5m

- 2 x Rocker end piece
- 10 x Bracing rod 1m
- 9 x Bracing rod 0,5m
- 2 x Telescopic bracing rod (flute)
- 4 x Bracing End piece
- 4 x Turnbuckle for bracing
- 1 x Bracing support

Jib Version - 3 m - J3

1 000   3 000   520
4 490

- no bracing
- special jib head
- payload: 80 kg

4700-11

- 1 x Jib Head with exchangeable Bowl insert 150mm
- 1 x Crane Main Segment
- 1 x Jib counter weight holder
- 2 x Kirin Segment 1m
- 2 x Kirin Segment 0,5m

-

- 2 x Rocker end piece
- 2 x Bracing rod 1m
- 2 x Bracing rod 0,5m

Kirin Crane Accessories

ACCESSORIES

4700-5000 Set
Extension Set 0,5m

4700-3000 Set
Extension Set 1m

4700-4000 Set
Extension Set 1,5m

4400-700
Counterweight basket big

4400-800
Counterweight basket small

7704-0 / 7708-0 / 7716-0
Counterweight
4 kg / 8 kg / 16 kg

4700-7000
Counter weight holder + tubes

2112 /2111 / 2110
Counterweight
5 kg / 10 kg / 16 kg

7703 / 7707 / 7715
Counterweight
4 kg / 8kg / 16kg

4700-9100
Crane head w 4-way-level. and twist function

4700-9800
Nose Mount

4700-9700
Jib Head Kirin

4700-9500
Platform with turnstile

4405-0
Transportsystem "onboard" (max 10m)

4409-0
external transport System

4700-7500
Handle Kirin Long

4700-7300
Vari Handle Kirin

7740-0
Cushioned crane seat-with safety belt

8315-30
Display Support
(8315-2000 - long version)

4407-0SET
Track wheels heavy duty for Kirin 4 wheels (4pcs)

4404-0SET
Track wheels Kirin 2 wheels (4pcs)

2025-0Set
Set of carrying bars

8315-780
Crane support for lightstand

7705-0
Carrier for 6 crane weights

KIRIN CRANE DOLLIES

HART-COAT® surface !

4705-01 Set
Kirin Crane Base Dolly
with column, levelling legs and pushbar

4705-01Set   Kirin Crane Base Dolly

Features:
- 4- wheel steering
- hard-rubber wheels
- Incl. leveling legs and crank
- incl. pushbar and steering rod
- comumn and column extension
- 100cm and 62cm track width   -> for all Kirin Versions

NEW!

4407-0SET
Heavy Duty Track wheels
4-fold for Kirin
(4pcs/Set)

4404-0Set
Track wheels 2-fold for
Kirin
(4pcs/Set)

2025-0Set
Set of carrying bars
(4pcs)

HART-COAT® surface !

7530-0Set
Kirin Jib Dolly Wide Base with column
pneumatic / studio wheels

7530-0Set   Kirin Base Dolly

Features:
- 4- wheel steering
- hard rubber wheels
- steering rod and push bar
- 62cm track width
- column (3pcs)
                                    -> for Jib Versions

NEW!

7532-0Set
Track wheel set for
Kirin Jib Dolly

7531-0Set
Levelling legs for
Kirin Jib Dolly

1000-300
Leggero Base Dolly
incl. steering rod

1000-300   Leggero Base Dolly

Features:
- integrated rotary bearing allows 360 ° rotation, special surface treatment, adjustable to two different track widths, steering rod for variable positioning, 62cm track width or 36cm "narrow gauge", 3 individual steering settings for each wheel.   -> for Jib Versions only

1002-0
Base plate with Euro
Adapter

8410-0
Crane Column (3 pcs.)
(for connection to 1002-0)

Crane Segment Accessories

4705-7100
Mitchell for crane main
segment incl. key

4705-7200
Euro clamp for crane
main segment

Dolly Column Accessories

8410-3100
Mitchell Mount on
Crane Column

8410-2200
Euro Mount on
Crane Column

8410-0350
Adapter for Jimy-Jib on
crane column

THE NEW KIRIN CRANE IN ACTION

CRANE 120

The crane 120 is a very robust and versatile light crane ideal for sports, documentaries as well as in studio and cinema applications. Safety is guaranteed by the double cable bracing of the towers.

Non-reflecting powder coating of the crane segments ensures a resistant and therefore long-lasting surface finish.

Short assembly times, compact transport dimensions and excellent rigidity values.

**The photo does not correspond to the standard delivery package.

8315-0   Crane 120 Version 9m (double bracing)

1x	Crane-head segment Euroclamp (or mitchell)	2x	Extension segment
1x	End segment	3x	Weight tube d=30 x 800mm
1x	Extension segment with outrigger	1x	parallelogramm with trim weight
1x	Main segment	3x	Transport soft bag (2x main bag, 1x acessories)

Features:
- payload 25 kg
- lift 7,89m
- front arm: 7,87m
- self-weight: 83 kg
- operation with tripod or base dolly

8315-02   Crane 120 Version 12m (double bracing)

1x	Crane-head segment Euroclamp (or mitchell)	3x	Weight tube d=30 x 800mm
1x	End segment	1x	Main segment
2x	Extension segment with outrigger	1x	parallelogramm with trim weight
3x	Extension segment	4x	Transport soft bag (3x main bag, 1x accesories)

Features:
- payload: 20 kg
- lift: 10,3m
- front arm: 10,87m
- self-weight: 116 kg
- operation base dolly

8315-30
Display Support

7703 / 7707 / 7715
Counterweight
4 kg / 8 kg / 16 kg

2114-60
Adapter to Euromount

2114-1000
Adapter to Bowl 150mm

2114-1100
Adapter to Mitchell

8315-780
Crane support for lightstand

822151
Transport soft bag
Acessories

832150
Transport soft bag
Crane 120/100

832150
Hardcase for Crane 120
(Softbag fits inside)

8423-03
Adapter for DJI Ronin2
to Mitchell

8315-780
Adapter for DJI Ronin2
to Euro

CRANE 120 BASE DOLLIES AND TRIPODS

CD 5 Base Dolly with pneumatic / studio wheels

Features:
- 2- wheel steering — - 62cm track width
- pneumatic or studio wheels — - column (3pcs)
- steering rod

7510-0Set / 7510-01Set
Standard Base Dolly CD5
pneumatic/studio wheels

7511-0
Track wheel set for Dolly CD5

7531-0Set / 7520-0Set
Levelling legs for Dolly CD6 / CD5

8410-3100
Mitchell Mount on Crane Column

8410-2200
Euro Mount on Crane Column

8410-0350
Adapter for Jimy-Jib on crane column

CD 6 Jib Base Dolly with pneumatic / studio wheel
Features:
- wide base for increased safety
- 2- wheel steering — - 62cm track width
- pneumatic or studio wheels — - column (3pcs)
- steering rod

7530-0Set / 7530-01Set
CD 6 Dolly Wide Base with column pneumatic / studio wheels

7532-0Set
Track wheel set for Dolly CD6

7531-0Set / 7520-0Set
Levelling legs for Dolly CD6 / CD5

8410-3100
Mitchell Mount on Crane Column

8410-2200
Euro Mount on Crane Column

8410-0350
Adapter for Jimy-Jib on crane column

Bull Stand Tripod

Features:
- increased payload (max. 250 kg in standard mode),

8321-03
Bullstand tripod

8321-2700
Spikeplate for Bullstand (1 pcs.)

2193
Hardcase for Bullstand

Remote Heads

REMOTE HEAD P10

Remote Head P10 – powerful and silent – perfect for filming in studios. Available in a two axis version. For cameras up to 25 kg.

- high speed and a silent drive
- backlash free drive thanks to harmonic drive gears
- easy handling and operating
- axis may be variably positioned in the frame to achieve a high degree of stiffness (size of the remote head can be perfectly adjusted to the size of the camera)
- mount on a large range of cranes or jib arms thanks to the Mitchell mount system or a
- zoom and focus control for all comon broadcast optics with integrated motor units

8472-0 — Remote Head P10 with control panel (2 operator)

1x	Remote Head P10	1x	Transport case
1x	Control Panel	3x	Weight tube
1x	Control cable 20m	1x	V-Mount adapter for 24V
1x	Connection cable Pan/Tilt	1x	Cable for Fujinon or CanonHD or Canon or Angenieux

8472-02 — Remote Head P10 with single operator control (single operator)

1x	Remote Head P10	1x	Transport case
1x	Single Control Panel	3x	Weight tube
1x	Handle Joystick	1x	V-Mount adapter for 24V
1x	Handle Zoom Focus	1x	Cable for Fujinon or CanonHD or Canon or Angeneux

8472-03 — Remote Head P10 with control panel + single operator kit
-with control panel prepared for single operator function incl. single operator

1x	Remote Head P10	1x	Transport case
1x	Control Panel prepared	3x	Weight tube
1x	Handle Joystick	1x	V-Mount adapter for 24V
1x	Handle Zoom Focus	1x	Cable for Fujinon or CanonHD or Canon or Angeneux

8472-01
P10 Roll Axis

841210-0
Set of Cables Canon SD

841215-0
Set of Cabl. Angenieux

841212-0 / 841213-0
Cables Canon HD / HD-S

841220-0
Set of Cabl. Fujinon SD/HD

No image available

8418-1000
DC/DC converter

8412-500
Power Supply P10

8414-100
Panel support for Crane 120

8314-970
Panel support for Crane 100

All sets include a Hardcase (8472-8700)

PELÉ XL 35 DIGITAL

Hard-wearing system. Known from the football World Cup and European Championships.
For cameras up to 30 kg.

- Programmable motors
- Zoom and focus control via control panel
- Rec. On / Off via control panel

8418-01   Remote Head Pelé dig. with control panel (2 operator)

incl.   Remote Head, Control Panel, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

8418-02   Remote Head Pelé dig. with single operator control (single operator)

incl.   Remote Head, Single Control Panel, Handle Joystick,
Handle Zoom Focus, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

8418-03   Remote Head Pelé dig. with control panel (2 operator)

incl.   Remote Head, Control Panel prepared, Handle Joystick,
Handle Zoom Focus, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

ALEX

Hard-wearing system. Known from the football World Cup and European Championships.
For cameras up to 15 kg.

- Programmable motors
- Zoom and focus control via control panel
- Rec. On / Off via control panel
- Ideal for Crane 100/120

8416-02   Remote Head Alex dig. with control panel (2 operator)

incl.   Remote Head, Control Panel, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

8416-03   Remote Head Alex dig. with single operator control (single operator)

incl.   Remote Head, Single Control Panel, Handle Joystick,
Handle Zoom Focus, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

**8416-04   Remote Head Alex dig. with control panel (2 operator)**

incl.   Remote Head, Control Panel prepared, Handle Joystick,
Handle Zoom Focus, control cable 20m,
Connection cable pan/tilt, transport case,
3x weight tube, V-mount adapter 24 V,
Cable for Fujinon, Canon HD, Canon or Angenieux

MovieTech

MASTER TRACK

FOLDABLE TRACKS

CODE	DESCRIPTION	PRICE
2500-0	Foldable track 62cm / 24,5", straight 0,9m / 3ft	
2501-0	Foldable track 62cm / 24,5", straight 1,6m / 5ft	
2502-0	Foldable track 62cm / 24,5", straight 2,3m / 7,5ft	
2580-0	Foldable track 1m / 39", straight 0,9m / 3ft	
2581-0	Foldable track 1m / 39", straight 1,6m / 5ft	
2582-0	Foldable track 1m / 39", straight 2,3m / 7,5ft	
2540-0	Curve 45° (1/8 circle)	

ACCESSORIES

2665-0
Track end stop 1. pcs.
Movie / Master Track

2560-0
Drive Ramps
24.5" / 62 cm

2561-0
Drive Ramps
39" / 100 cm

2604-0
Adapter set Master
Track on Movie Track

M5949
Tiebrace for tracks

M5622
Protection cap for Master Track

2592-0
Narrow gauge adapter
24.5" to 14.2"

2593-0
Narrow gaue adapter
39" to 24.5"

2594-0
Protection cap for end
section, male

2595-0
Protection cap for end
section, female

MOVIE TRACK

FIXED TRACKS

| CODE	DESCRIPTION
2600-0	Fixed track 24,5", straight 3ft
2601-0	Fixed track 24,5", straight 5ft
2602-0	Fixed track 24,5", straight 7,5ft

PRICES AND AVAILABILIES ON REQUEST

MASTER TRACK & MOVIE TRACK ON SET

MovieTech

LEVELLER SYSTEMS

4 Way Leveller System
Perfect levelling in every situation !
- Versatile system with optional connection plates can be exchanged via bayonet system and covers every field of application!
- The base is a gimbal which can be equipped with various top and bottom plates (Euro and Mitchell-mount)!
- Changing the plates only takes a few seconds.

INDIVIDUAL ADAPTER PLATES

TOP PLATES

CENTRAL JOINT

BOTTOM PLATES

varlous top- and bottom plates

2250-3500 Mitchell Top Plate	2250-2200 TP: Euro Mount	2050-1000 MT tool for Mitchell screw	2250-1300SET Magnetic spacer set for Euro to Mitchell 4WL

2250-1000
Central joint

2250-2100 BP: Euro Mount	2250-3300 BP: Mitchell M24	2250-3400 BP: Mitchell 1"-14 UNS-2B	2250-3600 Mitchell base plate with cable slot

MITCHELL 4-WAY-LEVELLER SETS

2250-100SET 4 Way Leveller complete Set	2250-11SET TP: Mitchell BP: Euro Adapter	2250-12SET TP: Mitchell Mount BP: Mitchell M24	2250-13SET TP: Mitchell Mount BP: Mitchell 1"-14	2250-14SET TP: Mitchell Mount BP: Mitchell w. cable slot

OFF-SET 4 WAY LEVELLER

2250-24SET
Off-set leveller (short)
TP: Mitchell BP: Mitchell

2250-25SET
Off-set Leveller (long)
TP: Mitchell BP: Euro

2250-26SET
Off-set Leveller (short)
TP: Mitchell BP: Euro

2250-6200SET1
4 Way leveler with Standard Mount

NEW!

The new 4-Way-leveler with "Standard Mount" fits almost everywhere, from Offset-Adapters, Bowl Adapter Mounts, the Scooter Dolly to our Grip Kit. It has the same adaptation as the standard bowl adapter.

2250-6200SET2
Offset 4-Way-Leveller
short (184mm)

2250-6200SET3
Offset 4-Way-Leveller
medium (250mm)

2250-6200SET4
Offset 4-Way-Leveller
long (350mm)

2250-6200SET5
Offset 4-Way-Leveller
XL (550mm)

3 Way Levellers

2202-0
3 Way Leveller
Euro to Mitchell

2202-01
3 Way Leveller
Mitchell to Mitchell

XL 3 Way Levellers

2203-1
3 Way Leveller XL
Mitchell to Mitchell

2203-2
3 Way Leveller XL
Euro to Mitchell

2026-0
Adapter from Mitchell to
Euromount w. long and
short bolt

GENERAL ACCESSORIES

Risers

2130-0 Riser Euro 10 cm/ 4"	2131-0 Riser Euro 20 cm/ 8"	2132-0 Riser Euro 30 cm	2133-0 Riser Euro 40 cm	2134-0 Riser Euro 50 cm

Variable Riser w. Gas Spring   ## V. Riser Broadcast   ## Cranked Risers

2135-0 Gas Riser Adjustable 39-73cm	2135-01 Gas Riser Adjustable 55-115 cm	8530-0 Clamp Riser Adjustable 48-88 cm	2140-0 Cranked Riser "M" 47,5 - 87 cm	2141-0 Cranked Riser "XL" 65,5 - 140 cm

System Low Rig

improved !

2087-01 Set System low rig set incl. hard case	2087-7 System low rig end piece "Euromount"	2087-5 System low rig tube connector	2087-4 System low rig end piece	2087-1/2/3 System low rig tube 300/400/765 mm

N800-2
System low rig adapter
"big" f. SLRT 80mm)

Ball Adapters 100/ 150mm / Mitchell

2032-0
Bowl Adapter
straight 100 mm

2031-0
Bowl Adapter
150 mm

2043-0
Bowl Adapter
Mitchell

2036-0
Offset Bowl Adapter 100
mm short (184mm)

2037-0
Offset Bowl Adapter
100 mm middle (250mm)

2038-0
Offset Bowl Adapter
100 mm long (350mm)

2049-01
Side Bowl XL
100 mm (550mm)

2033-0
Offset Bowl Adapter
150 mm short (184mm)

2034-0
Offset Bowl Adapter
150 mm medium (250mm)

2035-0
Offset Bowl Adapter
150 mm long (350mm)

2049-0
Offset Bowl Adapter
150 mm XL (550mm)

2250-6200SET2
Offset 4-Way-Leveller
short (184mm)

2250-6200SET3
Offset 4-Way-Leveller
medium (250mm)

2250-6200SET4
Offset 4-Way-Leveller
long (350mm)

2250-6200SET5
Offset 4-Way-Leveller
XL (550mm)

Rocker Plate

2205-0
Rocker Plate

2970-1010
Adapter f. MT Rocker
Plate (Grip Kit)

2205-9001
Adapter f. MT Rocker
Plate to ball and offset

MovieTech

Inserts For Ball Adapter / Adapter Rings

2041-10
Mitchell Base Plate

2031-3
Bowl Insert
150 mm

2032-1
Bowl Insert
100 mm

2039-1
Bowl Insert 150mm
to 100 mm

8532-1
Bowl Insert
100 mm to 75 mm

2066-1
Bowl Insert
150 mm to 75 mm

Extension Systems

2041-1001 SET
Extension 70mm

2041-1002 SET
Extension 140mm

2041-1003 SET
Extension 240mm

2041-1004 SET
Extension 340mm

2041-1005SET
Extension 440mm

Adapters for Extension System

2041-24 SET
Adapter Mitchell

2041-30 SET
Adapter Euromount

2041-40 SET
Adapter Euroclamp

2250-6200SET1
4 WAay leveler with
Standard Mount

Off Set Arms / Extensions

2082-0
Adjustable
Off-Set arm

2083-0
Off-Set am short

2086-0
Off-Set Euro Adapter
extension

1532-0
Long camera
extension Michell

1534-0
Short camera extension
Mitchell

Accessories Mini Low Rig

2104-0
Mini low rig

2105-0
Adapter for Mini Low rig
"S"

2116-0
Adapter for Mini low rig
"M"

2115-0
Adapter long for Mini low
rig "L"

Adapters

2026-0	NEW 2050-01SET	2050-1100	2241-0	2240-0	2240-01
Adapter from Mitchell to Euromount w. long and short bolt	Adapter from Mitchell to Ball adapter	Key extension for Mitchell fixation	Tripod Adapter from ball 100 mm to Euro	Tripod Adapter from ball 150 mm to Euro	Tripod Adapter from ball 150 mm to 3/8"

Euro Mount Adapters / Rotable Adapter

N100-5a	2113-0	N100-6	N800-2a	2087-25	2091-0
Euro Adapter on Vinten	Euromount on 28 mm lightstud	Euromount 80/120 mm w. clamp bolt	System low rig adapter	Double Euro Mount	Rotable Adapter with brake

N100-3	1029-1	2057-1	N200-1000	2201-0	2242-0
Euro Adapter N	Multi Adapter Steering	Connection bolt	Clamp bolt	Universal safety plate for ball adapter	Vinten to Euro Adapter

Seat Arms

2054-0	2055-0	2056-00	2051-0	2052-0	2053-0
Seat Arm vertical 10 cm	Seat Arm vertical 20 cm	Seat Arm vertical 30 cm	Seat Arm combined 10 cm	Seat Arm combined 20 cm	Seat Arm combined 30 cm

Seats   Traverse Adapter   Low Shot Plate

2058-0	2300-8500	7740-0	2248-0	2249-0/2249-01	2042-0
Round Seat for Dolly	Telescopic Seat	Cushioned Seat with seat belt	Euromount with scaffold clamp	Truss connection plate for Euro mount / Mitchell	Low shot plate

TANSPORT CASES AND ROSTRUMS

CODE	DESCRIPTION	PRICE
2160	Transport Case for Magnum/Alpha dolly	
2161	Transport Case for column	
2165	Transport Case for aluminium platform set	
2167	Transport Case for Duo Jib complete	
2168	Transport Case for system low rig	
2169	Transport Case for Mini Jib arm	
2170	Transport Case for low rig	
2171	Transport Case for U-Bangi	
2172	Transport Case for track wheels Magnum dolly	
2173	Transport Case for set of risers	
2174	Transport Case for pneumatic / studio wheels	
2175	Transport Case for electronic and handcontrol	
2176	Transport Case for combi ball adapter	
2177	Transport Case for power supply Magnum	
2181	Transport Case for Rocker Plate	
2192	Transport Case for Movie Jib	
2166	Transport Case for dolly accessories	
2193	Transport Case for bullstand 120 tripod	
M5982	Transport Case for Sprinter trackwheelset curve	
220650	Transport Case for Rocker Dolly	

## Rostrums

2270-100
Rostrum 100 x 100 x 50cm

2270-150
Rostrum 100 x 100 x 100cm

2280-1
Platform wood 100 x 100cm

2250-1
Corner for Rostrum

DISCLAIMER

Although the information in this price list is presented in good faith and believed to be correct at the time of printing,
MovieTech AG makes no representations or warranties as to the accuracy of the information. MovieTech AG has no liability for any errors or ommisions in the materials.

MovieTech AG reserves the right to change, delete, or otherwise modify the information which is represented without any prior notice. Persons receiving this information will make their own determination as to its suitability for their own purposes prior to use. In no event will MovieTech AG be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information from this catalog or the products to which the information refers.

All weights and measures shown are best approximations.

Prices shown are list prices and are subject to trade discount and to change without notice. Prices may also be changed without notice due to unforeseen cost increases of imported products, raw materials, or currency fluctuations. All prices are listed in EURO and are ex-works excluding package and handling costs. Transport and insurance will be arranged upon request.

Pictures shown may vary from actual products. Refer to page TBA for more details.

MOVIETECH GRIP EQUIPMENT ON SET