```
import pandas as pd
store=pd.read_csv(r'/content/data.csv')
store
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
len(store)
```

```
195
```

```
store.shape
```

```
(195, 5)
```

```
store.columns
```

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
      dtype='object')
```

```
type(store)
```

```
pandas.core.frame.DataFrame
def __init__(data=None, index: Axes | None=None, columns: Axes | None=None, dtype: Dtype |
None=None, copy: bool | None=None) -> None

/usr/local/lib/python3.11/dist-packages/pandas/core/frame.py
Two-dimensional, size-mutable, potentially heterogeneous tabular data.

Data structure also contains labeled axes (rows and columns).
Arithmetic operations align on both row and column labels. Can be
thought of as a dict-like container for Series objects. The primary
```

```
store.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 195 entries, 0 to 194
Data columns (total 5 columns):
 #   Column         Non-Null Count  Dtype
---  ------         --------------  -----
 0   CountryName    195 non-null    object
 1   CountryCode    195 non-null    object
 2   BirthRate      195 non-null    float64
 3   InternetUsers  195 non-null    float64
 4   IncomeGroup    195 non-null    object
dtypes: float64(2), object(3)
memory usage: 7.7+ KB
```

```
type(store.columns)
```

```
pandas.core.indexes.base.Index
```

```
store.head()  #it will print top 5 rows
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
store.tail() # it prints bottom 5 row
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

```
store.tail(4)
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

```
store.head(2)
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
store[::-1]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
194	Zimbabwe	ZWE	35.715	18.5	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
191	South Africa	ZAF	20.850	46.5	Upper middle income
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
...	...	...	...	...	...
4	United Arab Emirates	ARE	11.044	88.0	High income
3	Albania	ALB	12.877	57.2	Upper middle income
2	Angola	AGO	45.985	19.1	Upper middle income
1	Afghanistan	AFG	35.253	5.9	Low income
0	Aruba	ABW	10.244	78.9	High income

195 rows × 5 columns

```
store[:5]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

```
store[5:]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
5	Argentina	ARG	17.716	59.9000	High income
6	Armenia	ARM	13.308	41.9000	Lower middle income
7	Antigua and Barbuda	ATG	16.447	63.4000	High income
8	Australia	AUS	13.200	83.0000	High income
9	Austria	AUT	9.400	80.6188	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0000	Lower middle income
191	South Africa	ZAF	20.850	46.5000	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2000	Low income
193	Zambia	ZMB	40.471	15.4000	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5000	Low income

190 rows × 5 columns

```
store[0:200:10]
store
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
store.describe().transpose()
```

	count	mean	std	min	25%	50%	75%	max
BirthRate	195.0	21.469928	10.605467	7.9	12.1205	19.68	29.7595	49.6610
InternetUsers	195.0	42.076471	29.030788	0.9	14.5200	41.00	66.2250	96.5468

```
store[:]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

```
store[['CountryName','CountryCode']]
```

	CountryName	CountryCode
0	Aruba	ABW
1	Afghanistan	AFG
2	Angola	AGO
3	Albania	ALB
4	United Arab Emirates	ARE
...	...	...
190	Yemen, Rep.	YEM
191	South Africa	ZAF
192	Congo, Dem. Rep.	COD
193	Zambia	ZMB
194	Zimbabwe	ZWE

195 rows × 2 columns

```
store.isnull().sum()
```

	0
CountryName	0
CountryCode	0
BirthRate	0
InternetUsers	0
IncomeGroup	0

dtype: int64

```
store.isnull()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	False	False	False	False	False
1	False	False	False	False	False
2	False	False	False	False	False
3	False	False	False	False	False
4	False	False	False	False	False
...	...	...	...	...	...
190	False	False	False	False	False
191	False	False	False	False	False
192	False	False	False	False	False
193	False	False	False	False	False
194	False	False	False	False	False

195 rows × 5 columns

```
store.isna()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	False	False	False	False	False
1	False	False	False	False	False
2	False	False	False	False	False
3	False	False	False	False	False
4	False	False	False	False	False
...	...	...	...	...	...
190	False	False	False	False	False
191	False	False	False	False	False
192	False	False	False	False	False
193	False	False	False	False	False
194	False	False	False	False	False

195 rows × 5 columns

```
store.dtypes
```

	0
CountryName	object
CountryCode	object
BirthRate	float64
InternetUsers	float64
IncomeGroup	object

dtype: object

```
store_categorical=store[['CountryName','CountryCode','IncomeGroup']]
store_categorical.head()
```

	CountryName	CountryCode	IncomeGroup
0	Aruba	ABW	High income
1	Afghanistan	AFG	Low income
2	Angola	AGO	Upper middle income
3	Albania	ALB	Upper middle income
4	United Arab Emirates	ARE	High income

Next steps: Generate code with store_categorical | View recommended plots | New interactive sheet

```
store_categorical.describe()
```

	CountryName	CountryCode	IncomeGroup
count	195	195	195
unique	195	195	4
top	Aruba	ABW	High income
freq	1	1	67

```
store_categorical.count()
```

	0
CountryName	195
CountryCode	195
IncomeGroup	195

dtype: int64

```
store.num=store[['BirthRate','InternetUsers']]
store.num.head()
```

	BirthRate	InternetUsers
0	10.244	78.9
1	35.253	5.9
2	45.985	19.1
3	12.877	57.2
4	11.044	88.0

```
store.BirthRate*store.InternetUsers
```

	0
0	808.2516
1	207.9927
2	878.3135
3	736.5644
4	971.8720
...	...
190	658.9400
191	969.5250
192	93.2668
193	623.2534
194	660.7275

195 rows × 1 columns

dtype: float64

```
store.columns
```

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
      dtype='object')
```

```
store['myCalc']=store.BirthRate*store.InternetUsers
store
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup	myCalc
0	Aruba	ABW	10.244	78.9	High income	808.2516
1	Afghanistan	AFG	35.253	5.9	Low income	207.9927
2	Angola	AGO	45.985	19.1	Upper middle income	878.3135
3	Albania	ALB	12.877	57.2	Upper middle income	736.5644
4	United Arab Emirates	ARE	11.044	88.0	High income	971.8720
...	...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income	658.9400
191	South Africa	ZAF	20.850	46.5	Upper middle income	969.5250
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income	93.2668
193	Zambia	ZMB	40.471	15.4	Lower middle income	623.2534
194	Zimbabwe	ZWE	35.715	18.5	Low income	660.7275

195 rows × 6 columns

Next steps: Generate code with store View recommended plots New interactive sheet

```
store.columns
```

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup', 'myCalc'],
      dtype='object')
```

```
len(store.columns)
```

```
6
```

```
store.head()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup	myCalc
0	Aruba	ABW	10.244	78.9	High income	808.2516
1	Afghanistan	AFG	35.253	5.9	Low income	207.9927
2	Angola	AGO	45.985	19.1	Upper middle income	878.3135
3	Albania	ALB	12.877	57.2	Upper middle income	736.5644
4	United Arab Emirates	ARE	11.044	88.0	High income	971.8720

Next steps: Generate code with store View recommended plots New interactive sheet

```
store=store.drop('myCalc',axis=1)
```

```
store.head()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

Next steps: Generate code with store View recommended plots New interactive sheet

```
store.columns
```

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',
       'IncomeGroup'],
      dtype='object')
```

```
store.InternetUsers
```

	InternetUsers
0	78.9
1	5.9
2	19.1
3	57.2
4	88.0
...	...
190	20.0
191	46.5
192	2.2
193	15.4
194	18.5

195 rows × 1 columns

dtype: float64

```
store.InternetUsers<2
```

	InternetUsers
0	False
1	False
2	False
3	False
4	False
...	...
190	False
191	False
192	False
193	False
194	False

195 rows × 1 columns

dtype: bool

```
store[store.InternetUsers<2]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
52	Eritrea	ERI	34.800	0.9	Low income
55	Ethiopia	ETH	32.925	1.9	Low income
64	Guinea	GIN	37.337	1.6	Low income
117	Myanmar	MMR	18.119	1.6	Lower middle income
127	Niger	NER	49.661	1.7	Low income
154	Sierra Leone	SLE	36.729	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income
172	Timor-Leste	TLS	35.755	1.1	Lower middle income

```
store.BirthRate>40
```

	BirthRate
0	False
1	False
2	True
3	False
4	False
...	...
190	False
191	False
192	True
193	True
194	False

195 rows × 1 columns

dtype: bool

```
store[store.BirthRate>40]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
2	Angola	AGO	45.985	19.1	Upper middle income
11	Burundi	BDI	44.151	1.3	Low income
14	Burkina Faso	BFA	40.551	9.1	Low income
65	Gambia, The	GMB	42.525	14.0	Low income
115	Mali	MLI	44.138	3.5	Low income
127	Niger	NER	49.661	1.7	Low income
128	Nigeria	NGA	40.045	38.0	Lower middle income
156	Somalia	SOM	43.891	1.5	Low income
167	Chad	TCD	45.745	2.3	Low income
178	Uganda	UGA	43.474	16.2	Low income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income

```
store[(store.BirthRate>40) &(store.InternetUsers<2)]
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
127	Niger	NER	49.661	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income

```
store.head()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
store[store.IncomeGroup=='low income']
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup

```
store.IncomeGroup.unique()
```

```
array(['High income', 'Low income', 'Upper middle income',
       'Lower middle income'], dtype=object)
```

```
store.IncomeGroup.nunique()
```

```
4
```

```
import matplotlib.pyplot as plt
import seaborn as sns
```

```
%matplotlib inline
plt.rcParams['figure.figsize']=10,5
```

```
import warnings
warnings.filterwarnings('ignore')
```

```
store.head()
```

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income

Next steps: Generate code with store | View recommended plots | New interactive sheet

```
store['InternetUsers']
```

	InternetUsers
0	78.9
1	5.9
2	19.1
3	57.2
4	88.0
...	...
190	20.0
191	46.5
192	2.2
193	15.4
194	18.5

195 rows × 1 columns

dtype: float64

```
vis1=sns.distplot(store['InternetUsers'])
```




```
vis1=sns.distplot(store['InternetUsers'],bins=10)
```




```
vis2=sns.boxplot(data=store, x='IncomeGroup',y='BirthRate')
```




```
vis3=sns.lmplot(data=store,x='InternetUsers',y='BirthRate',fit_reg=True)
```


50
40
30
20
BirthRate