

Project Title: System Verification and Validation Plan for REVITALIZE

Team 13, REVITALIZE

Bill Nguyen

Syed Bokhari

Hasan Kibria

Youssef Dahab

Logan Brown

Mahmoud Anklis

November 2, 2022

1 Revision History

Date		Version	Notes
October 2022	31st,	Bill Nguyen	Added Functional Requirements Tests for Login Page
October 2022	31st,	Bill Nguyen	Added Non Functional Requirements Tests for Look and Feel, Usability and Performance
October 2022	31st,	Bill Nguyen	Added 3 Questions to Usability Survey
November 2022	1st,	Youssef Dahab	Added VnV Team, SRS Verification Plan
November 2022	1st,	Bill Nguyen	Self Reflection
November 2022	1st,	Youssef Dahab	Added Design Verification Plan
November 2022	1st,	Syed Bokhari	Added Functional Requirement Tests for Signup Page, Main Page, Diet Section, Workout Section, Rest Section
November 2022	1st,	Youssef Dahab	Added VnV Verification Plan
November 2022	1st,	Mahmoud Anklis	Added Non Functional Requirements Tests for Operational, Maintainability and Portability, Security and Cultural and Political
November 2022	1st,	Mahmoud Anklis	Added Self Reflection as well as Symbols, Abbreviations and Acronyms
November 2022	1st,	Youssef Dahab	Added Software Validation Plan
November 2022	1st,	Logan Brown	Added General Information and Self Reflection
November 2022	1st,	Logan Brown	Added Symbolic Parameters
November 2022	1st,	Youssef Dahab	Added Implementation Verification Plan, Self Reflection

Contents

1	Revision History	i
2	Symbols, Abbreviations and Acronyms	iv
3	General Information	1
3.1	Summary	1
3.2	Objectives	1
3.3	Relevant Documentation	1
4	Plan	1
4.1	Verification and Validation Team	2
4.2	SRS Verification Plan	2
4.3	Design Verification Plan	3
4.4	Verification and Validation Plan Verification Plan	3
4.5	Implementation Verification Plan	3
4.6	Automated Testing and Verification Tools	4
4.7	Software Validation Plan	4
5	System Test Description	4
5.1	Tests for Functional Requirements	4
5.1.1	Login Page Testing	4
5.1.2	Signup Page Testing	7
5.1.3	Main Page Testing	8
5.1.4	Diet Section Testing	10
5.1.5	Workout Section Testing	13
5.1.6	Rest Section Testing	14
5.2	Tests for Nonfunctional Requirements	15
5.2.1	Look and Feel Testing	15
5.2.2	Usability and Humanity Testing	16
5.2.3	Performance Testing	17
5.2.4	Operational Testing	18
5.2.5	Maintainability and Portability Testing	18
5.2.6	Security Testing	19
5.2.7	Cultural and Political Testing	20
5.3	Traceability Between Test Cases and Requirements	21
6	Appendix	25
6.1	Symbolic Parameters	25
6.2	Usability Survey Questions	25
7	Reflection Appendix	25
7.1	Knowledge and Skills Needed	25
7.2	How Knowledge and Skills Will Be Acquired	26

List of Tables

1	Verification and Validation Team Member Roles	2
2	Traceability Matrix for Login Page Functional Requirements	21
3	Traceability Matrix for Signup Page Functional Requirements	21
4	Traceability Matrix for Main Page Functional Requirements	21
5	Traceability Matrix for Diet Page Functional Requirements	22
6	Traceability Matrix for Workout Page Functional Requirements . .	22
7	Traceability Matrix for Rest Section Functional Requirements . . .	22
8	Traceability Matrix for Look and Feel Nonfunctional Requirements	22
9	Traceability Matrix for Usability and Humanity Nonfunctional Re- quirements	23
10	Traceability Matrix for Performance Nonfunctional Requirements .	23
11	Traceability Matrix for Operational Nonfunctional Requirements .	23
12	Traceability Matrix for Maintainability and Portability Nonfunc- tional Requirements	23
13	Traceability Matrix for Security Nonfunctional Requirements . . .	24
14	Traceability Matrix for Cultural and Political Nonfunctional Re- quirements	24

2 Symbols, Abbreviations and Acronyms

symbol	description
REVITALIZE	Name of application
UAT	User Acceptance Testing
UI/UX	User Interface/User Experience
HCI	Human-Computer Interface
MG	Module Guide
MIS	Module Interface Specification
SRS	Software Requirements Specification
VnV	Verification and Validation
FR	Functional Requirement
NFR	Non Functional Requirement
SE	Security Requirement
LP	Login Page
SP	Sign-up Page
MP	Main Page or Maintainability and Portability Requirements
DS	Diet Section
WS	Workout Section
RS	Rest Section
LF	Look and Feel Requirements
UH	Usability and Humanity Requirements
PE	Performance Requirement
OE	Operational Requirement
SE	Security Requirement
CU	Cultural Requirement

This document outlines the Verification & Validation Plan of the REVITALIZE application.

3 General Information

3.1 Summary

This report describes the tests and validation that will be conducted on the REVITALIZE app. The REVITALIZE app is an all-in-one health and wellness app, comprised of 1 main section and 3 major subsections. The main section is a calendar which organizes and documents the contents of the 3 subsections. The 3 subsections are the diet section, workout section, and sleep section.

3.2 Objectives

This document outlines testing plans and testing descriptions in order to determine the following objectives:

- Demonstrate satisfactory usability based on laid out criteria
- Satisfy requirements outlined in SRS
- Build confidence that implementation behaves as intended

3.3 Relevant Documentation

This document references the SRS [Nguyen et al. \(2022c\)](#), the Module Guide [Nguyen et al. \(2022a\)](#), and the Module Interface Specification [Nguyen et al. \(2022b\)](#)

4 Plan

This section outlines REVITALIZE's VnV plan. It begins with identifying the VnV team. It then moves to discussing the SRS, Design, VnV, and implementation verification plans. This section then concludes with REVITALIZE's software verification plan.

4.1 Verification and Validation Team

Table 1: Verification and Validation Team Member Roles

Name	Role	Description
Hasan Kibria	Front-end Application Tester	Run tests to verify and validate front-end design of the application.
Bill Nguyen	Back-end Application Tester	Run tests to verify and validate back-end design of the application.
Syed Bokhari	Database Application Tester	Run tests to verify and validate database schema, tables, relationships, and data mappings.
Logan Brown	Performance Tester	Run tests to verify and validate application speed, responsiveness, and stability.
Youssef Dahab	UI/UX Tester	Run tests to verify and validate application's accessibility, usability, efficiency, and safety to measure HCI aspects.
Mahmoud Anklis	System Integration Tester	Run tests to verify and validate front-end, back-end, and database components integration with each other.
Primary & Secondary Stakeholders	UAT	Perform user acceptance testing to verify and validate that the application meets its purpose.
Dr. Smith	Course Instructor	Provide high level project feedback.
Ting-Yu Wu	Course TA	Provide low level project feedback.

REVITALIZE team members are aware that they might have to put on multiple hats or perform multiple roles.

4.2 SRS Verification Plan

The REVITALIZE team's SRS verification plan is to have the SRS reviewed by classmates, group members, and course TA. Classmates already adhocly reviewed REVITALIZE's SRS and provided their feedback. Furthermore, the course TA will review REVITALIZE's SRS to provide more detailed and structured feedback. REVITALIZE team members will meet together to gather all feedback from classmates, other team members and course TA. The team will then assess the feedback and analyze what can be incorporated. After that, the SRS will be refined and updated as part of the SRS verification process.

4.3 Design Verification Plan

The REVITALIZE team's design verification plan is to have its design reviewed by classmates, group members, and course TA. The team will gather all feedback from classmates, other group members, and the course TA and incorporate it in the design document. After completing the MG and MIS, the team will ensure that their modules match the system requirements in the SRS. Finally, a design walk-through will be conducted by the team to verify the design.

4.4 Verification and Validation Plan Verification Plan

The REVITALIZE teams plan to verify its VnV plan is to have it reviewed by classmates, group members, and course TA. The team will gather all feedback and incorporate it in the VnV plan. The REVITALIZE team will also conduct a walk-through after feedback has been incorporated to verify that every functional and nonfunctional requirement in the SRS has at least one test that tests it in the VnV plan. Team members will then run the tests in the VnV plan to determine if the system requirements stated in the SRS have been met. This way, the team verifies the completeness of the VnV in both directions. The same process will be followed regarding the unit tests. Each module in the MG and MIS will be matched to the tests written in the VnV plan to verify it.

4.5 Implementation Verification Plan

REVITALIZE team members will use both a static and dynamic approach to verify the application's implementation. In terms of dynamic methods, automated unit tests will be performed as part of testing the system tests mentioned in section 6. Furthermore, test cases will be monitored to ensure its up to date such that full testing coverage of the code can be done. This includes edge case testing.

A prototype testing method will also be used. REVITALIZE will not be implemented in one go. Rather, features and functionality will constantly be added throughout the course of the project. Therefore, REVITALIZE will go through numerous prototypes or phases. This prototype testing will act as an ongoing static and dynamic verification of the REVITALIZE application.

Static verification of REVITALIZE's implementation will be done by performing code inspections. Team members will perform code reviews as part of static analysis where each team member will follow the guidelines stated in REVITALIZE's Development Plan. Team members will review each other's code and raise issues to note any concerns. The purpose of conducting static verification of the implementation in this way is to ensure code walk-throughs are completed, concerns are raised, and best implementation practices are followed.

4.6 Automated Testing and Verification Tools

Automated testing and verification tools have been previously stated in sections 6 and 7 of REVITALIZE's [Development Plan](#).

4.7 Software Validation Plan

The REVITALIZE team's software validation plan includes having a review session with primary and secondary stakeholders to check that the SRS requirements document captures the right requirements. After REVITALIZE's initial release, another session with the stakeholders will be held to validate the implementation. The user will use REVITALIZE for the first time, answer team member questions, and give feedback on the application. After that, as per the feedback, the SRS and the implementation may require modifications such as the addition or removal of particular functionality.

5 System Test Description

5.1 Tests for Functional Requirements

Subsections of the requirements will be divided into the events from our SRS, which are Login Page, Sign up Page, Main Page, Diet Section, Workout Section and Rest Section. There will be 1 test per functional requirement, and will follow the same order as functional requirements in SRS (ex. FR1 in VnV plan is the test for FR1 in SRS).

5.1.1 Login Page Testing

Testing all functional requirements for login page of REVITALIZE. (Refer to BE1 in SRS)

1. FR-LP-1

Control: Manual

Initial State: Loading stage of the login page

Input: An event that loads the login page

Output: Login page is displayed with all necessary components

Test Case Derivation: Request is made to load login page

How test will be performed: Tester will open REVITALIZE application and login page should be displayed

2. FR-LP-2

Control: Manual

Initial State: Login page is displayed with username textbox

Input: Enter username information in textbox

Output: Username information entered is displayed in textbox

Test Case Derivation: User can enter information in username textbox

How test will be performed: Tester will enter information in username textbox and checks if textbox displays what the tester entered.

3. FR-LP-3

Control: Manual

Initial State: Login page is displayed with password textbox

Input: Enter password information in textbox

Output: password information entered is displayed in textbox via hidden text

Test Case Derivation: User can enter information in password textbox

How test will be performed: Tester will enter information in password textbox and checks if textbox displays what the tester entered via hidden text.

4. FR-LP-4

Control: Manual

Initial State: Login page is displayed with login button

Input: Click login button

Output: Intended events occurs. Refer to FR9

Test Case Derivation: User clicks login button and a request is made based on username and password text-boxes

How test will be performed: Tester will click on login button and check if request is made correctly

5. FR-LP-5

Control: Manual

Initial State: Login page is displayed with forgot password button

Input: Click forgot password button

Output: Display forgot password screen with textbox to enter email

Test Case Derivation: User clicks forgot password button and request is made to display forgot password screen with textbox to enter email

How test will be performed: Tester will click on forgot password button and checks if forgot password screen is displayed with textbox to enter email

6. FR-LP-6

Control: Manual

Initial State: Login page is displayed with stay logged in checkbox that is empty

Input: Click stay logged in checkbox

Output: Display a check-mark in the stay logged in checkbox if checkbox is empty, else if checkbox contains check-mark already it will then display an empty checkbox

Test Case Derivation: User clicks on stay logged in checkbox and displays appropriate action

How test will be performed: Tester will click on checkbox and checks to see if check-mark is displayed if checkbox was empty and if an empty checkbox appears if checkbox contained a check-mark

7. FR-LP-7

Control: Manual

Initial State: Loading stage of REVITALIZE where previous state had stay logged in checkbox checked

Input: An event that loads REVITALIZE

Output: Display main page, with same data from previous state of main page

Test Case Derivation: User can load REVITALIZE and main page is displayed with same data as the previous time user opened REVITALIZE main page

How test will be performed: Tester will check stay logged in checkbox go to main page, leave REVITALIZE, reopen REVITALIZE and check whether same data from main page is the same from the last time tester opened main page

8. FR-LP-8

Control: Manual

Initial State: Login page is displayed with sign up button

Input: Click sign up button

Output: Loads and displays sign up page

Test Case Derivation: User can click sign up button which loads and displays sign up page

How test will be performed: Tester will click on sign up button and checks if sign up page is displayed

9. FR-LP-9

Control: Manual

Initial State: Login page is displayed with inputted information in username and password text-boxes

Input: Click login button

Output: if failure state, display an invalid password or username banner, else if success state, load and display main page

Test Case Derivation: User clicks login button and request is made based on username and password, and will proceed to main page only if username and password are valid

How test will be performed: Tester will click on login button and test for scenarios when login should be successful and when login should fail

5.1.2 Signup Page Testing

Testing all functional requirements for sign page of REVITALIZE. (Refer to BE2 in SRS)

1. FR-SP-1

Control: Manual

Initial State: Signup page is displayed with username textbox

Input: Enter username information in textbox

Output: Username information entered is displayed in textbox

Test Case Derivation: User can enter information in username textbox

How test will be performed: Tester will enter information in username textbox and checks if textbox displays what the tester entered

2. FR-SP-2

Control: Manual

Initial State: Signup page is displayed with password textbox

Input: Enter password information in textbox

Output: Password information entered is displayed in textbox via hidden text

Test Case Derivation: User can enter information in password textbox

How test will be performed: Tester will enter information in password textbox and checks if textbox displays what the tester entered via hidden text

3. FR-SP-3

Control: Manual

Initial State: signup page is displayed with email textbox

Input: Enter email information in textbox

Output: Email information entered is displayed in textbox

Test Case Derivation: User can enter information in email textbox

How test will be performed: Tester will enter information in email textbox and checks if textbox displays what the tester entered

4. FR-SP-4

Control: Manual

Initial State: Signup page is displayed with signup button

Input: Click signup button

Output: Intended events occurs. Refer to FR14

Test Case Derivation: User clicks signup button and a request is made based on username, password and email text-boxes

How test will be performed: Tester will click on signup button and check if request is made correctly

5. FR-SP-5

Control: Manual

Initial State: Signup page is displayed with inputted information in username and password text-boxes

Input: Click signup button

Output: if failure state, display an invalid username, password or email banner, else if success state, load and display login page

Test Case Derivation: User clicks signup button and request is made based on username, password and email, and will proceed to login page only if username, password and email are valid

How test will be performed: Tester will click on signup button and test for scenarios when signup should be successful and when signup should fail

5.1.3 Main Page Testing

Testing all functional requirements for main page of REVITALIZE. (Refer to BE3 in SRS)

1. FR-MP-1

Control: Manual

Initial State: Main page is displayed with calender of current date

Input: An event that loads the main page

Output: Main page is displayed with all necessary components

Test Case Derivation: Request is made to load main page

How test will be performed: Tester will successfully login to the REVITALIZE application and will visually check if the correct calendar data is loaded

2. FR-MP-2

Control: Manual

Initial State: Main page and Diet, Workout, Rest sections are displayed with previous day and next day buttons

Input: An event that loads the main page, Diet, Workout, Rest sections and the previous day and next day buttons are clicked

Output: Main page, Diet, Workout, Rest sections are displayed with previous day and next day buttons. Once the next day button is clicked, the calendar refreshes the calendar information for the next day. Once the previous day button is clicked, the calendar refreshes the calendar information for the previous day.

Test Case Derivation: Request is made to load main page, Diet, Workout, Rest sections and the previous day and next day buttons are clicked

How test will be performed: Tester will successfully login to the REVITALIZE application and will visually check if the previous day and next day buttons are visible. The tester will click the previous day button and visually check if the calendar is updated to the date of the previous day. The tester will click the next day button and visually check if the calendar is updated to the date of the next day. The tester will enter the Diet, Workout and Rest sections and will visually check if the previous day and next day buttons are visible. The tester will click the previous day button and visually check if the calendar is updated to the date of the previous day. The tester will click the next day button and visually check if the calendar is updated to the date of the next day

3. FR-MP-3

Control: Manual

Initial State: Each interaction after leaving the main page must have a visible back button

Input: An event that loads the next user interface after leaving the main page and the back button is clicked

Output: The next user interface after leaving the main page is displayed with a back button. Once the back button is clicked, the main page is loaded

Test Case Derivation: Request is to leave the main page and the back button is clicked

How test will be performed: Tester will leave the main page by selecting any of the options on the page. The tester will visually check if a back button is visible on every page that is entered through the main page interaction. The tester will click the back button and visually check if the current page is closed and the main page is loaded. The tester will repeat this process with every page that is loaded from clicking an interaction from the main page

4. FR-MP-4

Control: Manual

Initial State: Main page is displayed with Diet, Exercise and Rest buttons available to click

Input: An event that loads the main page and the Diet, Exercise and Rest buttons are clicked

Output: Main page is displayed with Diet, Exercise and Rest buttons. If the Diet button is clicked, the Diet interface is loaded. If the Exercise button is clicked, the Exercise interface is loaded. If the Rest button is clicked, the Rest interface is loaded

Test Case Derivation: Request is made to load main page and the Diet, Exercise and Rest buttons are clicked

How test will be performed: Tester will successfully login to the REVITALIZE application and will visually check if the Diet, Exercise and Rest buttons are visible. The tester will click the Diet button and visually check if the Diet interface is loaded. the tester will click the Exercise button and visually check if the Exercise interface is loaded. The tester will click the Rest button and visually check if the Rest interface is loaded

5.1.4 Diet Section Testing

Testing all functional requirements for rest section of REVITALIZE. (Refer to BE4 in SRS)

1. FR-DS-1

Control: Manual

Initial State: Diet section is initialized for the first time and an initial information dialog is launched

Input: An event that loads the diet section for the first time

Output: A fillable dialog box is launched with height, dietary information, weight and calorie information

Test Case Derivation: Request is made to enter diet section for the first time

How test will be performed: Tester will enter rest section for the first time and visually check if the dialog box with correct input information is launched

2. FR-DS-2

Control: Manual

Initial State: Diet section is initialized for the first time and an initial information dialog is launched

Input: Initial information dialog values are filled

Output: Initial information values are saved to the database

Test Case Derivation: Initial information dialog is filled

How test will be performed: Tester will fill the initial information dialog after entering the diet section. The tester will visually check the user data in the database to see if the initial information is saved

3. FR-DS-3

Control: Manual

Initial State: section section is initialized with a list of food logged for the current calender day

Input: An event that loads the rest section

Output: A list of inputted food is loaded for the current calender day

Test Case Derivation: Request is made to enter rest section

How test will be performed: Tester will enter the rest section and will visually check if a list of logged food is loaded for the current calender day

4. FR-DS-4

Control: Manual

Initial State: Diet section is displayed with add food button

Input: Click add food button

Output: A user interface is launched that lets the user select between searching for food or adding a custom meal

Test Case Derivation: User clicks add food button

How test will be performed: Tester will click on add food button and will visuallly check if the user interface with options for adding a custom meal and searching for food are available.

5. FR-DS-5

Control: Manual

Initial State: Food adding user interface is displayed with search food button

Input: Click search food button

Output: A recipe criteria user interface is launched that displays a list of modifiable criteria and a search button

Test Case Derivation: User clicks search food button

How test will be performed: Tester will click on search food exercise button and will visually check if a recipe criteria user interface is launched that displays a list of modifiable criteria and a search button

6. FR-DS-6

Control: Manual

Initial State: Recipe criteria user interface is launched

Input: Search criteria is modified and search button is clicked

Output: List of recipes are loaded correctly based on constraints of search criteria

Test Case Derivation: User modifies the search criteria and clicks the search button

How test will be performed: Tester will modify the search criteria and click the search button. The tester will visually check if a recipe list is loaded. The tester will visually check the correctness of the list based on selected constraints.

7. FR-DS-7

Control: Manual

Initial State: Recipe list is loaded based on search constraints

Input: Add recipe button is clicked

Output: Selected recipe is added to the list of food logged on the current calendar day

Test Case Derivation: User selects the recipe from the recipe list and clicks the add recipe button

How test will be performed: Tester will select a recipe and click the add recipe button. The tester will visually check if the selected recipe has been added to the list of food logged on the current calendar day

8. FR-DS-8

Control: Manual

Initial State: Food adding interface is displayed with add custom meal button

Input: Click add custom meal button

Output: A dialog box is launched that lets the user fill custom meal information. The meal is added to the food log list of the current calendar day

Test Case Derivation: User clicks add custom meal button

How test will be performed: Tester will click on add custom meal button and will visually check if a fillable dialog box is launched. The tester will fill the dialog box information and click the add custom meal button. The tester will visually check if the meal has been added to the list of logged food for the current calendar day

5.1.5 Workout Section Testing

Testing all functional requirements for workout section of REVITALIZE. (Refer to BE5 in SRS)

1. FR-WS-1

Control: Manual

Initial State: Workout section is initialized with a preset list of exercises of the current calendar day

Input: An event that loads the workout section

Output: A preset list of exercises is loaded for the current calendar day

Test Case Derivation: Request is made to enter workout section

How test will be performed: Tester will enter the workout section and will visually check if a list of preset exercises are loaded for the current calendar day

2. FR-WS-2

Control: Manual

Initial State: Workout section is displayed with add exercise button

Input: Click add exercise button

Output: A dialog box is launched that lets the user fill custom exercise information. The exercise is added to the exercise list of the current calendar day

Test Case Derivation: User clicks add exercise button

How test will be performed: Tester will click on add exercise button and will visually check if a fillable dialog box is launched. The tester will fill the dialog box information and click the add exercise button. The tester will visually check if the exercise has been added to the list of exercises for the current calendar day

3. FR-WS-3

Initial State: Each exercise in the workout section is displayed with a delete exercise button

Input: Click delete exercise button

Output: The exercise is deleted from the exercise list of the current calendar day

Test Case Derivation: User clicks delete exercise button

How test will be performed: Tester will click on delete exercise button and will visually check if the exercise is deleted from the list of exercises for the current calendar day.

4. FR-WS-4

Initial State: Each exercise in the workout section is displayed with an edit exercise button

Input: click edit exercise button

Output: A fillable dialog box is launched with information of the exercise. Once the edit exercise button is clicked, the dialog box will close and update the exercise information in the list of exercises for the current calendar day

Test Case Derivation: User clicks edit exercise button

How test will be performed: Tester will click on edit exercise button and will change the information on the fillable dialog box. The tester will click the edit exercise button and will visually check if the information is changed on the exercise list for the current calendar day.

5. FR-WS-5

Control: Manual

Initial State: Workout section is displayed with list of exercises for current calendar day

Input: An event that loads the workout section

Output: If repetition and sets for exercises not logged, dialog box for exercise is launched and the missing repetition and set values are highlighted

Test Case Derivation: User launches the workout section. User adds an exercise and does not input repetition and set values.

How test will be performed: Tester will add exercise without inputting values for set and repetitions. The user will visually check if the exercise dialog is launched with highlighted missing repetitions and set values.

5.1.6 Rest Section Testing

Testing all functional requirements for rest section of REVITALIZE. (Refer to BE6 in SRS)

1. FR-RS-1

Control: Manual

Initial State: Rest section is initialized with the sleep statistics of the current calendar day

Input: An event that loads the rest section

Output: Sleep statistics are loaded for the current calendar day

Test Case Derivation: Request is made to enter rest section

How test will be performed: Tester will enter the rest section and will visually check if sleep statistics are loaded for the current calendar day

2. FR-RS-2

Control: Manual

Initial State: Rest section is initialized with the sleep statistics of the current calendar day

Input: Alter sleep data

Output: The sleep data is updated with user changes

Test Case Derivation: User alters sleep data

How test will be performed: Tester will alter the sleep data and will visually check if the new values are correctly displayed in the sleep statistics

...

5.2 Tests for Nonfunctional Requirements

5.2.1 Look and Feel Testing

1. NFR-LF1

Type: Dynamic, Functional, Manual

Initial State: User is using REVITALIZE features

Input/Condition: REVITALIZE features are in use

Output/Result: All UI/UX design and elements matches original design and are displayed correctly and neatly

How test will be performed: All related stakeholders will test application with the focus on neatness and attractiveness of UI/UX design of REVITALIZE and answer question 1 of the Usability Survey. Would need an average rating of [MINIMUM_TEST_SCORE](#) or above out of 10 and assess all stakeholders responses to make improvements

2. NFR-LF2

Type: Static, Manual

Initial State: A display of all pages in REVITALIZE

Input/Condition: All displays for all pages in REVITALIZE are at a common point during a user session

Output/Result: All colours are considered appealing, contrasting and non-intrusive

How test will be performed: All related stakeholders will test application with the focus on colour and answer question 2 of the Usability Survey. Would need an average rating of [MINIMUM_TEST_SCORE](#) or above out of 10 for each factor and assess all stakeholders responses to make improvements

5.2.2 Usability and Humanity Testing

1. NFR-UH1

Type: Dynamic, Functional, Manual

Initial State: User is using REVITALIZE features

Input/Condition: REVITALIZE features are in use, using one hand/one finger

Output/Result: REVITALIZE features are displaying correct outputs and results

How test will be performed: All related stakeholders with varying size hands/fingers can use all aspects of REVITALIZE using one hand/finger and have an average rating of [MINIMUM_TEST_SCORE_2](#) or above for question 3 of the Usability Survey

2. NFR-UH2

Type: Dynamic, Functional, Manual

Initial State: Main page of application is displayed

Input/Condition: User uses main page to access features (Diet, Workout and Rest Section)

Output/Result: All features take less than [MINIMUM_ACCESS_TIME](#) seconds to access

How test will be performed: Stakeholders will navigate to the Diet, Workout and/or Rest section from the main page in [MAXIMUM_ACCESS_TIME](#) seconds or less. 90% of stakeholders need to be able to navigate to any of the sections in [MAXIMUM_ACCESS_TIME](#) seconds or less

3. NFR-UH3

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: Users in targeted demographic will use all features of REVITALIZE

Output/Result: Results gathered from survey

How test will be performed: Primary stakeholders such as teenagers and young adults 14 years or older will test application and fill in survey, with the goal of an approval rating of [MIN_APPROVAL_RATING](#) or above

4. NFR-UH4

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: User will use all features of REVITALIZE

Output/Result: User can use and understand basic/common aspects of all features after 3rd iteration

How test will be performed: Stakeholders will use all features/aspects of REVITALIZE and [MIN_APPROVAL_RATING](#) of stakeholders should be able to use and understand basic/common aspects of all features in 3 iterations or less.

5. NFR-UH5

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: User will use all features of REVITALIZE

Output/Result: Results gathered from survey based on consistency of UI aspects such as buttons, drop-downs, words etc.

How test will be performed: Stakeholders will test application with focus on consistency of UI aspects and fill in survey, with the goal of an approval rating of [MIN_APPROVAL_RATING](#) or above

5.2.3 Performance Testing

1. NFR-PE1

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: All REVITALIZE features are loaded with appropriate data

Output/Result: loading time of all REVITALIZE features

How test will be performed: Developers will run performance tests and ensure that all output data loads within 5 seconds or less for [MIN_APPROVAL_RATING_2](#) of all API responses and outputs

2. NFR-PE2

Type: Dynamic, Functional, Automatic

Initial State: REVITALIZE is loaded but not in use

Input/Condition: User uses all features of REVITALIZE where output contain data/numbers

Output/Result: data/numbers of used features in floating points

How test will be performed: Developers will run accuracy tests to ensure output data/numbers are accurate for double precision floating points and pass all test cases

3. NFR-PE3

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: Multiple (More than [MIN_USER_LOAD](#)) users using REVITALIZE

Output/Result: Performance metrics (ex. loading time, frames per second etc.)

How test will be performed: [MIN_USER_LOAD](#) or more users (does not have to be actual people) use/send requests to REVITALIZE application simultaneously and analyze performance trends based on the number of users

4. NFR-PE4

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is loaded but not in use

Input/Condition: User will use all features of REVITALIZE

Output/Result: Storage percentage of data

How test will be performed: Developers will try to add as much data as possible to user account and application should be able to store [MIN_DATA_POINTS](#) or more data points for all users

5.2.4 Operational Testing

1. NFR-OE1

Type: Dynamic, Functional, Manual

Initial State: Internet connection is established on the device

Input/Condition: REVITALIZE application is launched

Output/Result: REVITALIZE features are all loaded

How test will be performed: Users will connect to the internet on their devices and launch the application. The application should load all features.

5.2.5 Maintainability and Portability Testing

1. NFR-MP1

Type: Static, Manual

Initial State: Existing source code

Input/Condition: New source code is added

Output/Result: New source code is commented

How test will be performed: Developers will cross-check each other's comments each time new source code is pushed and before it is merged to the main repository

2. NFR-MP2

Type: Static, Automatic

Initial State: Existing source code

Input/Condition: New source code is added

Output/Result: New source code that is added adheres to Google JS Style Guide (refer to SRS)

How test will be performed: The ESLint linter tool will scan the source code and ensure it adheres to the Google JS Style Guide for newly developed source code.

5.2.6 Security Testing

1. NFR-SE1

Type: Dynamic, Functional, Automatic

Initial State: REVITALIZE is launched

Input/Condition: User creates a new account

Output/Result: REVITALIZE sign-up/account features are loaded and secured

How test will be performed: Developers will execute security tests to ensure account information is private and secure. 100% of the test cases must pass

2. NFR-SE2

Type: Dynamic, Functional, Automatic

Initial State: REVITALIZE sign-up feature is loaded

Input/Condition: User inputs an email already associated with an existing account

Output/Result: Message alerts the user that user already exists with this email.

How test will be performed: Developers will run tests on the Database that stores the users that check to make sure there is no duplication. 100% of the tests must pass

5.2.7 Cultural and Political Testing

1. NFR-CU1

Type: Dynamic, Functional, Manual

Initial State: REVITALIZE is launched

Input/Condition: REVITALIZE features are all loaded

Output/Result: English is displayed in all REVITALIZE features

How test will be performed: Developers will test the Front-End to ensure English is the language displayed.

5.3 Traceability Between Test Cases and Requirements

Table 2: Traceability Matrix for Login Page Functional Requirements

		Requirements								
		FR1	FR2	FR3	FR4	FR5	FR6	FR7	FR8	FR9
Test Cases	FR-LP-1	X								
	FR-LP-2		X							
	FR-LP-3			X						
	FR-LP-4				X					
	FR-LP-5					X				
	FR-LP-6						X			
	FR-LP-7							X		
	FR-LP-8								X	
	FR-LP-9									X

Table 3: Traceability Matrix for Signup Page Functional Requirements

		Requirements				
		FR10	FR11	FR12	FR13	FR14
Test Cases	FR-SP-1	X				
	FR-SP-2		X			
	FR-SP-3			X		
	FR-SP-4				X	
	FR-SP-5					X

Table 4: Traceability Matrix for Main Page Functional Requirements

		Requirements				
		FR15	FR16	FR17	FR18	FR30
Test Cases	FR-MP-1	X				
	FR-MP-2		X			X
	FR-MP-3			X		
	FR-MP-4				X	

Table 5: **Traceability Matrix for Diet Page Functional Requirements**

		Requirements									
		FR19	FR20	FR21	FR22	FR23-25	FR26	FR27	FR28	FR29	F30
Test Cases	FR-DS-1	X									
	FR-DS-2		X								
	FR-DS-3			X							
	FR-DS-4				X						
	FR-DS-5					X					
	FR-DS-6						X				
	FR-DS-7							X			
	FR-DS-8								X	X	

Table 6: **Traceability Matrix for Workout Page Functional Requirements**

		Requirements				
		FR31	FR32	FR33	FR34	FR35
Test Cases	FR-WP-1	X				
	FR-WP-2		X			
	FR-WP-3			X		
	FR-WP-4				X	
	FR-WP-5					X

Table 7: **Traceability Matrix for Rest Section Functional Requirements**

		Requirements	
		FR36	FR37
Test Cases	FR-RS-1	X	
	FR-RS-2		X

Table 8: **Traceability Matrix for Look and Feel Nonfunctional Requirements**

		Requirements	
		LF1	LF2
Test Cases	NFR-LF1	X	
	NFR-LF22		X

Table 9: **Traceability Matrix for Usability and Humanity Nonfunctional Requirements**

		Requirements					
		UH1	UH2	UH3	UH4	UH5	UH6
Test Cases	NFR-UH1	X					
	NFR-UH2		X				
	NFR-UH3			X			
	NFR-UH4				X		
	NFR-UH5					X	

Table 10: **Traceability Matrix for Performance Nonfunctional Requirements**

		Requirements				
		PE1	PE2	PE3	PE4	PE5
Test Cases	NFR-PE1	X				
	NFR-PE2		X			
	NFR-PE3				X	
	NFR-PE4					X

Table 11: **Traceability Matrix for Operational Nonfunctional Requirements**

		Requirements	
		OE1	OE2
Test Cases	NFR-OE1	X	

Table 12: **Traceability Matrix for Maintainability and Portability Nonfunctional Requirements**

		Requirements		
		MP1	MP2	MP3
Test Cases	NFR-MP1	X		
	NFR-MP2		X	

Table 13: **Traceability Matrix for Security Nonfunctional Requirements**

		Requirements	
		SE1	SE2
Test Cases	NFR-SE1	X	
	NFR-SE2		X

Table 14: **Traceability Matrix for Cultural and Political Nonfunctional Requirements**

		Requirements
		CU1
Test Cases	NFR-CU1	X

References

- Bill Nguyen, Syed Bokhari, Hasan Kibria, Youssef Dahab, Logan Brown, and Mahmoud Anklis. Module guide. <https://github.com/...>, 2022a.
- Bill Nguyen, Syed Bokhari, Hasan Kibria, Youssef Dahab, Logan Brown, and Mahmoud Anklis. Module interface specification. <https://github.com/...>, 2022b.
- Bill Nguyen, Syed Bokhari, Hasan Kibria, Youssef Dahab, Logan Brown, and Mahmoud Anklis. System requirements specification. <https://github.com/...>, 2022c.

6 Appendix

6.1 Symbolic Parameters

MINIMUM_TEST_SCORE = 8.5
MINIMUM_TEST_SCORE_2 = 9.5
MAXIMUM_ACCESS_TIME = 10
MIN_APPROVAL_RATING = 85%
MIN_APPROVAL_RATING_2 = 95%
MIN_USER_LOAD = 50
MIN_DATA_POINTS = 1000000

6.2 Usability Survey Questions

1. How would you rate overall neatness of UI/UX design of REVITALIZE out of 10? What are elements you like related to neatness? What are elements you would improve related to neatness?
2. Are colours used in REVITALIZE non-intrusive, appealing and/or contrasting? Rate each factor of non-intrusive, appealing and contrasting out of 10? What are elements you like that elevate these factors? What are elements you would improve to elevate these factors?
3. How would you rate the overall ability to use REVITALIZE with only one hand/one finger out of 10? What are elements that help with this? What are elements you would improve?

7 Reflection Appendix

7.1 Knowledge and Skills Needed

Bill Nguyen: My primary role for VnV plan is to be a back-end developer tester, so some skills needed would be how to write proper and effective unit tests for back-end implementation of project, integration tests that tests the project end to end and with the front-end, and also maybe some tests for performance such as load, stress test etc. for back-end code.

Syed Bokhari: My primary role for VnV plan is to be a Database Application tester. Some skills needed would be how to configure API testing environments and database query accuracy. I must know how to prepare the testing environment, write unit tests for SQL queries and configure test data to ensure the accuracy of the results.

Mahmoud Anklis: My primary role for the VnV plan is to be a System Integration tester. Some of the skills needed would be how to setup system tests that test the integration of all modules. I would also have to know how to write scripts that test the interfaces of each component and ensure the entire system is behaving properly.

Hasan Kibria: My primary role for the VnV plan is to be a Frontend Tester. Some of the skills needed would be knowledge of frontend testing frameworks for our language of choice, as well as knowing how to properly mock unnecessary resources (i.e. the backend) to truly test targeted frontend functionality in the manner we aim to.

Logan Brown: My primary role for the VnV plan is to be a Performance Tester. First I would need to know what tools are available for monitoring the performance of our app and then the skill I would need to learn is how to properly analyze the measured metrics. I would also have to know how to simulate performance on a variety of devices with different capabilities.

Youssef Dahab: To contribute to this VnV, I needed to learn how to design a verification plan for the SRS, Design, VnV, and implementation. Furthermore, as a UI/UX tester, I will have to know how to evaluate user experience and have a good understanding of human computer interfaces.

7.2 How Knowledge and Skills Will Be Acquired

Bill Nguyen: Knowledge and skills will be acquired by researching techniques on how to write effective unit tests for the back-end for example using the "arrange act assert" and potentially setting minimum thresholds for code/branch coverage to improve consistency and organization of tests. For integration and performance tests also perform research to find effective ways to test back-end with all aspects of project and applying it often.

Syed Bokhari: The required knowledge and skills will be acquired by setting up practice environments via virtual machines and testing the API implementation with smaller scale applications. Once I can confirm the accuracy of the database queries and API requests with unit tests, I can configure a larger portion of the code to ingest the data from the API and store in the database.

Mahmoud Anklis: The knowledge and skills required for system integration testing will be acquired by understanding the software architecture and how each component communicates with the other. I will also have to research methods on how to build scripts that can test the entire application's components (Front-End, Back-End, Database etc), where the script is able to pin point the component that led to a failure if there is a failure in when testing.

Hasan Kibria: I hope to acquire this knowledge by reading online docs, looking at code examples, and trying my best to re-emulate tests I find on the internet to fit our specific needs. Once I find myself to be familiar with the technologies and infrastructure at hand, then I would continue to learn by diving deeper into testing principles and following through the targeted test implementation.

Logan Brown: To learn the skills I outlined above I would need to research different performance measuring tools and what they measure using online documentation. Most likely

I could use a tool that is a plugin for the development platform we will be using. I will also learn these skills by measuring the performance of simulated versions of the application, making changes to the implementation and seeing the effect these changes have on the performance.

Youssef Dahab: I had two options to acquire these skills and I used both of them. Firstly, I referenced the lecture notes and material to be able to complete the VnV plan. Secondly, I used the internet to gain further knowledge on topics that I needed more clarification on with regards to design, software validation, and implementation. I will also have to review material from SFWRENG 4HC3 to be able to use HCI concepts to better test REVITALIZE's UI and UX.