# System Requirements Specification REVITALIZE

 ${\it Team~13,~REVITALIZE}$ 

Bill Nguyen
Syed Bokhari
Hasan Kibria
Youssef Dahab
Logan Brown
Mahmoud Anklis

Table 1: Revision History

Date	Developer(s)	Change
September 29th, 2022	Youssef Dahab	Project Drivers
October 1st, 2022	Youssef Dahab	Added Goals of the Project
October 1st, 2022	Syed Bokhari	Added Functional Requirements and Use Case
		Diagram
October 2nd, 2022	Bill Nguyen	Added Non-Functional Requirements and Use
		Case Diagram
October 3rd, 2022	Syed Bokhari	Added Work Partitioning Tables
October 4th, 2022	Youssef Dahab	Added Open issues and New Problems
October 5th, 2022	Youssef Dahab	Completed Project Issues, Reflection Ap-
		pendix, Fixed Spelling Errors
October 5th, 2022	Mahmoud Anklis	Added Non-Functional Requirements
October 5th, 2022	Logan Brown	Added Activity Diagram

# Contents

1.2 Scope 1.3 Goals of the Project 1.4 The Stakeholders 1.4.1 Primary Sta 1.4.2 Secondary Sta 1.4.3 Facilitating  2 Project Constraints  3 Context Diagrams  4 Functional Decompost 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirement  6 Non-functional Requirement  6.1 Look and Feel Requirement 6.1.1 Appearance 6.1.2 Style Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability accession or 6.3.4 Reliability accession or 6.3.5 Robustness 6.3.6 Capacity Recomposite  6.3 Page 1.4  6.3.5 Robustness 6.3.6 Capacity Recomposite  6.4 Understand 6.5 Robustness	Project  t  keholders  takeholders  Stakeholders	4 4 4 4 4 5
1.3 Goals of the Project 1.4 The Stakeholders 1.4.1 Primary Sta 1.4.2 Secondary States 1.4.3 Facilitating  2 Project Constraints  3 Context Diagrams  4 Functional Decompost 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirement  6 Non-functional Requirement  6.1 Look and Feel Requirement 6.1.2 Style Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and Information of Section of	t	4 4 4
1.4 The Stakeholders 1.4.1 Primary Sta 1.4.2 Secondary S 1.4.3 Facilitating  2 Project Constraints  3 Context Diagrams  4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirem  6 Non-functional Requirem  6.1 Look and Feel Requirem  6.1.1 Appearance 6.1.2 Style Requirem 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirem 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Reference	keholders	4 4 4
1.4.1 Primary Sta 1.4.2 Secondary S 1.4.3 Facilitating  2 Project Constraints  3 Context Diagrams  4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirem  6 Non-functional Requirem  6.1 Look and Feel Requirem  6.1.1 Appearance 6.1.2 Style Requirem  6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirem 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference	keholders	4
1.4.2 Secondary S 1.4.3 Facilitating  2 Project Constraints  3 Context Diagrams  4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirement  6 Non-functional Requirement  6.1 Look and Feel Requirement  6.2 Usability and Hum  6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference	takeholders	4
2 Project Constraints 3 Context Diagrams 4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram 5 Functional Requirement 6 Non-functional Requirement 6.1 Look and Feel Requirement 6.1.1 Appearance 6.1.2 Style Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Critife 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference		
2 Project Constraints 3 Context Diagrams 4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram 5 Functional Requirement 6 Non-functional Requirement 6.1 Look and Feel Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference	Stakeholders	5
Gontext Diagrams  4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirement 6.1 Look and Feel Requirement 6.1.1 Appearance 6.1.2 Style Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Critice 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Reference 1.3.1 Speed Regulation or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Regulation in Regulation of Capacity Regulation in Regulation of Reg		
4 Functional Decompose 4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirement 6 Non-functional Requirement 6.1 Look and Feel Requirement 6.1.1 Appearance 6.1.2 Style Requirement 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirement 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference		5
4.1 Work Partitioning 4.2 Use Case Diagram 4.3 Activity Diagram  5 Functional Requirem  6 Non-functional Requirem  6.1 Look and Feel Requirem  6.1.1 Appearance  6.1.2 Style Requirem  6.2 Usability and Hum  6.2.1 Ease of Use  6.2.2 Personalizate  6.2.3 Learning Reference  6.2.4 Understand  6.2.5 Accessibility  6.3 Performance Requirem  6.3.1 Speed and I  6.3.2 Safety-Critice  6.3.3 Precision or  6.3.4 Reliability at  6.3.5 Robustness  6.3.6 Capacity Reference		5
4.2 Use Case Diagram 4.3 Activity Diagram 5 Functional Requirem 6 Non-functional Requirem 6.1 Look and Feel Requirem 6.1.1 Appearance 6.1.2 Style Requirem 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Refull 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirem 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Ref	ition Diagrams	5
4.3 Activity Diagram  Functional Requirement  Non-functional Requirement  1.1 Look and Feel Requirement  1.2 Style Requirement  1.2 Style Requirement  1.3 Ease of Use  1.4 Usability and Hum  1.5 Ease of Use  1.6 Ease of Use  1.7 Ease of Use  1.8 Ease of Use  1.9 Ease of Use  1.0 Ease of Use  1.0 Ease of Use  1.1 Ease of Use  1.2 Ease of Use  1.3 Ease of Use  1.4 Ease of Use  1.5 Ease of Use  1.6 Ease of Use  1.7 Ease of Use  1.8 Ease of Use  1.		5
6 Non-functional Requirements 6.1 Look and Feel Requirements 6.1.1 Appearance 6.1.2 Style Requirements 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Reference 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requirements 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Reference		7
6.1 Look and Feel Requirements of the following of the following states of the		8
6.1 Look and Feel Requirements of the following of the following states of the		_
6.1 Look and Feel Requires 6.1.1 Appearance 6.1.2 Style Requires 6.1.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizate 6.2.3 Learning Research 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requires 6.3.1 Speed and I 6.3.2 Safety-Critics 6.3.3 Precision or 6.3.4 Reliability 8 6.3.5 Robustness 6.3.6 Capacity Research	ents	9
6.1.1 Appearance 6.1.2 Style Requir 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requir 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re		10
6.1.2 Style Require 6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Require 6.3.1 Speed and I 6.3.2 Safety-Critic 6.3.3 Precision or 6.3.4 Reliability at 6.3.5 Robustness 6.3.6 Capacity Re	nirements	10
6.2 Usability and Hum 6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	Requirements	10
6.2.1 Ease of Use 6.2.2 Personalizat 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	rements	10
6.2.2 Personalizate 6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	anity Requirements	11
6.2.3 Learning Re 6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	Requirements	11
6.2.4 Understand 6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	ion and Internationalization Requirements	11
6.2.5 Accessibility 6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	quirements	11
6.3 Performance Requi 6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	ability and Politeness Requirements	11
6.3.1 Speed and I 6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	Requirements	11
6.3.2 Safety-Criti 6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Re	rements	11
6.3.3 Precision or 6.3.4 Reliability a 6.3.5 Robustness 6.3.6 Capacity Ro		11
<ul><li>6.3.4 Reliability a</li><li>6.3.5 Robustness</li><li>6.3.6 Capacity Re</li></ul>	Latency Requirements	12
6.3.5 Robustness 6.3.6 Capacity Re		12
6.3.6 Capacity Re	atency Requirements	12
	eal Requirements	12
C 4 O 1 1 1 D 1	cal Requirements	12
6.4 Operational Requir	Accuracy Requirements	12
6.4.1 Expected P	Accuracy Requirements	12
	cal Requirements	10
	cal Requirements	12
· ·	cal Requirements	13
	catency Requirements	
6.5.3 Adaptability	cal Requirements	13

	6.6	Security Requirements	13
		6.6.1 Access Requirements	13
		6.6.2 Privacy Requirements	13
		6.6.3 Immunity Requirements	13
	6.7	Cultural and Political Requirements	13
		6.7.1 Cultural Requirements	13
		6.7.2 Political Requirements	13
	6.8	Legal Requirements	14
7	Pro	ject Issues	14
	7.1	Open Issues	14
	7.2	Off-the-Shelf Solutions	14
	7.3	New Problems	14
	7.4	Tasks	15
	7.5	Migration to the New Product	15
	7.6	Risks	15
	7.7	Costs	15
	7.8	User Documentation and Training	15
	7.9	Waiting Room	16
	7.10		16
8	Refl	ection Appendix	16
	8.1	Knowledge and Skills Needed	16
	8.2	How Knowledge and Skills Will Be Acquired	17
9	Refe	erences	18

# 1 Project Drivers

#### 1.1 The Purpose of the Project

Sustaining a healthy lifestyle requires people to keep track of their eating, exercising, and sleeping habits. This can prove to be a daunting and time consuming thing to do especially when most people are very busy with their lives. The purpose of this project to create an all in one health and wellness mobile application that allows users to manage their diet, exercise, and sleep. REVITALIZE is designed to supply users with the means to improve their health by providing them with meal recipe's based on their nutritional preferences, a personalized workouts planner and a sleep tracker.

#### 1.2 Scope

REVITALIZE will allow users to find recipes for meals based on nutritional preferences such as calories per meal, diet selections, allergies to avoid and ingredients included. The user will be able to count their calorie and nutrient intake through the nutrition logger. The workout planner will allow users to choose from an already existing list of workouts or construct their own workout schedule along with weights, sets, and repetitions. The sleep tracker will provide users with information regarding their sleep. There will be a focus on improving user experience throughout the application along with supplying users with accurate data regarding their health.

### 1.3 Goals of the Project

The goal of this project is to make REVITALIZE, for it's stakeholders, the go to, easy to use, quick, and accessible all in one mobile application for effectively and efficiently managing a person's diet, exercise, and sleep to improve their overall health and well being. The goal of making REVITALIZE a mobile application is for it to be easily accessible to users from their phone at any time and place. Users do not have to memorize their health goals or write them down on a piece of paper that they carry with them all the time. The goal of documenting this project is for stakeholders to have a physical system documentation of a functional product that they can refer to when needed. Stakeholders will be able to match the application to the documentation.

#### 1.4 The Stakeholders

#### 1.4.1 Primary Stakeholders

Adults and teenagers who want to improve and keep track of their overall health and wellness via an easy to use, all in one application.

#### 1.4.2 Secondary Stakeholders

Individuals who may not use the application directly for themselves or are not directly involved with the use of the application but have an indirect benefit. For instance, personal

trainers can use REVITALIZE to keep track of workouts, sleep, and the overall health of their clients.

#### 1.4.3 Facilitating Stakeholders

Team 13 members building the REVITALIZE application along with Dr. Spencer Smith and the 4G06 TAs.

# 2 Project Constraints

# 3 Context Diagrams

# 4 Functional Decomposition Diagrams

# 4.1 Work Partitioning

Table 2: Work Partitioning Events

Event	Event Name	Input	Output	Date
Number				
1	Launch the ap-	Touch	Main Calendar	October 17th,
	plication login		Menu	2022
	page			
2	Opening the	Touch	Login Page	October 17th,
	sign up page			2022
3	Opening the	Touch	Diet Menu,	October 24th,
	main calendar		Workout Menu,	2022
	menu		Rest Menu	
4	Opening the	Touch	Food List	November 14th,
	diet menu			2022
5	Opening the	Touch	Exercise List	November 14th,
	workout menu			2022
6	Opening the	Touch	Sleep log	November 14th,
	rest menu			2022

Table 3: Work Partitioning Summaries

Event Number	Summary	
1	The user, through the touch input, decides to launch the application. The application launches with the login page and after successful credentials the main calendar menu will be shown.	
2	The user, through the touch input, decides to open the sign up page. After successful credentials the login page will be shown.	
3	The user, through the touch input, decides to enter the main calendar menu. The user can use touch input to select either the diet menu, workout menu or the rest menu.	
4	The user, through the touch input, decides to enter the diet menu. The user can use touch input to view the list of logged food for the calendar day, add custom meals, add recipes and search recipes. The user can also navigate through the calendar for previous date food entries.	
5	The user, through the touch input, decides to enter the workout menu. The user can use touch input to view the list of logged exercises for the calendar day, add custom exercises, add preset exercises, and update set and repetition values for each exercise. The user can also navigate through the calendar for previous date workout entries.	
6	The user, through the touch input, decides to enter the rest menu. The user can use touch input to alter the sleep data for the current calendar date if inaccurate. The user can also navigate through the calendar for previous date sleep logs.	

# 4.2 Use Case Diagram




Figure 1: Use case diagram for REVITALIZE

# 4.3 Activity Diagram




Figure 2: Activity diagram for REVITALIZE

# 5 Functional Requirements

#### BE1. The user launches the application

- FR1. The system must display a login page upon the start of the application.
- FR2. The login page must display fillable username and password textboxes
- FR3. The login page must display a login button
- FR4. The login page must display a forgot password button
- FR5. The login page must display a stay logged in checkbox
- FR6. The system must save prior login information if the stayed logged in checkbox is checked
- FR7. The login page must display a sign up button that redirects to a signup page
- FR8. The system must check the validity of the input parameters in the login page

#### BE2. The user selects the sign up button

- FR9. The signup page must display fillable username, password, email textboxes
- FR10. The signup page must display a signup button
- FR11. The system must check the validity of the input parameters in the signup page

#### BE3. The user enters the main page after successful login

- FR12. The system must display a calendar with the current date on successful login
- FR13. The system must have a previous day and next day button on each page after successful login
- FR14. The system must display a back button on each user interface after a section is selected
- FR15. The system must display the sections Diet, Exercise and Rest on the current calendar day

#### BE4. The user enters the Diet section

- FR16. The system must prompt the user to height, input dietary, weight, calorie information on initial launch of Diet section
- FR17. The system must save initial user height, dietary, weight, calorie information
- FR18. The Diet section must initialize with a list of food logged on the current calendar day
- FR19. The Diet section must display an add food button
- FR20. The Diet section must display a search food button
- FR21. The search food button must launch a recipe criteria user interface
- FR22. The recipe criteria user interface must display a list of modifiable criteria and a search button

- FR23. The recipe search must display correct recipe values based on constraints
- FR24. The recipe search must display a select recipe and add recipe button
- FR25. The Diet section must have an add custom meal button
- FR26. The add custom meal button must have fillable textboxes for recipe information
- FR27. The previous day and next day button must launch the previous or next calendar entry of the user section

#### BE5. The user enters the Workout section

- FR28. The Workout section must initialize with a preset list of exercises on the current calendar day
- FR29. The Workout section must have an add exercise and delete exercise button
- FR30. The exercises must display an edit exercise button that launches the changeable exercise information when clicked
- FR31. The Workout section must have an add exercise and delete exercise button
- FR32. The Workout section must prompt the user to add repetitions and sets of each exercise logged in the current calendar day

#### BE6. The user enters the Rest section

- FR33. The Rest section must launch with the sleep statistics of the current calendar day
- FR34. The system must allow the user alter inaccurate sleep data

# 6 Non-functional Requirements

Note: followed the Volere requirements template

# 6.1 Look and Feel Requirements

#### 6.1.1 Appearance Requirements

LF1. The application must have a neat and attractive design.

**Fit Criterion:** A focus group of primary stakeholders such as teenagers and young adults will look at UI/UX design of application and would require an 85% approval rating.

#### 6.1.2 Style Requirements

LF2. The application must use colours that are appealing and contrasting to make it more accessible and non-intrusive.

Fit Criterion: A focus group of primary stakeholders such as teenagers and young adults will test application with a focus on colour and need an 85% approval rating that the associated colours do not intrude/distract users from overall application.

#### 6.2 Usability and Humanity Requirements

#### 6.2.1 Ease of Use Requirements

UH1. All aspects and features of mobile application can be used using only one hand/one finger.

**Fit Criterion:** 95% of stakeholders with varying size hands/fingers are able to use all aspects of mobile application using one hand/one finger.

UH2. The application home page must be simple so that user can access any feature of application in under 10 seconds

Fit Criterion: 90% of stakeholders can navigate to any of application features from home page in under 10 seconds.

UH3. The application should be easy to use for targeted demographic

**Fit Criterion:** A focus group of primary stakeholders such as teenagers and young adults with youngest age being 14 will test application and need an 85% approval rating that application was easy to use.

#### 6.2.2 Personalization and Internationalization Requirements

NOT AVAILABLE

#### 6.2.3 Learning Requirements

UH4. Users without any prior experience should be able to use and understand application within 3 iterations of each feature.

**Fit Criterion:** 85% of stakeholders can use and understand basic/common aspects of all features within 3 iterations.

#### 6.2.4 Understandability and Politeness Requirements

UH5. Associated UI aspects such as buttons, drop-downs, words etc. must be consistent **Fit Criterion:** 85% of stakeholders agree that all UI aspects are simple, consistent and understandable.

#### 6.2.5 Accessibility Requirements

UH6. Mobile application should be compatible with android screen readers tool, for potential users with impaired vision.

Fit Criterion: Accessibility tests, will be conducted and 95% of application UI should be able to be read using an android screen reader tool.

# 6.3 Performance Requirements

#### 6.3.1 Speed and Latency Requirements

PE1. All output data of application must take 5 seconds or less to load, based on associated inputs.

Fit Criterion: Developers will run performance tests and ensure all output data loads within 5 seconds or less for 95% of all API responses and outputs.

#### 6.3.2 Safety-Critical Requirements

NOT AVAILABLE

#### 6.3.3 Precision or Accuracy Requirements

PE2. All output data/numbers should be accurate for double precision floating points. **Fit Criterion:** Perform associated testing (ex. unit testing) to ensure output is accurate for double precision and passes all test cases.

#### 6.3.4 Reliability and Availability Requirements

PE3. Application must have an uptime of 99%.

Fit Criterion: Description provides all necessary information.

#### 6.3.5 Robustness or Fault-Tolerance Requirements

NOT AVAILABLE

#### 6.3.6 Capacity Requirements

PE4. Application can be used by a large amounts of users simultaneously.

Fit Criterion: Application can withstand the usage of at least 50+ users without performance being affected.

PE5. Application can store/save large amount of data.

Fit Criterion: Application can store/save 1 million+ of data points for all users.

# 6.4 Operational Requirements

#### 6.4.1 Expected Physical Environment

NOT AVAILABLE

#### 6.4.2 Expected Technological Environment

OE1. The application is required to connect to the internet.

**Fit Criterion:** Users must connect the device that the application is running on to the internet.

OE2. The application is required to run on an Android operating system.

Fit Criterion: The application runs on Android 11+ operating systems.

#### 6.5 Maintainability and Portability Requirements

#### 6.5.1 Maintenance Requirements

MP1. The application's source code must be well commented.

**Fit Criterion:** Developers will cross-check each other to confirm well documentation of code.

MP2. The application's source code must maintain the same coding style.

Fit Criterion: Developers will cross-check each other to confirm the same coding style is being used: Google JS Style Guide found in this link: https://google.github.io/styleguide/jsguide.ht

#### 6.5.2 Portability Requirements

NOT AVAILABLE

#### 6.5.3 Adaptability Requirements

MP3. The application must be able to run on Android 11+.

Fit Criterion: Developers will execute tests on Android 11+ to ensure functionality.

#### 6.6 Security Requirements

#### 6.6.1 Access Requirements

SE1. The application must create a secure account for each new sign up registration. Fit Criterion: Developers will execute tests to ensure sign-up is fully functional.

SE2. The application cannot have duplicate accounts.

Fit Criterion: The application will create only one account per email.

#### 6.6.2 Privacy Requirements

NOT AVAILABLE

#### 6.6.3 Immunity Requirements

NOT AVAILABLE

# 6.7 Cultural and Political Requirements

#### 6.7.1 Cultural Requirements

CU1 The application's interface will be in the English language.

Fit Criterion: 100% of the application's content will be in English.

#### 6.7.2 Political Requirements

NOT AVAILABLE

#### 6.8 Legal Requirements

NOT AVAILABLE

# 7 Project Issues

#### 7.1 Open Issues

The REVITALIZE team members have not completed their investigation of how to make mobile applications compatible with screen reader tools to make REVITALIZE accessible to users with impaired vision.

Moreover, the level of difficulty of maintaining and scaling this project is an open issue as it is highly dependent on the implementation. The team has not yet completed it's assessment of the projection of users, costs, and allocated budget to make a current decision on the maintainability and scalability of the project.

Another open issue is regarding the way capacity testing will be conducted:

- The team has yet to determine how it will find and group a large pool of people simultaneously, ideally 50 or more, to test the application's performance before launch.
- Determining how to gather large masses user data points, ideally 1 million+, to test the application's storage capacity and performance.

#### 7.2 Off-the-Shelf Solutions

There are available products that are similar to the application. An application called MyFitnessPal tracks user goals and calories, breaks down ingredients, and logs activities. Another available mobile application is Samsung Health that tracks various aspects of a user's daily life contributing to their well being such as physical activity, diet, and sleep. It's main dashboard provides access to different features such as dietary monitoring (calories and nutrients absorbed), weight tracking, and sleep monitoring.

#### 7.3 New Problems

Potential new problems that the REVITALIZE team can encounter include:

- API failures
- Server connection errors
- Copy right issues

API failures can occur as a result of connectivity issues, a connection breakdown to the URL, or if it's overloaded with requests from the REVITALIZE application. It is possible to encounter copyright issues when using images from the internet to add visuals to the

application. This may or may not complicate the graphical user interface design process. A server connection error is less common but may occur due to a network connection error or if the server is offline.

#### 7.4 Tasks

Tasks are scheduled and delegated as per the project Gantt Chart. It will be updated throughout the project to include required tasks and their completion status.

#### 7.5 Migration to the New Product

NA

#### 7.6 Risks

- Risk 1: Project may be too complex to complete in eight months because it makes use of multiple built-in and external libraries, other frameworks and application programming interfaces
  - Probability of risk becoming a problem: Medium
  - Contingency plan: Change project scope to meet the minimum number of goals and requirements set by the team to deliver the project
- Risk 2: What if primary stakeholders are not too excited about using the REVITALIZE application after it's launched?
  - Probability of risk becoming a problem: Medium
  - Contingency plan: REVITALIZE team members shall speak to primary stakeholders and listen to their feedback to improve the application.

#### 7.7 Costs

The estimated time cost to deliver this project is eight months. This includes gathering requirements, designing, documenting, implementing, and testing. The cost of launching REVITALIZE to the Google Play Store and App Store are 25\$ and 99\$ respectively.[1]

# 7.8 User Documentation and Training

No user documentation is required to use REVITALIZE. Users will be able to download REVITALIZE as a mobile application from either the Google Play Store or App Store. No training is necessary as using REVITALIZE will be intuitive.

#### 7.9 Waiting Room

Ideas that are currently in the waiting room that shall be developed, given enough time, include:

- Personal Trainer Integration
  - A user's personal trainer can set their diet, workout, and sleep schedules. The trainer can also view user's progress and adjust their schedules.
- Sleep Data Predictor
  - A sleep data predictor that takes users sleep data to extrapolate their health conditions and give tips on optimizing their sleep.

#### 7.10 Ideas for Solutions

Possible ideas to make REVITALIZE accessible to all people include designing clear layouts, increasing font sizes, increasing text visibility, using large buttons and controls, and describing user interface elements. Another idea to prevent API failures is to run tests to monitor and track API performance from early development through production.

# 8 Reflection Appendix

# 8.1 Knowledge and Skills Needed

Bill Nguyen: Skills that the team needs to acquire are end to end development, CI/CD, multiple ways of testing (integration, unit, acceptance tests etc...). This will be needed since project is end to end (front-end, back-end, database etc.), will be using CI/CD to deploy code changes, and will be testing project in multiple ways.

Syed Bokhari: Skills relating to API integration and server communication are needed for the technical development of the application. This is needed because the project depends on the use of multiple APIs for the core functionality of its features. Knowledge of server communication is required due to the nature of application development as the dynamic application information requires constant feedback from the server.

Youssef Dahab: The team will collectively need to acquire documentation skills to successfully complete this project. This includes learning how to write requirements (functional and non functional), how to create use case diagrams, class diagrams, activity diagrams, design documents, how to make a hazard analysis, VV plan and report.

Mahmoud Anklis: The team will need to acquire skills pertaining to app development for Android. This will include setting up an emulator that the application can be run on and tested on. This will also include setting up the most efficient IDE that will enable the team

to develop smoothly.

Logan Brown: The team will need to learn how to effectively communicate with stakeholders who do not necessarily understand technical aspects of software. More specifically, this includes knowing how to discern and understand what the client wants and effectively implementing it in the end product. Understanding and responding to stakeholder feedback is another important aspect that must be learned.

#### 8.2 How Knowledge and Skills Will Be Acquired

Bill Nguyen: Project will be end to end so will implement code in front-end, back-end etc. and will be integrating all components to make it an end to end project. Will use CI/CD in project to integrate and deploy code, so will add necessary steps in yaml file to make and update CI/CD process. Will research and implement unit, integration, acceptance tests etc. to learn more about multiple types of tests.

Syed Bokhari: The knowledge relating to API integration will be acquired through reading API specific documentation and creating test API applications to test the correct functionality of each API in use. The server communication will be learned through research and development of the project.

Youssef Dahab: An approach to acquire such knowledge is to attend 4G06 course lectures and tutorials, and ask questions to the professor and TAs whenever needed. Another approach is to look up 4G0G lecture notes or past notes from relevant courses such as SFWRENG 2AA4 or 3XA3 and to search or read online on how to properly and correctly document requirements, implementation, test plans, and design documents. I will mainly pursue the second approach as I do not often attend lectures.

Mahmoud Anklis: Online research will play a pivotal role in acquiring the knowledge to develop an Android application. This may include videos, blogs, courses, and tutorials that cover topics from developing to setting up an emulator. The online IDE documentation will also be consulted for any IDE issues. App-Dev books may also be used as a resource.

Logan Brown: Principles drawn from previous courses such as 3RA3, 3I03, as well as lectures in this course will be instrumental in making sure communication goes smoothly. Some trial and error will be required as communication skills are often acquired through experience. Previous experience such as members who have completed co-ops will aid the entire group through teaching what they already know.

# 9 References

[1] How much does it cost to publish an app on the app store?