Some RStudio Keyboard Shortcuts and Tricks

Key	Source Pane	Console Pane
Alt+Shift+K	Show keyboard shortcut table	Works outside the pane system. (Mac users may need to consult this if in doubt about the Mac equivalent of the form listed here.)
Ctrl+1	Shift focus to the source pane	Works outside the pane system
Ctrl+2	Shift focus to the console pane	Works outside the pane system
Ctrl+Shift+F	Find all occurrences of a string in the documents held in the current project folder, or sub-folders	Works outside the pane system. (Little known, but very useful!)
Ctrl+Shift+K	'Knit' the current document to either an html, Word or pdf. (If the current document is an *R* script, a temporary `.Rmd` document is constructed from it on the fly.)	Works outside of the pane system
Ctrl+Shift+N	Start a new, unnamed *R* script in the source pane	Works outside the pane system
(Mouse clicks)	A single click locates the cursor. When the cursor is within a word, a double click will select the entire word. A third click will select the entire line.	Works similarly to source pane
	When the cursor is located *immediately after* an opening group delimiter: `(`, `[`, or `{`, a double click will select all text up to, but not including the *matching* closing delimiter.	(This handy feature may be only available in the preview version of RStudio)
(Group delimiters)	To insert matching group delimiters in code or documents: First select the entire section to be enclosed within the group. Then press the required delimiter: `(`, `[`, or `{` Delimiters are inserted before and after the selected text and the cursor located *after* the enclosed group.	Works similarly to source pane

Esc		Interrupt the currently executing *R* command, (if possible!)
Ctrl-Shift-F10	Restart the *R* process, reloading the current workspace, but clearing the search path back to the default.	Works outside the pane system
Ctrl+Q	Quit RStudio altogether	Works outside the pane system

Ctrl+A	Select entire document	Select current line
Ctrl+C	Copy selected text	Copy selected text
Ctrl+Shift+C	Comment or uncomment selected lines (a toggle)	
Ctrl+D	Delete all on the current line	Delete the line being typed
Ctrl+F	Find and replace	
Ctrl+I	Indent the current line and move to the next line. When held down, this works its way down the document	
Ctrl+K	Kill to end of line	Kill to end of line
Ctrl+L		Clears the console pane
Ctrl+Shift+M	Insert pipe, `%>%`	Insert pipe, `%>%`
Ctrl+S	Save the current document	
Ctrl+Shift+S	Save the current document and `source()` it in the console pane	
Ctrl+X	Cut and copy selection	Cut and copy selection, but limited to the line currently being typed
Ctrl+Z	Reverse the previous change. When typed repeatedly, will reverse several previous changes.	Same action, but limited to the line currently being typed
Alt+-	Insert assignment operator, `<-`	Insert assignment operator, `<-`
Ctrl+Enter	Execute current line, group or selection in the console panel	
Alt+Shift+I	In an `Rmd` document, insert a code chunk at the present point.	
Ctrl+Alt+Shift+R	In an *R* script, insert `roxygen2` comment skeleton. The cursor must be at the first line of a function definition, and the definition itself must start with a line of the form `name <- function(...) {...` The opening { is required.	
Alt+<letter>	Open menu or sub-menu indicated by <u><letter></u> on the menu bars	Works outside the pane system

NOTE: Keyboard shortcuts may be modified from the menu:

Tools ⟶ Modify keyboard shortcuts. . . (or equavalently `Alt-T`, `Alt-M`)

You may want to change the `roxygen` generator from `Ctrl+Alt+Shift+R` to `F12`, (which is currently unused).