

04 User Guide

How to run, demonstrate and verify RAMIFY OS

1. Start the demo

Use Windows CMD in the extracted project folder.

```
py -m venv .venv
.\.venv\Scripts\python.exe -m pip install -e .
.\.venv\Scripts\python.exe -m uvicorn ramify.api.app:app --app-dir backend --host 127.0.0.1 --port 8000
```

2. Normal demonstration flow

- Use Guided Demo for the fast scripted story.
- Use Shop for one live free-form Llama interpretation.
- Show the five primitive RAMIFY trace and milliseconds.
- Compare agent policies using My Agents.
- Open the signed receipt, verify it, and optionally run the tamper demo.
- Use Technical or Proof Pack for reviewer evidence.

3. AI behaviour

Users do not manually toggle AI on or off. Exact product selections use the deterministic fast path. Genuine free-form typed requests can use LangGraph + Ollama + Llama 3.1. If the local model is slow or unavailable, RAMIFY automatically falls back to deterministic interpretation while leaving the trust result unchanged.

4. Proof Pack

Open Technical -> Proof Pack, or download `/api/v0/proof-pack`. The ZIP contains signed synthetic receipts, an index and verification notes.

5. Troubleshooting

- If RAMIFY cannot load, make sure the CMD window running Uvicorn is still open.
- If Llama does not appear, run `ollama serve` and `ollama pull llama3.1`.
- If the live LLM test fails, the demo can still run safely using deterministic fallback.