
C+22-1 )		PL= 0,4+ j0,2
Step 1, 2.	Smith Chart	Y,=0,4+j0,2 Y=0,4+j1,8
	4	7,=0,4+j0,2
	0.11 0.12 0.13 0.14	= 71.6
0,5 29	0.1 0.39 0.38 0.37 0.36	35 0.16
000 000	110 00 00 00 00 00 00 00 00 00 00 00 00	\$ 0.00 mg
Odo Joso So True suscept Ance	0.2	
0,03779	lo A	25 23
	0.6	39
	08	4.915
STOWNINGE  8-0 0-4-0		50 10 8 8
070 048 000 000 000 000 000 000 000 000 00		
0 -> WAVELENGTHS TOWNED GENERATION OF 100 0.48 1770 0.48	120	0.23 0.24 0.25 0.28 0.23  0.023 0.024 0.025 0.024  0.023 0.025 0.026  0.023 0.026 0.027  0.020 0
0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00 00 00 00 00 00 00 00 00 00 00 00 00
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.2	O 28 O 24 O 24 O 24 O 24 O 24 O 24 O 24 O 25 O 25 O 26 O 26
St.	100	DEGARES 0.3.2
RESISTANCE COMPONENT (R/ZO), OR CO		01.
	100	01/51
Service Control of the Control of th	100	000
Se Color Control of the Color o	Po	62 / 1° CO
\$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20	2 21 55
\$00 005. 32 cro 600 0	O O O O O O O O O O O O O O O O O O O	01. 81.0 CEO 8 TEO 8 TEO 8 TEO
100 +	10 001 06 08 9	NO WES
$\frac{86.0}{96.0}$		
RADIALLY SCALED PARAMETERS  TOWARD LOAD ->		
RADIALLY SCALED PARAMETERS  TOWARD LOAD -> CONTRIBUTION OF TOWARD GENERATOR TOWARD GENERATO		
0.0 0.1 0.2 0.3 0.4 0.5 0.6 ORIGIN	CENTER 0.7 0.8 0.9 1 1.1 1.2 1.3	1,4 1,5 1,6 1,7 1,8 1,9 2 RAFER

Step 3 & 4

## **Smith Chart**



## **Smith Chart**

