

### **TO FIT**

a) 3-b) 6-c) 12-d) 18-e) 24 mths HEIGHT a) 60-b) 67-c) 74-d) 81-e) 86 cm

### **MATERIALS**

PHIL NUAGE: a) 2 - b) 2 - c) 3 - d) 3 - e) 4 balls of SABLE

1 pair each of 6 mm (UK 4 - US 10) and 6.5 mm (UK 3 - US 10.5) knitting needles Cable needle

6 x 13 mm poppers

Composition: 72% merino wool, 28% polyamide

# STITCHES K1,p1 rib St st

Patt st (see chart)

## **TENSION**

Be sure to check your tension before starting to knit. If tension is too tight, change to larger needles; if it is too loose, change to smaller needles

28 sts to 13 cm and 23 rows to 10 cm measured over patt st using 6.5 mm needles

16 sts and 23 rows to 10 cm measured over st st using 6.5 mm needles

### **BACK**

Using 6 mm needles, cast on a) 41 - b) 45 - c) 47 - d) 51 - e) 55 sts and work in k1,p1 rib for 2 cm, beg  $1^{st}$  row with k1.

Change to 6.5 mm needles and st st, inc a) c) 1 st in 1st row

[a) 42 - b) 45 - c) 48 - d) 51 - e) 55 sts]

When work meas a) 11 - b) 13 - c) 15 - d) 16 - e) 17 cm <u>after rib</u>, shape armholes. On each edge, cast off 2 sts once and 1 st twice

[a) 34 - b) 37 - c) 40 - d) 43 - e) 47 sts]

Work straight.

When work meas a) 22 - b) 25 - c) 28 - d) 30 - e) 32 cm <u>after rib</u>, shape shoulders. On each edge, cast off a) b) 5 sts twice - c) 5 sts once and 6 sts once - d) 6 sts twice - e) 6 sts once and 7 sts once

**At the same time**, shape neck. Cast off a) 14 - b) 17 - c) 18 - d) 19 - e) 21 center sts.

#### RIGHT FRONT

Using 6 mm needles, cast on a) 39 - b) 41 - c) 41 - d) 43 - e) 45 sts and work in k1,p1 rib for 2 cm, beg  $1^{\text{st}}$  row with k2.

Change to 6.5 mm needles, work in patt st (see chart) and st st; c) d) e) inc 1 st at beg of row, then work as follows: work 28 sts in patt st (see chart), then work a) 11 - b) 13 - c) 14 - d) 16 - e) 18 sts in st st

When work meas a) 11 - b) 13 - c) 15 - d) 16 - e) 17 cm <u>after rib</u>, shape armhole. On left edge, cast off 2 sts once and 1 st twice

[a) 35 - b) 37 - c) 38 - d) 40 - e) 42 sts], work straight.


When work meas a) 18 - b) 21 - c) 23 - d) 25 - e) 27 - cm after rib, shape neck. On right edge, cast off: a) 7 - b) c) d) 8 - e) 9 sts once, then cast off: a) 6 sts once, 5 sts once, 4 sts once, 2 sts once and 1 st once - b) c) 7 sts once, 5 sts once, 4 sts once, 5 sts o

When work meas a) 22 - b) 25 - c) 28 - d) 30 - e) 32 cm <u>after rib</u>, shape shoulder. On left edge, cast off: a) b) 5 sts twice - c) 5 sts once and 6 sts once - d) 6 sts twice - e) 6 sts once and 7 sts once

Work Left Front, reverse shaping.

#### **SLEEVES**

Using 6 mm needles, cast on a) 28 - b) 30 - c) 32 - d) 34 - e) 36 sts and work in k1,p1 rib for 1.5 cm.



When work meas a) 12.5 - b) 14.5 - c) 17.5 - d) 19.5 - e) 20.5 cm after rib, shape slope. On each edge, cast off: a) 4 sts once, 3 sts twice and 4 sts once - b) 4 sts twice, 3 sts once and 4 sts once - c) 5 sts once, 4 sts once, 3 sts once and 5 sts once - d) 5 sts once, 4 sts twice and 6 sts once - e) 5 sts twice, 4 sts once and 6 sts once

When work meas a) 16.5 - b) 18.5 - c) 21.5 - d) 23.5 - e) 24.5 cm after rib, cast off rem 8 sts.

Work other sleeve in same way.

### SHAWL COLLAR

Using 6 mm needles, cast on a) 73 - b) 77 - c) 83 - d) 87 - e) 91 sts and work in k1,p1 rib, beg and end with k2.

Work 4 rows, then on each edge, leave 6 sts on a holder, then also leave foll sts on holder: a) 4 sts once and 3 sts 7 times - b) 5 sts once, 4 sts once and 3 sts 6 times - c) 5 sts twice, 4 sts twice and 3 sts 4 times - d) 5 sts 3 times, 4 sts twice and 3 sts 3 times - e) 5 sts 4 times, 4 sts twice and 3 sts twice


Work 1 row on all sts, then cast off.


#### **MAKE UP**

Sew seams for shoulders, sides and sleeves. Join sleeves to body.


Position cast on row of collar around neck (right sides tog) and sew using concealed stitching, then fold in half inwards and hold using thread. Sew 4 poppers at regular intervals on 1st st after patt st panel on Right Front; sew 1st popper under shawl collar and last popper above bottom rib.

Sew final 2 poppers on 3<sup>rd</sup> st in patt st, level with first 2 poppers to hold crossover.









Work from 1<sup>st</sup> to 18<sup>th</sup> row once, then repeat sts in frame (ie. from 3<sup>rd</sup> to 18<sup>th</sup> row)

- | = k1 (RS) or p1 (WS)
- $\square$  = p1 (RS) or k1 (WS)
- = 3 sts crossed to the left: sl2 onto a cable needle held in front of work, p1, k2 on cable needle
- = 3 sts crossed to the right: sl1 onto a cable needle held behind work, k2, p1 on cable needle
- = 5 sts crossed to the right: sl3 onto a cable needle held behind work, k2, put 3<sup>rd</sup> st from cable needle back on left needle and purl this st behind other 2 sts on cable needle, then k2 on cable needle