Trade Journal

Full setup guide: build your own copy from scratch, put it online, install it on a phone, and sync laptop and phone.

> **Who this is for**
> Anyone setting up the journal for themselves or for a friend, starting with nothing. Every click is written out. Every problem we hit the first time is marked ⚠ **Watch out**, with the fix.

What you need

- A laptop or desktop with a web browser (Chrome, Edge or Brave).
- A phone, if you want the journal on the phone too.
- An email address for a free GitHub account.
- The file `trade-journal-app-files.zip` that came with this guide (only needed for Route B, part 3).
- About 45 minutes the first time.

Contents

1. How it all fits together
2. Two ways to give your friend the journal (pick one)
3. Make your own copy: GitHub account, files, putting it online
4. Open it and install it on the phone
5. First settings: what you trade, currency, checklist, limits
6. Turn on sync between laptop and phone
7. Problems and fixes (everything we ran into)
8. Changing or updating the app later
9. The files: what each one does
10. Final checklist


Version of the app described here: **v1.5**. You can always see the version at the bottom of the app's Settings tab (picture in part 4).

1. How it all fits together

Read this once. Most of the confusion the first time came from not having this picture.

Three separate things

Thing	What it is	Where it lives
1. The app	The program: the screens, buttons and calculations. Just files. It holds **no** trades.	A **public** GitHub repository, published as a website by GitHub Pages.
2. Your trades on each device	Each browser keeps its own copy of the trades, like a notebook. The laptop's notebook and the phone's notebook are separate.	Inside the browser on that device.
3. The sync cabinet	A shared place both notebooks copy to and from, so they stay the same.	A second, **private** GitHub repository.



Why it is built this way
No server to pay for or look after. The app is plain files that GitHub hosts for free. Trades stay on your devices. They only leave a device to go into **your own private** repository, which nobody else can open. A database service would need a monthly fee or a company holding your data.

⚠ Watch out: what confused us
We logged a trade on the laptop, opened the phone, and it was empty. Nothing was broken: **sync was not turned on yet**, so each notebook only had its own trades. Until sync is connected on **each** device, the top-right of the app shows `Sync off`.

Two keys you will make

- **The repository name** tells the app which cabinet to use: `trade-journal-data`.
- **An access token** is a long password that opens only that one cabinet. You make **one per device**: one for the laptop, one for the phone.

2. Two ways to give your friend the journal

You do **not** have to rebuild the app to give it to someone. Pick a route:

	Route A: share your link	Route B: their own copy
What	Your friend opens **your** app link, e.g. `billlygene.github.io/trade-journal`.	Your friend gets their own GitHub account and their own copy of the app at `theirname.github.io/trade-journal`.
Their data	Fully separate from yours. Each browser has its own notebook, and they make their **own** private sync cabinet. You never see their trades and they never see yours.	Fully separate.
Time	About 20 minutes (parts 4 to 6 only).	About 45 minutes (parts 3 to 6).
Downside	If you change or delete your app, it changes for them too.	More steps. Updates you make don't reach them unless they copy them (part 8).

> **Which to pick**
> The app is only the program, not the data. Sharing it is like two people using the same calculator website: the numbers they type stay on their own devices. Pick **Route A** if your friend just wants a working journal. Pick **Route B** if they want to own it, change it, or not depend on you.

Route A: skip part 3. Your friend still needs a free GitHub account for sync (part 3, step 3.1), then does parts 4, 5 and 6.

Route B: follow every part in order.

How we put the original online

Claude wrote the files and saved them to the repository `BilllyGene/trade-journal` on its `main` branch. GitHub Pages then published them automatically, as it does after every change (it takes 1 to 2 minutes). Uploading the files through the GitHub website (part 3, option 2) does exactly the same job. You don't need any programming tools.

3. Make your own copy (Route B)

3.1 Create a GitHub account (skip if you have one)

1. Go to `github.com` → **Sign up**.
2. Enter email, password and a username. **Write the username down exactly**: it becomes part of the app's web address and is typed into the app later. Example: `KwameFX`.
3. Confirm the email code GitHub sends. Choose the **Free** plan.

3.2 Get the app files into a repository: two options

Option 1, easiest: Fork (copy) the original. A fork is GitHub's one-click "make me a copy".

1. Signed in as the friend, open `github.com/BillyGene/trade-journal`.
2. Click **Fork** (top right) → keep the name `trade-journal` → **Create fork**.
3. Done. Go to 3.3.

> **Why fork is the easiest**
> Every file lands in the right place automatically. Later, one button (**Sync fork**) copies your improvements into theirs (part 8).

Option 2: upload the files yourself (if you'd rather not depend on the original repository).

1. On the computer, find `trade-journal-app-files.zip`. **Right-click → Extract All → Extract.** You get a folder with 7 files: `index.html`, `sw.js`, `manifest.json`, `icon.svg`, `icon-192.png`, `icon-512.png`, `README.md`.
2. On GitHub click **+** (top right) → **New repository**.
3. Repository name: `trade-journal`. Choose **Public**. Leave "Add a README" **unticked**. Click **Create repository**.
4. On the next page, click the link **uploading an existing file**.
5. **Open the extracted folder, select all 7 files (Ctrl+A) and drag them** onto the GitHub page.
6. Wait until all 7 show in the list, then click the green **Commit changes** at the bottom.

> **⚠ Watch out: files must sit at the top level**
> Drag the **files**, not the folder and not the zip. If you drag the folder, GitHub puts everything inside a sub-folder, and the website shows a **404 "page not found"**. The repository's main page must list `index.html` directly. If it shows a folder name instead, delete the repository (Settings → bottom → Delete this repository) and upload again.

> **Why the app repository must be Public**
> On a free GitHub account, Pages only publishes public repositories. That only makes the **program** public: anyone could see how the app is built. Trades and screenshots are **never** stored here.

3.3 Put it online with GitHub Pages

1. In the `trade-journal` repository, click **Settings** (the tab with a gear, top of the repository).


2. Left menu: `Pages`.
3. Under **Build and deployment → Source**, choose `Deploy from a branch`.
4. Under **Branch**, choose `main` and the folder `/ (root)`. Click `Save`.
5. Wait 1 to 2 minutes, then refresh the Pages settings page. A box appears: **"Your site is live at https://USERNAME.github.io/trade-journal/"**. Click `Visit site`.

> **How to tell it worked**
> The site opens with the title **Trade Journal** and four tabs. If you see a 404, wait two more minutes and refresh. If it's still 404, check the "files at the top level" warning above.

4. Open it and install it on the phone

4.1 Open on the laptop

Go to `https://USERNAME.github.io/trade-journal/` (Route A: your own link). Bookmark it.



First visit. **Sync off** at the top right is normal until part 6 is done.

4.2 Install on the phone


- **Android (Chrome):** open the link → tap ⋮ (top right) → Add to Home screen or Install app.
- **iPhone (Safari):** open the link → tap the Share button (square with an up-arrow) → Add to Home Screen → Add.

> **Why install instead of just using the browser**
> It opens like an app and works with no internet. On iPhone it also matters for safety: Safari can delete a website's saved data if it isn't opened for a few weeks, and installed apps are protected from this.

4.3 How to "refresh" and how to check the version

You'll be asked to check the version whenever the app has been changed. Two things to know:

- **Refresh** means reload the page. On a laptop, click the **circular arrow** left of the web address, or press **F5**. On a phone app, close it fully (swipe it away) and open it again.
- The **version** is at the very bottom of the Settings tab, in the last box called **About**:



Settings tab → scroll to the bottom → About.

⚠ Watch out: the old version can stick for one refresh
The app keeps a copy of itself so it works offline. After a change it fetches the new version on the next open, but sometimes needs **two** refreshes. If the version number is old, refresh again.


5. First settings: what you trade, currency, checklist, limits

Open the **Settings** tab. Settings sync to the other device too, once part 6 is done. Light/Dark mode is the exception and stays per device.

5.1 What you trade: any pair, index, metal or crypto

The journal is **not fixed to gold**. Nothing in the app needs editing to trade something else: it's all in Settings.


1. **Settings** → **Rules and limits** → **Main instrument**: type what you trade most, e.g. `EURUSD`, `GBPJPY`, `US30`, `NAS100`, `BTCUSD`. A list of common ones pops up as you type.
2. **Account currency symbol**: the currency of the trading account, e.g. `$`, `€`, `£`, `GH₵`. P&L, risk, loss limit and balance all use it.
3. Click **Save**. The heading changes (e.g. "EURUSD · Track, review, improve"), and every new trade starts with that instrument.




Rules and limits: main instrument and account currency at the top.

Trading more than one instrument

- On any trade, just type a different instrument in the **Instrument** box. The main one is only the starting value.
- As soon as trades exist for two or more instruments, the **Dashboard** shows a **"Show numbers for"** picker. Choose one instrument to see its own win rate, P&L, charts and recent form, or **All instruments** for the whole account.
- The **Trade log** has an **Instrument** filter, which you can combine with the other filters.
- Daily trade limits and the daily loss limit always count **all** instruments together, because they protect the whole account.



Dashboard showing EURUSD only.



A EURUSD trade: prices keep all 5 decimals, R:R works out by itself.

Good to know when trading something other than gold

- Prices show the decimals you type: gold `2385.40`, EURUSD `1.08523`, USDJPY `151.234`.
- **P&L is typed in yourself from MT5**, in the account currency. The app never works out money from prices, because pip and point values differ by broker, instrument and lot size. MT5's number is always right.
- **R:R** and the result in **R** (P&L ÷ Risk) work the same for every instrument.
- Sessions are fixed in GMT: London 07:00 to 11:00, New York 13:00 to 17:00, Asia 00:00 to 04:00. The app guesses the session from the time you type, using the device clock as GMT. If your friend is not on GMT (Ghana is), they should pick the session by hand.
- The checklist presets are general price-action steps. Edit them to suit any market (5.2).


5.2 Checklist (strategy steps)

Checklist steps card: load `preset A: ICC` or `preset B`, or edit names and descriptions, reorder with ↑ ↓, remove with ×, add with `+ Add step` (1 to 8 steps). Click `Save checklist`.


Why old trades don't change

Each trade stores a copy of the steps it was logged with. Changing strategy later never relabels old trades, so your history stays honest.

5.3 Logging a trade (quick tour)



Log trade tab: fields marked * are required.



Each step: tap Confirm, add screenshots. On a laptop you can paste with Ctrl+V.

P&L: use the ± button for a loss, because the iPhone number keypad has no minus key. R:R fills itself from entry, SL and TP if you leave it blank.

6. Turn on sync between laptop and phone

Do 6.1 once. Then do 6.2 and 6.3 on the **laptop**, and 6.2 and 6.3 again on the **phone**.

6.1 Create the private cabinet (once)

1. On GitHub click `+` (top right) → `New repository`.
2. Repository name: type exactly `trade-journal-data`, with **no space at the end**.
3. Choose `Private`. Click `Create repository`. Leave it empty: the app fills it.

> **⚠ Watch out: this is what happened to us**
> A space typed after the name made GitHub create `trade-journal-data-`, with a dash at the end. The app then said *"Repository … not found"*.
> **Check:** the name at the top of the new repository page must end in `data`, not `data-`.
> **Fix:** open the repository → `Settings` → `General` → **Repository name** → remove the dash → `Rename`. Tokens keep working after a rename.

> **Why it must be Private**
> Trades and screenshots are stored here. The app **refuses** to sync to a public repository and says so.

6.2 Make an access token for this device


Open this link (sign in if asked): `https://github.com/settings/personal-access-tokens/new`

The long way there: profile picture (top right) → **Settings** → bottom of the left menu **Developer settings** → **Personal access tokens** → **Fine-grained tokens** → **Generate new token**.


Field on the page	What to choose
Token name	`journal laptop` (on the phone: `journal phone`)
Expiration	**Custom** → a date about one year ahead (or **No expiration** if offered). **Not the 30-day default.**
Repository access	`Only select repositories` → pick `trade-journal-data`
Permissions	**Contents → Read and write.** If you only see an `Add permissions` button: click it, tick **Contents**, then set it to **Read and write**. Leave everything else alone.

Click the green `Generate token` at the bottom. The next page shows a green box with a code starting `github_pat_`. **Click the copy icon (two small squares) next to it straight away.**

> **⚠ Watch out: three things that tripped us up**
>
> 1. **GitHub shows the code only once.** If you leave the page, it's hidden for good, and the token list only shows the name.
> 2. **Select-and-copy by hand cut the code short.** A full code is about **93 characters**. Always use the copy icon.
> 3. **30 days was the default expiry.** Sync would stop next month. Choose a year.




The token list after creating it: only the name shows, never the code.



Click the token's name to check its access. Here the repository has the unwanted dash at the end.


Lost the code? Open the token list (`github.com/settings/personal-access-tokens`) → click the token's name → **Regenerate token** → set the expiration → **Regenerate token** → copy the new code with the copy icon. Regenerating **cancels the old code**, so paste the new one into the app.




The Regenerate page. Change "30 days" to a longer expiry before clicking the green button.

6.3 Connect the app on this device


1. Open the journal app. Check the version is **v1.5 or newer** (part 4.3).
2. Tap the Sync off chip at the top right. It opens **Settings → Sync between devices**.
3. **GitHub username:** the friend's username, exactly. **Private repository name:** `trade-journal-data`.
4. Click in **Access token** and paste (Ctrl+V on a laptop; long-press → Paste on a phone). Underneath it should say **"93 characters ✓ looks complete"** (or close to 93). Tap Show to see what you pasted.
5. Tap Connect and sync.



Filled in correctly: the length check says "looks complete".



Connected. Green "Last synced just now".



The chip at the top right turns green on every tab.

6.4 The other device

On the phone, repeat **6.2** (new token, named `journal phone`) and **6.3**. Within seconds the laptop's trades appear on the phone. If both devices already had trades, the first sync joins them together and deletes nothing.

> **Why a separate token per device**
> If the phone is lost, you delete only the phone's token on GitHub and the laptop keeps working. You also never have to send a token over WhatsApp or email, where it could leak.

6.5 Test it (2 minutes)

1. On the laptop, log a test trade.
2. On the phone, open the app (or tap the chip → **Sync now**). The test trade appears.
3. On the phone, delete it (Trade log → Delete). On the laptop, tap **Sync now**. It's gone.

How sync behaves from now on

- It runs when the app opens, a few seconds after every change, every 5 minutes, and when the internet comes back.
- With no internet you can keep logging. The chip says **Offline** and it catches up later.
- If the same trade is edited on both devices before a sync, the **later** edit wins. The other version is saved in the repository's `conflicts` folder, so nothing is lost.
- Every sync is saved in the repository's history, so it also acts as a backup.

7. Problems and fixes

Everything below actually happened, or is the app's own warning message. Match what you see and do what's in the right-hand column.

What you see	What it means	Fix
Sync off chip, and the other device doesn't show the trades	Sync isn't connected on **this** device yet.	Part 6.2 and 6.3 on this device.
Yellow box: *"Your trades are only saved on this device, and sync is off..."*	Same as above. Without sync or a backup, losing the browser data loses the trades.	Click **Set up sync**, or **Back up now**.
Couldn't find the `github_pat_` code	GitHub shows it only once, right after creating it.	Token list → token name → **Regenerate token** → copy with the copy icon.
"This token is only NN characters long..."	Only part of the code was copied.	Copy again with the copy icon. A full code is about 93 characters.
"This does not look like a GitHub token"	Something else was pasted (e.g. the token's name).	Paste the `github_pat_…` code.
"GitHub did not accept the access token..."	The code is old (regenerated since), expired, or incomplete.	Regenerate, then paste the new code.
"Repository ".../trade-journal-data-" not found..."	The name differs from GitHub's: a dash at the end, a typo, or the token wasn't given this repository.	Rename the repository (part 6.1), or fix the spelling. Check the token's **Repository access**.
"The repository ... is PUBLIC..."	The data cabinet was created as Public.	Repository → Settings → General → bottom: **Change visibility** → Private.
Red **Sync problem** chip after months of working	Usually the token expired.	Regenerate the token, then paste it again in Settings → Sync.
Offline chip	No internet. Not an error.	Nothing. It syncs by itself later.
Website shows 404	Pages isn't on yet, still building, or the files are in a sub-folder.	Wait 2 minutes. Check part 3.3 and the "top level" warning in 3.2.
A new feature doesn't show up	The old copy is still cached.	Refresh once or twice. Check the version in Settings → About.
Phone lost or replaced	The trades are safe in the private repository.	On GitHub, delete the old phone's token. On the new phone, install the app and do part 6.2 and 6.3: everything downloads again.

⚠ Two buttons that behave differently when sync is on

Delete all trades and screenshots (Settings → Danger zone) only clears **this device**. Everything comes back from GitHub on the next sync. To remove a trade everywhere, delete it from the **Trade log**.

Import → Replace all also only replaces this device. Trades in GitHub that aren't in the backup come back on the next sync.

8. Changing or updating the app later

8.1 Getting updates

- **Route A (shared link):** nothing to do. Updates to the original reach everyone after a refresh.
- **Route B with a fork:** open the friend's `trade-journal` repository → **Sync fork** → **Update branch**. Pages republishes in 1 to 2 minutes.
- **Route B with uploaded files:** in the repository, **Add file** → **Upload files** → drag the new file(s) with the same names → **Commit changes**. Files with the same name are replaced.

8.2 Editing the app yourself

Click a file on GitHub → the **pencil** icon → edit → **Commit changes**. After **any** change to the app, also bump the version in two places, so phones stop using their offline copy:

1. `sw.js`, line 3: `const CACHE = 'trade-journal-v1.5';` → change to `v1.6`.
2. `index.html`: search (Ctrl+F) for `APP_VERSION` and change `'1.5'` to `'1.6'`. This is the number shown in Settings → About.

> **Why bump the version**
> The phone keeps a copy of the app so it works offline. A new version name tells it to throw the old copy away. Without it, a phone can keep showing the old app.

8.3 Your data is never in the app files

Editing, replacing or even deleting the `trade-journal` app repository never touches trades. They live in each browser and in `trade-journal-data`. Still export a **full backup (.json)** from Settings → Data now and then: it costs nothing and doesn't depend on GitHub.

9. The files: what each one does

All files sit at the top level of the `trade-journal` repository (no folders needed).

File	What it does	Needed?
`index.html`	The whole app: screens, styling, calculations, storage and sync, in one file. Opening it straight from the computer (double-click) also works, but that copy has its own separate notebook.	**Yes**
`sw.js`	The "service worker": lets the app open with no internet, and fetches new versions.	Yes (for offline)
`manifest.json`	Name, colour and icon used when installing on a phone home screen.	Yes (for install)
`icon.svg`, `icon-192.png`, `icon-512.png`	The app icon in different sizes.	Yes
`README.md`	Short instructions shown on the repository's GitHub page.	Optional
`SPEC.md`, `tests/`, `guide/`	Only in the original repository: the full specification, automatic tests, and this guide. Not needed to run the app.	No

What the private cabinet holds (created by the app)

In `trade-journal-data`	What it is
`journal.json`	All trades and settings.
`shots/`	The screenshots, one file each.
`conflicts/`	Only if a trade was edited on two devices at once: the version that lost.
`README.md`	A note saying "keep this private".

> **⚠ Don't edit the cabinet's files by hand**
> Change trades in the app. Editing `journal.json` on GitHub could break sync.

10. Final checklist

- ☐ GitHub account created; username written down exactly.
- ☐ App: forked or uploaded; the repository's main page lists `index.html` directly. (Route A: skip.)
- ☐ Pages turned on: **main** / **(root)**; the site opens at `USERNAME.github.io/trade-journal/`.
- ☐ Installed on the phone's home screen.
- ☐ Settings → About shows v1.5 or newer.
- ☐ Main instrument, account currency, checklist and limits set.
- ☐ Private repository `trade-journal-data` created; the name ends in `data`, not `data-`.
- ☐ Laptop token: only `trade-journal-data`, Contents: Read and write, about a year's expiry; copied with the copy icon.
- ☐ Laptop connected: green chip.
- ☐ Phone token made (separate); phone connected: green chip.
- ☐ Test trade appears on the other device, and deleting it removes it on both.
- ☐ A calendar reminder set for 11 months ahead: "renew the journal tokens".

> **Done**
> From here on, just log trades. Both devices stay in step by themselves, and the private repository keeps a full history as a backup.