
Sifter Career Taxonomy — Personal Handoff

Document ID: `HANDOFF-2026-09-01`
Audience: the next Codex account, maintainer, or reviewer
Purpose: transfer the current evidence state without confusing historical diagnostics, active product data, and deferred SQL deployment

0. Handoff path



▶ View diagram definition

Handoff key	Follow this link
`HANDOFF-METHOD`	Academic methodology
`HANDOFF-SOURCES`	Complete source and behavior inventory
`HANDOFF-DOMAIN`	Domain source traceability
`HANDOFF-NAMING`	Domain naming provenance
`HANDOFF-CCMAS`	Reviewed Nigerian CCMAS/JAMB links
`HANDOFF-ENTITIES`	Nigerian context coverage
`HANDOFF-REVIEW`	Review-state dispositions
`HANDOFF-GATE`	Population gate

1. Current state at a glance

State key	Current result	What it means
`STATE-DOMAIN`	168 total; 160 visible	7 exact source terms, 159 source-supported umbrellas, 2 curated later additions
`STATE-SUBGROUP`	555 provenance rows; 542 visible	All visible subgroups have actual Nigerian local enrichment
`STATE-ROLE`	5,209 merged role records	Every merged role has some recorded source evidence
`STATE-ROLE-ANCHOR`	5,130 explicit anchors; 5,090 work-profile links	Different anchor types are intentionally not collapsed into one claim


State key	Current result	What it means
`STATE-NG-ROLE`	5,093 visible role-context entries; 5,089 locally enriched	Four visible roles are explicit global-only exceptions
`STATE-CCMAS`	711 candidate occurrences dispositioned	547 certified, 163 guided bridges, 1 removed
`STATE-REVIEW`	1,538 dispositions; 0 follow-up	The inventory is reviewed; bounded states remain explicit
`STATE-SQL`	Open for regeneration	The current 5,795-row audit and review ledger reconcile cleanly; generated SQL still requires transport and deployment verification

2. The three things that must stay separate

Layer key	Definition	Example	Evidence location
`LAYER-REFERENCE`	A pointer to a source	URL, file, page, section, or row locator	Source registry and source traceability
`LAYER-CONTENT`	What the source actually says	Course outcome, task, occupation title, rule, or extracted competency	CCMAS and entity audit JSON
`LAYER-DECISION`	Why Sifter uses the content for a relationship	Direct, functional, adjacent, subgroup, role, or explicit limitation	Mapping and disposition artifacts

Never describe a URL alone as proof of a mapping. Never use global content as Nigerian demand evidence. Never turn an unresolved or unavailable state into an invented local title, licence, credential, or market claim.

3. Domain handoff




▶ View diagram definition

Domain row key	Must be present	Current evidence
`DOMAIN-ID`	Stable D-number; do not rename by display text alone	D001–D168
`DOMAIN-SOURCE`	Source-library label, cluster, raw ISIC/ISCO values, ESCO role count	Traceability JSON
`DOMAIN-CLASS`	Exact, source-supported umbrella, or curated addition	Naming provenance

Domain row key	Must be present	Current evidence
`DOMAIN-LIMIT`	Revision/code mismatch or evidence limitation	ISIC crosswalk, ISCO crosswalk

The eight invalid/missing raw ISCO values have been explicitly dispositioned with official parent/sibling candidates. Do not silently replace `2121`, `2213–2216`, `2311`, `2321`, or `3330` with a guessed child code.

4. Nigerian curriculum handoff




▶ View diagram definition

Mapping key	Rule	Display wording
`MAP-DIRECT`	At least two specific Nigerian CCMAS course/objective anchors closely support the domain foundation	“Your programme teaches a foundation closely related to this domain.”
`MAP-FUNCTIONAL`	At least two specific Nigerian CCMAS course/objective anchors support capabilities used in the domain	“Your programme gives you useful preparation, but you will need additional domain-specific capability.”
`MAP-ADJACENT`	At least one domain-specific prerequisite plus relevant transferable evidence	“This is a possible pivot. Your current foundation helps, but you need this bridge before specialising.”

The former 153 insufficient occurrences are part of the historical before-state. The final active disposition is 547 certified, 163 explicit bridge links, and one unsupported candidate removed. The active reviewed overlay has 710 published links and no `review_required` rows.

Subject matcher handoff

The complete source and behavior inventory is in CAREER_TAXONOMY_SOURCE_INVENTORY_2026-09-01.md. The executable matcher has three separate modes:




▶ View diagram definition

- **JAMB-only:** Use of English plus three other UTME subjects; match only `utme` rules and their required/one-of groups.
- **O-level-only:** At least five O-level subjects; match only `olevel` rules and enforce the source's named credits and minimum where structured.
- **Combined:** Match UTME and O-level independently, intersect by the same canonical JAMB programme ID, and report O-level gaps instead of flattening both exams into one score.

The matcher fails closed if the subject catalogue, structured options, typed rule records, programme ID, requirement ID, exam type, or source text do not agree. It does not turn an unparsed brochure sentence into an exact match. University rows are attached after the canonical programme match and add address, requirements, and notes; they do not create a new programme version.

Worked example: with UTME `ENG, CHEM, BIO, PHY`, a rule requiring `CHEM` and `BIO` plus one of `MATH/PHY` matches. With O-level `ENG, BIO, MATH, CHEM, GEO` plus another subject, a rule requiring the four named credits plus one of `GEO/HSC/PHY/STAT` matches. In combined mode, the programme is retained only when its same JAMB ID appears in both sets; missing O-level credits remain visible as a gap. See the academic worked examples and matcher audit.

5. Entity and product handoff



▶ View diagram definition

Product key	Required behavior	Data source/verification
`PRODUCT-OVERVIEW`	Keep the programme preview concise; use **Skills taught** for the programme learning summary	CCMAS/JAMB evidence
`PRODUCT-DOMAIN`	Explain what the domain does, show the portable foundation first, then retain all available competencies behind “See all”	Domain record plus global/Nigerian context


Product key	Required behavior	Data source/verification
`PRODUCT-SUBGROUP`	Explain what the specialization adds beyond the domain foundation; show priority items then all items	Subgroup record and source lineage
`PRODUCT-ROLE`	Explain work, outputs, progression, entry/mid/senior positioning, essential versus optional preparation, and evidence limits	Role profile plus Nigerian context
`PRODUCT-FALLBACK`	Use domain → role when no defensible subgroup exists	Structure and role attribution audit
`PRODUCT-LINKS`	Make source/resource links inspectable; show an offline connect state rather than pretending the external page is cached	Source IDs and URLs

Nigerian entity counts

Entity	Visible total	Local enrichment	Explicit exception
Domain	160	160	None
Subgroup	542	542	None
Role context	5,093	5,089	4 global-only: snowboard instructor, ski instructor, snow-clearing worker, hop farmer

Local enrichment means at least one source-backed local skill, tool, competency, credential, regulation, or role-family record. It does not mean Nigerian demand, exact local title equivalence, or automatic licensure.

6. Review handoff



▶ View diagram definition

Review key	Count	Status
`REVIEW-TOTAL`	1,538	Dispositioned
`REVIEW-FOLLOWUP`	0	No ledger follow-up rows
`REVIEW-PARTIAL`	220	Intentional partial source definitions
`REVIEW-VARIANTS`	445	Source variants preserved for university-specific display

Review key	Count	Status
`REVIEW-NOCANDIDATE`	135	No source candidate explicitly preserved
`REVIEW-WEF`	28	26 unmatched/aggregate signals and 2 ambiguous signals; no invented roles
`REVIEW-GLOBALONLY`	4	Global role retained without direct Nigerian counterpart claim

Full row-level detail is in REVIEW_STATE_DISPOSITIONS_2026-09-01.md.

7. Verification and SQL gate

Verification sequence

```
1. Source/domain traceability
2. CCMAS/JAMB evidence and reviewed overlay
3. Nigerian entity extraction and review ledger
4. Review-state inventory and dispositions
5. Subgroup/role source traceability and role attribution
6. Domain identity downstream impact
7. Nigerian population gate
8. Freeze the source/content contract
9. Generate SQL once, audit it, then apply in a controlled environment
```

The current integrity checks pass for 5,795 audit entities and 5,795 ledger entities, with zero follow-up rows and zero provenance/state reconciliation errors. The exhaustive-search declaration has now been reconciled to that current evidence, so the SQL gate is open for regeneration. Existing compressed seed files remain pre-freeze snapshots until the newly generated transport is audited.

Reproducibility commands

```
python data/career-mapping/_audit_domain_source_traceability.py
python data/career-mapping/_audit_review_state_inventory.py
python data/career-mapping/_audit_review_state_dispositions.py
python data/career-mapping/_audit_subgroup_role_source_traceability.py
python data/career-mapping/_audit_role_attribution_reconciliation.py
python data/career-mapping/_audit_domain_identity_downstream_impact.py
python data/career-mapping/_validate_nigerian_entity_population_gate.py
```

8. Safe continuation rules

- Preserve stable domain IDs; display labels are not primary keys.
- Preserve raw source codes and source revisions; use explicit crosswalks.
- Do not turn source references into source content without extraction.
- Do not use global/remote evidence as Nigerian demand evidence.
- Do not create a subgroup merely to make the UI symmetrical.
- Keep bridge, unavailable, partial, global-only, and no-counterpart states visible with plain-language limitations.
- Do not apply SQL until the generated transport, checksums, schema order, and production preflight are verified. The population gate is now open for regeneration.