

Nama : Bilqis Rokhimmatul Khajjah Maburoh

NIM: 242410101051

Kelas : PWEB A


AKTIVITAS MANDIRI 5 — CRUD Lengkap Mahasiswa

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa


```
C:\laragon\www\Pemrograman WEB\bilSPORT>php artisan make:controller LapanganController --resource --model=Lapangan

INFO Controller [C:\laragon\www\Pemrograman WEB\bilSPORT\app\Http\Controllers\LapanganController.php]
created successfully.


C:\laragon\www\Pemrograman WEB\bilSPORT>
```



2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)



3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)



index.blade.php

```
EXPLORER
PEMROGRAMAN WEB
  bilspport
    resources
      css
      js
      views
        components
        lapangan
          create.blade.php
          edit.blade.php
          index.blade.php
          show.blade.php
        layouts
        partials
          footer.blade.php
          navbar.blade.php

LapanganController.php U
index.blade.php U X
create.blade.php U
edit.blade.php U
show.blade.php U

bilspport > resources > views > lapangan > index.blade.php
1  @extends('layouts.app')
2
3  @section('content')
4  <div style="padding: 30px 10px;">
5    <div style="display: flex; justify-content: space-between; align-items: center; margin-bottom: 20px;">
6      <h2 style="color: maroon;">Daftar Lapangan</h2>
7      <a href="{{ route('lapangan.create') }}" style="background: maroon; color: white; padding: 10px 15px; border-radius: 5px;">Daftar</a>
8    </div>
9
10   <table style="width: 100%; border-collapse: collapse; background: white; border-radius: 10px; overflow: hidden;">
11     <thead style="background: maroon; color: white;">
12       <tr>
13         <th style="padding: 15px; text-align: left;">Kode</th>
14         <th style="padding: 15px; text-align: left;">Nama Lapangan</th>
15         <th style="padding: 15px; text-align: left;">Kategori</th>
16         <th style="padding: 15px; text-align: left;">Harga/Jam</th>
17         <th style="padding: 15px; text-align: center;">Aksi</th>
18       </tr>
19     </thead>
20     <tbody>
21       @foreach($lapangans as $lp)
22         <tr style="border-bottom: 1px solid #eee;">
23           <td style="padding: 15px;">{{ $lp->kode_lapangan }}</td>
24           <td style="padding: 15px;">{{ $lp->nama_lapangan }}</td>
25           <td style="padding: 15px;">{{ $lp->kategori }}</td>
26           <td style="padding: 15px;">Rp {{ number_format($lp->harga_per_jam) }}</td>
27           <td style="padding: 15px; text-align: center;">
28             <a href="{{ route('lapangan.show', $lp->id) }}" style="color: blue; text-decoration: underline;">Detail</a>
29             <a href="{{ route('lapangan.edit', $lp->id) }}" style="color: orange; text-decoration: underline;">Edit</a>
30           </td>
31         </tr>
32       @endforeach
33     </tbody>
34   </table>
35 </div>
36 @endsection
```

OPEN EDITORS

PEMROGRAMAN WEB

bilsport

Models

Providers

bootstrap

config

database

public

resources

css

js

views

components

lapangan

layouts

partials

footer.blade.php

navbar.blade.php

about.blade.php

bilsport > resources > views > lapangan > index.blade.php


```
4 <div style="padding: 30px 10%;">
10 <table style="width: 100%; border-collapse: collapse; background: white; border-radius: 10px; over
20 <tbody>
22 <tr style="border-bottom: 1px solid #eee;">
26 <td style="padding: 15px;"><Rp {{ number_format($lp->harga_per_jam) }}</td>
27 <td style="padding: 15px; text-align: center;">
28 <a href="{{ route('lapangan.show', $lp->id) }}" style="color: blue; text-decoration: underline;">Detail</a>
29 <a href="{{ route('lapangan.edit', $lp->id) }}" style="color: orange; text-decoration: underline;">Edit</a>
30 <form action="{{ route('lapangan.destroy', $lp->id) }}" method="POST" style="display: inline-block;">
31 @csrf @method('DELETE')
32 <button type="submit" style="color: red; background: none; border: none; cursor: pointer;">Hapus</button>
33 </form>
34 </td>
35 </tr>
36 @empty
37 <tr>
38 <td colspan="5" style="padding: 20px; text-align: center;">Belum ada data lapangan.</td>
39 </tr>
40 @endforelse
41 </tbody>
42 </table>
43
44 <div style="margin-top: 20px;">
45 <div>
46 {{ $lapangans->links() }}
47 </div>
48 </div>
@endsection
```

Daftar Lapangan


+ Tambah Lapangan

Kode	Nama Lapangan	Kategori	Harga/Jam	Aksi
F01	Galaxy Futsal A	Futsal	Rp 150,000	Detail Edit Hapus
B01	PB Smash 1	Badminton	Rp 50,000	Detail Edit Hapus
P01	Padel Jember 1	Padel	Rp 200,000	Detail Edit Hapus
F02	Champion Futsal	Futsal	Rp 125,000	Detail Edit Hapus
K01	Arena Basket Jember	Basket	Rp 100,000	Detail Edit Hapus
B02	Gedung Serbaguna	Badminton	Rp 35,000	Detail Edit Hapus
F03	Futsal Corner	Futsal	Rp 140,000	Detail Edit Hapus
B03	Bulu Tangkis Kita	Badminton	Rp 45,000	Detail Edit Hapus
K02	Hoops Station	Basket	Rp 110,000	Detail Edit Hapus
F04	Jember Sport Center	Futsal	Rp 175,000	Detail Edit Hapus

create.blade.php



```
1 @extends('layouts.app')
2
3 @section('content')
4 <div style="padding: 30px 20%;">
5     <div style="background: white; padding: 30px; border-radius: 15px; box-shadow: 0 5px 15px #000000; color: maroon; margin-bottom: 20px;">Tambah Lapangan Baru</h2>
6
7     <form action="{{ route('lapangan.store') }}" method="POST">
8         @csrf
9         <div style="margin-bottom: 15px;">
10             <label>Kode Lapangan</label>
11             <input type="text" name="kode_lapangan" value="{{ old('kode_lapangan') }}" style="width: 100%;" />
12             @error('kode_lapangan') <small style="color: red;">{{ $message }}</small> @enderror
13         </div>
14
15         <div style="margin-bottom: 15px;">
16             <label>Nama Lapangan</label>
17             <input type="text" name="nama_lapangan" value="{{ old('nama_lapangan') }}" style="width: 100%;" />
18         </div>
19
20         <div style="margin-bottom: 15px;">
21             <label>Kategori</label>
22             <select name="kategori" style="width: 100%; padding: 10px; border: 1px solid #ddd; border-radius: 5px;">
23                 <option value="Futsal">Futsal</option>
24                 <option value="Badminton">Badminton</option>
25                 <option value="Basket">Basket</option>
26             </select>
27         </div>
28     </form>
29 </div>
```



Tambah Lapangan Baru [← Kembali](#)

Kode Lapangan **Nama Lapangan**

Contoh: LKR-F01

Email Kontak

Kategori **Harga per Jam**


-- Pilih Kategori --

Foto Lapangan


No file chosen

Format: JPG, PNG (Maks 2MB)

edit.blade.php



```
1 @extends('layouts.app')
2
3 @section('content')
4 <div style="padding: 30px 20%;">
5 <div style="background: white; padding: 30px; border-radius: 15px; box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);">
6 <h2 style="color: maroon; margin-bottom: 20px;">Edit Lapangan: {{ $lapangan->nama_lapangan }}
7
8 <form action="{{ route('lapangan.update', $lapangan->id) }}" method="POST">
9 @csrf
10 @method('PUT')
11
12 <div style="margin-bottom: 15px;">
13 <label>Nama Lapangan</label>
14 <input type="text" name="nama_lapangan" value="{{ old('nama_lapangan', $lapangan->nama_lapangan) }}" />
15 </div>
16
17 <div style="margin-bottom: 15px;">
18 <label>Harga per Jam</label>
19 <input type="number" name="harga_per_jam" value="{{ old('harga_per_jam', $lapangan->harga_per_jam) }}" />
20 </div>
21
22 <button type="submit" style="background: orange; color: white; padding: 12px 20px; border: 1px solid black;">Update
23 </form>
24 </div>
25 </div>
26 @endsection
```



Edit Lapangan: Galaxy Futsal A


Pastikan semua data sudah benar sebelum disimpan kembali.

Kode Lapangan	Nama Lapangan
F01	Galaxy Futsal A
Kategori	Harga per Jam
Futsal	150000,00


show.blade.php



```
1 @extends('layouts.app')
2
3 @section('content')
4 <div style="padding: 30px 20px;">
5     <div style="background: white; padding: 40px; border-radius: 15px; box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1); margin: 20px auto; width: 80%;>
6         <h2 style="color: maroon; border-bottom: 2px solid maroon; padding-bottom: 10px;">Detail Lapangan
7         <div style="margin-top: 20px; line-height: 2;">
8             <p><strong>Kode:</strong> {{ $lapangan->kode_lapangan }}</p>
9             <p><strong>Nama:</strong> {{ $lapangan->nama_lapangan }}</p>
10            <p><strong>Kategori:</strong> {{ $lapangan->kategori }}</p>
11            <p><strong>Harga:</strong> Rp {{ number_format($lapangan->harga_per_jam) }}</p>
12            <p><strong>Status:</strong> {{ $lapangan->is_available ? 'Tersedia' : 'Penuh' }}</p>
13        </div>
14        <a href="{{ route('lapangan.index') }}" style="display: inline-block; margin-top: 20px; color: maroon; text-decoration: none;">Kembali
15    </div>
16 </div>
17 @endsection
```



4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Lapangan;
6 use Illuminate\Http\Request;
7
8 class LapanganController extends Controller
9 {
10     public function index()
11     {
12         $lapangans = \App\Models\Lapangan::paginate(10);
13         return view('lapangan.index', compact('lapangans'));
14     }
15 }
```

 Cari lapangan kesukaanmu... Carli Dashboard Lapangan Contact About  Bilqis Rokhimmatul Keluar				
Daftar Lapangan + Tambah Lapangan				
Kode	Nama Lapangan	Kategori	Harga/Jam	Aksi
F01	Galaxy Futsal A	Futsal	Rp 150,000	Detail Edit Hapus
B01	PB Smash 1	Badminton	Rp 50,000	Detail Edit Hapus
P01	Padel Jember 1	Padel	Rp 200,000	Detail Edit Hapus
F02	Champion Futsal	Futsal	Rp 125,000	Detail Edit Hapus
K01	Arena Basket Jember	Basket	Rp 100,000	Detail Edit Hapus
B02	Gedung Serbaguna	Badminton	Rp 35,000	Detail Edit Hapus
F03	Futsal Corner	Futsal	Rp 140,000	Detail Edit Hapus
B03	Bulu Tangkis Kita	Badminton	Rp 45,000	Detail Edit Hapus
K02	Hoops Station	Basket	Rp 110,000	Detail Edit Hapus
F04	Jember Sport Center	Futsal	Rp 175,000	Detail Edit Hapus

5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

implementasi create:

EXPLORER

OPEN EDITORS

PEMROGRAMAN WEB

bilSPORT

app

Http\

Controllers

Controller.php

DashboardController.php

LapanganController.php

Models

Lapangan.php

User.php

Providers

bootstrap

config

database

public

resources

css

js

contact.blade.php

app.js

web.php M

LapanganController.php U

index.blade.php U

bilSPORT > app > Http > Controllers > LapanganController.php

```

1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Lapangan;
6  use Illuminate\Http\Request;
7
8  class LapanganController extends Controller
9  {
10     public function index()
11     {
12         $lapangans = \App\Models\Lapangan::paginate(10);
13         return view('lapangan.index', compact('lapangans'));
14     }
15
16     public function create()
17     {
18         return view('lapangan.create');
19     }
20
21

```

store:

OPEN EDITORS

PEMROGRAMAN WEB

bilSPORT

app

Http\

Controllers

Controller.php

DashboardController.php

LapanganController.php

Models

Lapangan.php

User.php

Providers

bootstrap

config

database

public

resources

css

js

views

bilSPORT > app > Http > Controllers > LapanganController.php

```

9  {
22
23     public function store(Request $request)
24     {
25         $request->validate([
26             'kode_lapangan' => 'required|unique:lapangans,kode_lapangan|max:5',
27             'nama_lapangan' => 'required|min:3',
28             'email_kontak' => 'required|email|unique:lapangans,email_kontak',
29             'kategori' => 'required|in:Futsal,Badminton,Basket',
30             'harga_per_jam' => 'required|numeric',
31         ], [
32             'kode_lapangan.unique' => 'Kode Lapangan ini sudah dipakai, cari kode lain!',
33             'nama_lapangan.min' => 'Nama lapangan minimal harus 3 karakter ya!',
34             'email_kontak.email' => 'Format email pengelola tidak valid.',
35         ]);
36
37         \App\Models\Lapangan::create($request->all());
38
39         return redirect()->route('lapangan.index')
40             ->with('success', 'Data Lapangan baru berhasil disimpan!');
41     }
42

```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```
bilspport > app > Http > Controllers > LapanganController.php
9  {
47
48     public function edit(Lapangan $lapangan)
49     {
50         return view('lapangan.edit', compact('lapangan'));
51     }
52
53     public function update(Request $request, Lapangan $lapangan)
54     {
55         $request->validate([
56             'kode_lapangan' => 'required|max:5|unique:lapangans,kode_lapangan,' . $lapangan->id,
57             'nama_lapangan' => 'required|min:3',
58             'email_kontak' => 'required|email|unique:lapangans,email_kontak,' . $lapangan->id,
59             'kategori' => 'required|in:Futsal,Badminton,Basket',
60             'harga_per_jam' => 'required|numeric',
61         ]);
62
63         $lapangan->update($request->all());
64
65         return redirect()->route('lapangan.index')
66             ->with('success', 'Data lapangan berhasil diperbarui!');
67     }
68 }
```

```
EXPLODER
... | contact.blade.php | app.js | web.php M | LapanganController.php U | index.blade.php U | create.blade.php U | edit.blade.php U X
OPEN EDITORS
PEMROGRAMAN WEB
bilspport
app
  Http \ Controllers
    Controller.php
    DashboardController.php
    LapanganController.php U
  Models
    Lapangan.php
    User.php
  Providers
  bootstrap
  config
  database
  public
  resources
  css
  js
  views
  components
    lapangan
      create.blade.php U
      edit.blade.php U
      index.blade.php U
      show.blade.php U
    layouts
    partials
      footer.blade.php
      navbar.blade.php
      about.blade.php
OUTLINE
TIMELINE
bilspport > resources > views > lapangan > edit.blade.php
1  @extends('layouts.app')
2
3  @section('content')
4  <div style="padding: 30px 20px;">
5      <div style="background: white; padding: 30px; border-radius: 15px; box-shadow: 0 5px 15px rgba(0,0,0,0.1);">
6          <h2 style="color: maroon; margin-bottom: 20px;">Edit Lapangan: {{ $lapangan->nama_lapangan }}</h2>
7
8          <form action="{{ route('lapangan.update', $lapangan->id) }}" method="POST">
9              @csrf
10             @method('PUT')
11
12             <div style="margin-bottom: 15px;">
13                 <label>Kode Lapangan</label>
14                 <input type="text" name="kode_lapangan" value="{{ old('kode_lapangan', $lapangan->kode_lapangan) }}" style="width: 50%;"
15                 @error('kode_lapangan') <small style="color: red;">{{ $message }}</small> @enderror
16             </div>
17
18             <div style="margin-bottom: 15px;">
19                 <label>Nama Lapangan</label>
20                 <input type="text" name="nama_lapangan" value="{{ old('nama_lapangan', $lapangan->nama_lapangan) }}" style="width: 50%;"
21                 @error('nama_lapangan') <small style="color: red;">{{ $message }}</small> @enderror
22             </div>
23
24             <div style="margin-bottom: 15px;">
25                 <label>Kategori</label>
26                 <select name="kategori" style="width: 100%; padding: 10px; border: 1px solid #ddd; border-radius: 5px;">
27                     <option value="Futsal" {{ old('kategori', $lapangan->kategori) == 'Futsal' ? 'selected' : '' }}>Futsal</option>
28                     <option value="Badminton" {{ old('kategori', $lapangan->kategori) == 'Badminton' ? 'selected' : '' }}>Badminton
29                     <option value="Basket" {{ old('kategori', $lapangan->kategori) == 'Basket' ? 'selected' : '' }}>Basket</option>
30                 </select>
31                 @error('kategori') <small style="color: red;">{{ $message }}</small> @enderror
32             </div>
33
34             <div style="margin-bottom: 15px;">
35                 <label>Harga per Jam</label>
36                 <input type="number" name="harga_per_jam" value="{{ old('harga_per_jam', $lapangan->harga_per_jam) }}" style="width: 50%;"
37                 @error('harga_per_jam') <small style="color: red;">{{ $message }}</small> @enderror
38             </div>
39         </div>
40     </div>
41 </section>
42 </div>
```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```
bilspport > app > Http > Controllers > LapanganController.php
9  {
54     {
67     }
68
69     public function destroy(Lapangan $lapangan)
70     {
71         $lapangan->delete();
72
73         return redirect()->route('lapangan.index')->with('success', 'Lapangan berhasil dihapus dari sistem!');
74     }
75 }
76 }
```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')


```

OPEN EDITORS
PEMROGRAMAN WEB
  bilspport
  resources
  views
    lapangan
    edit.blade.php
    index.blade.php
    show.blade.php
  layouts
    app.blade.php
  partials
    footer.blade.php
    navbar.blade.php
    about.blade.php
    contact.blade.php
    dashboard.blade.php

bilspport > resources > views > layouts > app.blade.php
11 <body>
12
13 <div class="content-spacer"></div>
14
15 @if(session('success'))
16 <div style="background: #d4edda; color: #155724; padding: 15px; margin: 20px; border-radius: 5px;">
17   {{ session('success') }}
18 </div>
19 @endif
20
21 @if(session('error'))
22 <div style="background: #f8d7da; color: #721c24; padding: 15px; margin: 20px; border-radius: 5px;">
23   {{ session('error') }}
24 </div>
25 @endif
26
27 <main>
28   @yield('content')
29 </main>
30
31
32

```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```

public function store(Request $request)
{
    $request->validate([
        'kode_lapangan' => 'required|unique:lapangans',
        'nama_lapangan' => 'required',
        'foto' => 'nullable|image|mimes:jpg,png,jpeg|max:2048',
    ]);

    $data = $request->all();

    if ($request->hasFile('foto')) {
        $namaFoto = time() . '.' . $request->foto->extension();
        $request->foto->move(public_path('images'), $namaFoto);
        $data['foto_lapangan'] = $namaFoto;
    }

    \App\Models\Lapangan::create($data);

    return redirect()->route('lapangan.index')->with('success', 'Data & Foto berhasil disimpan!');
}

```

💡 *Tips: Gunakan Route Model Binding (Mahasiswa \$mahasiswa sebagai parameter method) agar Laravel otomatis query findOrFail. Lebih bersih dari Mahasiswa::findOrFail(\$id) manual.*

AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS C:\laragon\www\Pemrograman WEB> cd bilsport
PS C:\laragon\www\Pemrograman WEB\bilsport> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force


 INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze
PS C:\laragon\www\Pemrograman WEB\bilsport>
PS C:\laragon\www\Pemrograman WEB\bilsport>
```

```
PS C:\laragon\www\Pemrograman WEB\bilsport> php artisan breeze:install blade
   at async object.buildApp (file:///C:/laragon/www/Pemrograman%20WEB/bilsport/node_modules/vite/dist/node/chunks/node.js:33471:153)
   at async CAC.<anonymous> (file:///C:/laragon/www/Pemrograman%20WEB/bilsport/node_modules/vite/dist/node/cli.js:778:3) {
  errors: [Getter/Setter]
}

 INFO  Breeze scaffolding installed successfully.

PS C:\laragon\www\Pemrograman WEB\bilsport>
```



2. Jalankan `php artisan migrate` untuk membuat tabel users

```
PS C:\laragon\www\Pemrograman WEB\bilsport> php artisan migrate

INFO Nothing to migrate.

PS C:\laragon\www\Pemrograman WEB\bilsport>
```

Server: localhost:3306 » Database: bilsport_db » Table: users

Showing rows 0 - 0 (1 total, Query took 0.0014 seconds)

SELECT * FROM `users`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

	id	name	email	email_verified_at	password	remember_token	created_at	updated_at
☐	1	Admin Bilqis	bilqis@example.com	2026-05-12 19:10:40	\$2y\$12\$KT7CZzh5HQ1vCsWtO4N7.uka7jp2X7/osUjNewdW9Zr...	5x4pMqBU23	2026-05-12 19:10:40	2026-05-12

Check all | With selected: Edit | Copy | Delete | Export

Show all | Number of rows: 25 | Filter rows: Search this table

3. Jalankan npm install && npm run dev untuk build assets

```
PS C:\laragon\www\Pemrograman WEB\bilsport> npm install

up to date, audited 142 packages in 957ms

34 packages are looking for funding
run `npm fund` for details

found 0 vulnerabilities
PS C:\laragon\www\Pemrograman WEB\bilsport> npm run dev

> dev
> vite
```

4. Coba register dan login di <http://127.0.0.1:8000/register>



Email

bilqis@gmail.com

Password

.....

☐ Remember me

LOG IN

[Forgot your password?](#) [Belum punya akun? Daftar di sini](#)



Name


Email

Password

Confirm Password


[Already registered?](#) **REGISTER**

5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)




```
1 <?php
2
3 use App\Http\Controllers\ProfileController;
4 use App\Http\Controllers\LapanganController;
5 use Illuminate\Support\Facades\Route;
6
7 Route::get('/', function () {
8     return view('welcome');
9 });
10
11 Route::middleware(['auth', 'verified'])->group(function () {
12
13     Route::get('/dashboard', function () {
14         return view('dashboard');
15     }->name('dashboard'));
16
17     Route::resource('lapangan', LapanganController::class);
18
19     Route::get('/profile', [ProfileController::class, 'edit']->name('profile.edit'));
20     Route::patch('/profile', [ProfileController::class, 'update']->name('profile.update'));
21     Route::delete('/profile', [ProfileController::class, 'destroy']->name('profile.destroy'));
22 });
23
24 require __DIR__.'/auth.php';
```


6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login





sudah dicoba ketik manual ganti ke <http://127.0.0.1:8000/lapangan> tapi gabisa, tetep kembali ke halaman <http://127.0.0.1:8000/login>, hal ini membuktikan kalau Middleware auth sudah terpasang dengan baik

7. Tambahkan nama user di navbar: {{ auth()->user()->name }}





8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu



```
bilsport > bootstrap > app.php
1  <?php
2
3  use Illuminate\Foundation\Application;
4  use Illuminate\Foundation\Configuration\Exceptions;
5  use Illuminate\Foundation\Configuration\Middleware;
6
7  return Application::configure(basePath: dirname(__DIR__))
8      ->withMiddleware(function (Middleware $middleware) {
9          $middleware->alias([
10             'admin' => \App\Http\Middleware\CekAdmin::class,
11         ]);
12     });
13     ->withMiddleware(function (Middleware $middleware): void {
14         //
15     });
16     ->withExceptions(function (Exceptions $exceptions): void {
17         //
18     });
19     ->create();
```

```
39     });
40
41     Route::middleware(['auth', 'admin'])->group(function () {
42         Route::resource('lapangan', LapanganController::class);
43     });
44
45 });
46
```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```
OPEN EDITORS
PEMROGRAMAN WEB
bilsport
  app
    Http
      Controllers
        Auth
          Controller.php
          DashboardController.php
          LapanganController.php M
          ProfileController.php
        Middleware
          CekAdmin.php U
        Requests
        Models

bilsport > app > Http > Controllers > LapanganController.php
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Lapangan;
6  use Illuminate\Http\Request;
7
8  class LapanganController extends Controller
9  {
10     public function index()
11     {
12         $lapangans = Lapangan::where('user_id', auth()->id())->paginate(10);
13
14         return view('lapangan.index', compact('lapangans'));
15     }
16 }
```

💡 *Tips: Setelah Breeze terinstal, semua file autentikasi ada di resources/views/auth/. Anda bebas modifikasi tampilannya sesuai kebutuhan.*