ASSIGNMENT 2

Experiment 3 Online Voting System

Problem Statement

An organization wants to conduct online elections where members can vote for their preferred candidates. The system should allow users to register, log in, vote for candidates, and view the voting results. It must ensure that each user can vote only once.

Case Study

An organization wants to conduct online elections where nwmbers can vote for their preferred candidates. 3 Create a PHP and MySQL-based voting system where users can register. vote for candidates, and view voting results. Ensure that each user can vote only once.

Aim


The aim of this project is to **design and develop a PHP and MySQL-based Online Voting System** that:

- Allows users to **register** with voter identity details (EPIC number, DOB, gender, mobile, address, constituencies)
- Enables secure **login** using hashed passwords and PHP sessions
- Allows each registered user to **vote only once per election**
- Prevents duplicate voting through **database constraints** and **server-side validation**
- Provides an **admin dashboard** to manage elections, candidates, and view statistics
- Displays **election results** (candidate-wise vote counts and winner) only after the election ends
- Ensures **security** against SQL injection, XSS, CSRF, and unauthorized access

Scope: This is a college-level academic simulation, not a real government election system.

Entity Relationship

users ──< votes >── elections



Source Code

Project Structure:

C:\xampp_new\htdocs\VotingSystemCollegeAssign\

```
├── index.php                # Homepage
├── register.php             # Voter registration
├── login.php                # Voter login
├── logout.php               # Logout
├── dashboard.php            # Voter dashboard
├── vote.php                 # Voting page
├── results.php              # Public results
├── profile.php              # Voter profile
├── admin_login.php          # Admin login
├── admin_dashboard.php      # Admin dashboard
├── admin_profile.php        # Admin profile
├── manage_candidates.php    # Admin: candidates
├── manage_elections.php     # Admin: elections
├── voters.php               # Admin: voter list
```

```
├── export_results.php        # Admin: CSV export
├── health.php                # System health check
│
├── config/
│   └── db.php                # PDO connection + auto-status
│
├── includes/
│   ├── functions.php         # Helpers (e, csrf_token, flash)
│   ├── auth.php              # is_logged_in, require_voter, require_admin
│   ├── header.php            # Shared header + nav
│   └── footer.php            # Shared footer
│
├── assets/
│   ├── css/style.css         # All styles
│   ├── js/script.js          # Client JS
│   └── images/parties/       # Party logos
│
└── database/
    └── online_voting_college_assign.sql
```

database/online_voting_college_assign.sql:

```
-- ============================================================
-- ONLINE VOTING SYSTEM — Complete Database
-- Database: online_voting_college_assign
-- Project: College Assignment
-- Author: Biltu
-- ============================================================

-- ============================================================
-- 1. CREATE DATABASE
-- ============================================================
DROP DATABASE IF EXISTS online_voting_college_assign;
CREATE DATABASE online_voting_college_assign
    CHARACTER SET utf8mb4
    COLLATE utf8mb4_unicode_ci;

USE online_voting_college_assign;

-- ============================================================
-- 2. TABLE: users
--    Stores voters and admin accounts with full identity info
-- ============================================================
CREATE TABLE users (
    id                  INT AUTO_INCREMENT PRIMARY KEY,
    full_name           VARCHAR(100)  NOT NULL,
    username            VARCHAR(50)   NOT NULL UNIQUE,
    email               VARCHAR(100)  NOT NULL UNIQUE,
    voter_epic_no       VARCHAR(20)   DEFAULT NULL UNIQUE,
    date_of_birth       DATE          DEFAULT NULL,
    gender              ENUM('Male','Female','Other') DEFAULT NULL,
    mobile              VARCHAR(15)   DEFAULT NULL UNIQUE,
    address_line        VARCHAR(255)  DEFAULT NULL,
    state               VARCHAR(100)  DEFAULT NULL,
    district            VARCHAR(100)  DEFAULT NULL,
    pincode             VARCHAR(10)   DEFAULT NULL,
```

```
    ward_number                 VARCHAR(20)   DEFAULT NULL,
    assembly_constituency       VARCHAR(100)  DEFAULT NULL,
    parliamentary_constituency  VARCHAR(100)  DEFAULT NULL,
    password_hash               VARCHAR(255)  NOT NULL,
    role                        ENUM('voter','admin') DEFAULT 'voter',
    created_at                  TIMESTAMP     DEFAULT CURRENT_TIMESTAMP,
    INDEX idx_users_role (role),
    INDEX idx_users_email (email)
) ENGINE=InnoDB;

-- ============================================================
-- 3. TABLE: elections
--    Stores election events with time window and status
-- ============================================================
CREATE TABLE elections (
    id          INT AUTO_INCREMENT PRIMARY KEY,
    title       VARCHAR(150)  NOT NULL,
    description TEXT,
    start_time  DATETIME      NOT NULL,
    end_time    DATETIME      NOT NULL,
    status      ENUM('not_started','open','ended') DEFAULT 'not_started',
    created_at  TIMESTAMP     DEFAULT CURRENT_TIMESTAMP,
    INDEX idx_elections_status (status),
    INDEX idx_elections_time (start_time, end_time)
) ENGINE=InnoDB;

-- ============================================================
-- 4. TABLE: candidates
--    Stores candidates per election with party logo support
-- ============================================================
CREATE TABLE candidates (
    id          INT AUTO_INCREMENT PRIMARY KEY,
    election_id INT           NOT NULL,
    candidate_name  VARCHAR(100)  NOT NULL,
    party_name  VARCHAR(100)  NOT NULL,
    symbol      VARCHAR(50)   NOT NULL,
    logo        VARCHAR(255)  DEFAULT NULL,
    created_at  TIMESTAMP     DEFAULT CURRENT_TIMESTAMP,
    FOREIGN KEY (election_id) REFERENCES elections(id) ON DELETE CASCADE,
    INDEX idx_candidates_election (election_id)
) ENGINE=InnoDB;

-- ============================================================
-- 5. TABLE: votes
--    Unique (election_id, user_id) enforces one-vote-per-voter
-- ============================================================
CREATE TABLE votes (
    id          INT AUTO_INCREMENT PRIMARY KEY,
    election_id INT       NOT NULL,
    user_id     INT       NOT NULL,
    candidate_id INT      NOT NULL,
    voted_at    TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
    UNIQUE KEY unique_vote (election_id, user_id),
    FOREIGN KEY (election_id)  REFERENCES elections(id)  ON DELETE CASCADE,
    FOREIGN KEY (user_id)      REFERENCES users(id)      ON DELETE CASCADE,
    FOREIGN KEY (candidate_id) REFERENCES candidates(id) ON DELETE CASCADE,
```

```
    INDEX idx_votes_election (election_id),
    INDEX idx_votes_candidate (candidate_id)
) ENGINE=InnoDB;

-- ============================================================
-- 6. SAMPLE DATA
-- ============================================================

-- ------------------------------------------------------------
-- 6.1 Admin Account
--     Username: Biltu99
--     Password: Biltu9900
--     (hash below is bcrypt of "Biltu9900")
-- ------------------------------------------------------------
INSERT INTO users (
    full_name, username, email, voter_epic_no, date_of_birth, gender,
    mobile, address_line, state, district, pincode, ward_number,
    assembly_constituency, parliamentary_constituency,
    password_hash, role
) VALUES (
    'Biltu Admin',
    'Biltu99',
    'biltu99@admin.com',
    'ADMIN00001',
    '1998-01-15',
    'Male',
    '9000000001',
    'Admin Office, College Campus',
    'West Bengal',
    'Kolkata',
    '700001',
    '01',
    'Bhabanipur',
    'Kolkata South',
    '$2y$10$e0MYzXyjpJS7Pd0RVvHwHe1HlCS4bZJ18J1z8E0xF9X1vF9X1vF9X',
    'admin'
);

-- ------------------------------------------------------------
-- 6.2 Sample Voter Account
--     Username: voter1
--     Password: voter123
-- ------------------------------------------------------------
INSERT INTO users (
    full_name, username, email, voter_epic_no, date_of_birth, gender,
    mobile, address_line, state, district, pincode, ward_number,
    assembly_constituency, parliamentary_constituency,
    password_hash, role
) VALUES (
    'Test Voter',
    'voter1',
    'voter1@test.com',
    'ABC1234567',
    '2000-05-15',
    'Male',
    '9876543210',
```

```
    '123, MG Road',
    'West Bengal',
    'Kolkata',
    '700001',
    '42',
    'Bhabanipur',
    'Kolkata South',
    '$2y$10$e0MYzXyjpJS7Pd0RVvHwHe1HlCS4bZJ18J1z8E0xF9X1vF9X1vF9X',
    'voter'
);

-- ------------------------------------------------------------
-- 6.3 Sample Election 1 — OPEN (currently accepting votes)
-- ------------------------------------------------------------
INSERT INTO elections (title, description, start_time, end_time, status) VALUES
(
    'Student Council President 2025',
    'Annual election for the Student Council President position.',
    NOW() - INTERVAL 1 DAY,
    NOW() + INTERVAL 7 DAY,
    'open'
);

-- ------------------------------------------------------------
-- 6.4 Sample Election 2 — ENDED (for demonstration of results)
-- ------------------------------------------------------------
INSERT INTO elections (title, description, start_time, end_time, status) VALUES
(
    'Foodies Fight Election 2026',
    'Welcome to the ultimate food battle! 🥳 Three legendary food parties are competing for the crown: Samosa Supreme Party, Momos Mafia Party, and Biryani Brotherhood Party. Cast your vote for your favourite food team and decide which food deserves to rule the campus.',
    NOW() - INTERVAL 2 DAY,
    NOW() - INTERVAL 1 DAY,
    'ended'
);

-- ------------------------------------------------------------
-- 6.5 Candidates for Election 1 — Student Council President 2025
-- ------------------------------------------------------------
INSERT INTO candidates (election_id, candidate_name, party_name, symbol) VALUES
(1, 'Aarav Sharma', 'Progressive Students Party', '🌟'),
(1, 'Priya Patel',  'United Campus Front',       '🌺'),
(1, 'Rohan Mehta',  'Students First Alliance',   '🚀');

-- ------------------------------------------------------------
-- 6.6 Candidates for Election 2 — Foodies Fight Election 2026
-- ------------------------------------------------------------
INSERT INTO candidates (election_id, candidate_name, party_name, symbol) VALUES
(2, 'Chef Aarav', 'Samosa Supreme Party',  '🥟'),
(2, 'Chef Priya', 'Momos Mafia Party',     '🥟'),
(2, 'Chef Rohan', 'Biryani Brotherhood Party', '🍛');

-- ============================================================
-- 7. SAMPLE VOTES (for demo results)
```

```
-- ============================================================

-- Voter 2 (voter1) voted in election 1 (Student Council) for candidate 2 (Priya Patel)
INSERT INTO votes (election_id, user_id, candidate_id) VALUES
(1, 2, 2);

-- ============================================================
-- 8. VERIFICATION QUERIES (for reference, not executed)
-- ============================================================
-- Run these manually in phpMyAdmin to verify:
--
-- SELECT id, username, full_name, role FROM users;
-- SELECT id, title, status, start_time, end_time FROM elections;
-- SELECT id, election_id, candidate_name, party_name FROM candidates;
-- SELECT v.id, u.username, e.title, c.candidate_name
--   FROM votes v
--   JOIN users u      ON u.id = v.user_id
--   JOIN elections e  ON e.id = v.election_id
--   JOIN candidates c ON c.id = v.candidate_id;
-- ============================================================

-- ============================================================
-- END OF FILE
-- ============================================================
```

⚠️ **Important — The Password Hash Above Is a Placeholder:**
Create **setup_admin.php** in your project root:

```
<?php
require_once 'config/db.php';

$accounts = [
    [
        'full_name' => 'Biltu Admin',
        'username'  => 'Biltu99',
        'email'     => 'biltu99@admin.com',
        'epic'      => 'ADMIN00001',
        'mobile'    => '9000000001',
        'password'  => 'Biltu9900',
        'role'      => 'admin'
    ],
    [
        'full_name' => 'Test Voter',
        'username'  => 'voter1',
        'email'     => 'voter1@test.com',
        'epic'      => 'ABC1234567',
        'mobile'    => '9876543210',
        'password'  => 'voter123',
        'role'      => 'voter'
    ]
];

foreach ($accounts as $acc) {
    $hash = password_hash($acc['password'], PASSWORD_DEFAULT);

    $stmt = $pdo->prepare("SELECT id FROM users WHERE username = ?");
```

```
    $stmt->execute([$acc['username']]);
    $existing = $stmt->fetch();

    if ($existing) {
        $stmt = $pdo->prepare("
            UPDATE users
            SET password_hash = ?, role = ?, voter_epic_no = ?, mobile = ?
            WHERE id = ?
        ");
        $stmt->execute([$hash, $acc['role'], $acc['epic'], $acc['mobile'], $existing['id']]);
        echo "✅ Updated: {$acc['username']} / {$acc['password']}<br>";
    } else {
        $stmt = $pdo->prepare("
            INSERT INTO users
                (full_name, username, email, voter_epic_no, mobile, password_hash, role)
            VALUES (?, ?, ?, ?, ?, ?, ?)
        ");
        $stmt->execute([
            $acc['full_name'], $acc['username'], $acc['email'],
            $acc['epic'], $acc['mobile'], $hash, $acc['role']
        ]);
        echo "✅ Created: {$acc['username']} / {$acc['password']}<br>";
    }
}

echo "<hr><p><strong>⚠️ Delete this file (setup_admin.php) after use!</strong></p>";
```

Visit: http://localhost/VotingSystemCollegeAssign/setup_admin.php
Then **delete** setup_admin.php.
Method B: Register Through UI

1. Import the SQL (which creates tables only — ignore the hash warning)
2. Go to register.php and register Biltu99 / Biltu9900 normally
3. In phpMyAdmin:

```
UPDATE users SET role='admin' WHERE username='Biltu99';
```

Verify After Import

```
USE online_voting_college_assign;

-- 1. Check tables
SHOW TABLES;

-- 2. Check users
SELECT id, username, full_name, role FROM users;

-- 3. Check elections
SELECT id, title, status, start_time, end_time FROM elections;

-- 4. Check candidates
SELECT id, election_id, candidate_name, party_name, symbol FROM candidates;

-- 5. Check the unique constraint on votes
SHOW INDEX FROM votes WHERE Key_name = 'unique_vote';
```

config/db.php:

```
<?php
// ============================================================
// config/db.php
// Database connection + auto status sync
// Project: Online Voting System (College Assignment)
// Location: C:\xampp_new\htdocs\VotingSystemCollegeAssign
// ============================================================

// ------------------------------------------------------------
// Show errors during development (turn OFF before submission)
// ------------------------------------------------------------
ini_set('display_errors', 1);
ini_set('display_startup_errors', 1);
error_reporting(E_ALL);

// ------------------------------------------------------------
// Set PHP timezone to match MySQL (fixes vote "not started" bug)
// ------------------------------------------------------------
date_default_timezone_set('Asia/Kolkata');

// ------------------------------------------------------------
// Database credentials (default XAMPP)
// ------------------------------------------------------------
$host   = 'localhost';
$dbname = 'online_voting_college_assign';
$dbuser = 'root';
$dbpass = ''; // Default XAMPP password is empty

// ------------------------------------------------------------
// Create PDO connection
// ------------------------------------------------------------
try {
    $pdo = new PDO(
        "mysql:host=$host;dbname=$dbname;charset=utf8mb4",
        $dbuser,
        $dbpass,
        [
            PDO::ATTR_ERRMODE            => PDO::ERRMODE_EXCEPTION,
            PDO::ATTR_DEFAULT_FETCH_MODE => PDO::FETCH_ASSOC,
            PDO::ATTR_EMULATE_PREPARES   => false,
            PDO::MYSQL_ATTR_INIT_COMMAND => "SET time_zone = '+05:30'"  // <-- Timezone fix
        ]
    );
} catch (PDOException $e) {
    die("Database connection failed: " . $e->getMessage());
}

// ============================================================
// AUTO-STATUS SYNC (Bonus Feature)
// ------------------------------------------------------------
// Keeps the "status" column in the elections table updated
// automatically based on the current server time.
//
// Rule:
```

```
//   1. If end_time < NOW()           -> mark as 'ended'
//   2. If start_time <= NOW() < end  -> mark as 'open'
//
// This is wrapped in try/catch so a permission issue never
// breaks the site — dynamic helper get_election_status()
// will still work in PHP.
// ============================================================
try {
    // 1. Auto-close elections whose end_time has passed
    $pdo->exec("
        UPDATE elections
        SET status = 'ended'
        WHERE status != 'ended'
          AND end_time < NOW()
    ");

    // 2. Auto-open elections whose start_time has arrived
    $pdo->exec("
        UPDATE elections
        SET status = 'open'
        WHERE status = 'not_started'
          AND start_time <= NOW()
          AND end_time   >  NOW()
    ");
} catch (PDOException $e) {
    // Silent fail — status is still calculated dynamically
    // via get_election_status() in includes/functions.php
}
```

includes/functions.php :

```
<?php
// includes/functions.php

if (session_status() === PHP_SESSION_NONE) {
    session_start();
}

function e($value) {
    return htmlspecialchars($value ?? '', ENT_QUOTES, 'UTF-8');
}

function redirect($url) {
    header("Location: $url");
    exit;
}

function set_flash($type, $message) {
    $_SESSION['flash'] = ['type' => $type, 'message' => $message];
}

function get_flash() {
    if (isset($_SESSION['flash'])) {
        $flash = $_SESSION['flash'];
        unset($_SESSION['flash']);
        return $flash;
```

```
    }
    return null;
}

function csrf_token() {
    if (empty($_SESSION['csrf_token'])) {
        $_SESSION['csrf_token'] = bin2hex(random_bytes(32));
    }
    return $_SESSION['csrf_token'];
}

function verify_csrf($token) {
    return isset($_SESSION['csrf_token']) && hash_equals($_SESSION['csrf_token'], $token ?? '');
}

function get_election_status($election) {
    $now   = new DateTime();
    $start = new DateTime($election['start_time']);
    $end   = new DateTime($election['end_time']);

    if ($election['status'] === 'ended' || $now > $end) {
        return 'ended';
    }
    if ($now < $start) {
        return 'not_started';
    }
    return 'open';
}

function status_label($status) {
    return match($status) {
        'open'      => 'Open',
        'ended'     => 'Ended',
        default     => 'Not Started'
    };
}
```

includes/auth.php :

```
<?php
// includes/auth.php
require_once __DIR__ . '/functions.php';

function require_voter() {
    if (empty($_SESSION['user_id']) || $_SESSION['role'] !== 'voter') {
        set_flash('error', 'Please log in as a voter to continue.');
        redirect('login.php');
    }
}

function require_admin() {
    if (empty($_SESSION['user_id']) || $_SESSION['role'] !== 'admin') {
        set_flash('error', 'Administrator access required.');
        redirect('admin_login.php');
    }
}
```

```
function is_logged_in() {
    return !empty($_SESSION['user_id']);
}
```

includes/header.php :

```
<?php
// includes/header.php
require_once __DIR__ . '/functions.php';
require_once __DIR__ . '/auth.php';

$flash = get_flash();

// Decide where the "Home" link should point based on role
$homeLink = 'index.php';
if (is_logged_in()) {
    $homeLink = ($_SESSION['role'] === 'admin') ? 'admin_dashboard.php' : 'dashboard.php';
}

// Get current page filename to mark active link
$currentPage = basename($_SERVER['PHP_SELF']);

function nav_active($page, $currentPage) {
    return $page === $currentPage ? ' active' : '';
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Online Voting System - College Assignment</title>
    <link rel="stylesheet" href="assets/css/style.css">
</head>
<body>
<header class="site-header">
    <div class="container header-inner">
        <a href="<?= e($homeLink) ?>" class="brand">🗳️ Online Voting System</a>
        <nav class="nav">
            <a href="<?= e($homeLink) ?>" class="nav-link<?= nav_active(basename($homeLink),
$currentPage) ?>">Home</a>
            <a href="results.php" class="nav-link<?= nav_active('results.php', $currentPage) ?>">Results</a>
            <?php if (is_logged_in() && $_SESSION['role'] === 'voter'): ?>
                <!-- Voter nav -->
                <a href="profile.php" class="nav-link<?= nav_active('profile.php', $currentPage) ?>">Profile</a>
                <a href="logout.php" class="btn-link">Logout</a>
            <?php elseif (is_logged_in() && $_SESSION['role'] === 'admin'): ?>
                <!-- Admin nav — no redundant "Admin" link -->
                <a href="admin_profile.php" class="nav-link<?= nav_active('admin_profile.php', $currentPage)
?>">Profile</a>
                <a href="logout.php" class="btn-link">Logout</a>
            <?php else: ?>
                <!-- Guest nav -->
                <a href="login.php" class="nav-link<?= nav_active('login.php', $currentPage) ?>">Voter Login</a>
                <a href="register.php" class="nav-link<?= nav_active('register.php', $currentPage)
?>">Register</a>
```

```
            <a href="admin_login.php" class="nav-link<?= nav_active('admin_login.php', $currentPage)
?>">Admin</a>
        <?php endif; ?>
      </nav>
    </div>
</header>
<main class="container">
<?php if ($flash): ?>
  <div class="alert alert-<?= e($flash['type']) ?>"><?= e($flash['message']) ?></div>
<?php endif; ?>
```

includes/footer.php :

```
</main>
<footer class="site-footer">
  <div class="container">
    <p>
      &copy; <?= date('Y') ?> Online Voting System |
      Developed as a College Academic Project at SVIMS. All Rights Reserved.
    </p>
  </div>
</footer>
<script src="assets/js/script.js"></script>
</body>
</html>
```

index.php :

```
<?php
require_once 'includes/functions.php';
require_once 'config/db.php';

$stmt = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC");
$elections = $stmt->fetchAll();

include 'includes/header.php';
?>

<section class="hero">
  <h1>Online Voting System</h1>
  <p class="lead">
    A simple and transparent platform for conducting college elections online. Register as a voter, cast your
vote once, and view the election results when voting ends.
  </p>
  <div class="notice">
    📘 <strong>College Assignment Project:</strong> This Online Voting System is developed for
academic purposes as part of a college assignment.
  </div>
  <div class="hero-actions">
    <a href="register.php" class="btn btn-primary">Register as Voter</a>
    <a href="login.php" class="btn btn-secondary">Voter Login</a>
    <a href="results.php" class="btn btn-outline">View Results</a>
  </div>
</section>

<section class="section">
```

```
    <h2>Available Elections</h2>
    <?php if (empty($elections)): ?>
        <p>No elections have been created yet.</p>
    <?php else: ?>
        <div class="election-list">
            <?php foreach ($elections as $el):
                $status = get_election_status($el); ?>
                <div class="election-card">
                    <h3><?= e($el['title']) ?></h3>
                    <p><?= e($el['description']) ?></p>
                    <p class="meta">
                        <span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span>
                        <small>Ends: <?= e(date('d M Y, H:i', strtotime($el['end_time']))) ?>
    <?php if ($status === 'open'): ?>
        · <span class="countdown" data-countdown="<?= e($el['end_time']) ?>">calculating...</span>
    <?php endif; ?>
</small>
                    </p>
                </div>
            <?php endforeach; ?>
        </div>
    <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

register.php :

```
<?php
require_once 'includes/functions.php';
require_once 'includes/auth.php';
require_once 'config/db.php';

if (is_logged_in()) {
    redirect($_SESSION['role'] === 'admin' ? 'admin_dashboard.php' : 'dashboard.php');
}

$errors = [];
$old = [
    'full_name' => '', 'username' => '', 'email' => '',
    'voter_epic_no' => '', 'date_of_birth' => '', 'gender' => '',
    'mobile' => '', 'address_line' => '', 'state' => '',
    'district' => '', 'pincode' => '', 'ward_number' => '',
    'assembly_constituency' => '', 'parliamentary_constituency' => ''
];

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $errors[] = 'Invalid session token. Please try again.';
    }

    // Collect all inputs
    foreach ($old as $key => $_) {
        $old[$key] = trim($_POST[$key] ?? '');
    }
```

```
$password = $_POST['password'] ?? '';
$confirm  = $_POST['confirm_password'] ?? '';

// ---- Identity & Account Validation ----
if ($old['full_name'] === '') $errors[] = 'Full name is required.';

if ($old['username'] === '') {
    $errors[] = 'Username is required.';
} elseif (!preg_match('/^[a-zA-Z0-9_]{3,30}$/', $old['username'])) {
    $errors[] = 'Username must be 3–30 chars (letters, numbers, underscore).';
}

if (!filter_var($old['email'], FILTER_VALIDATE_EMAIL)) {
    $errors[] = 'Valid email is required.';
}

if (strlen($password) < 6) $errors[] = 'Password must be at least 6 characters.';
if ($password !== $confirm)  $errors[] = 'Passwords do not match.';

// ---- Voter Identity ----
if ($old['voter_epic_no'] === '') {
    $errors[] = 'Voter EPIC number is required.';
} elseif (!preg_match('/^[A-Za-z0-9]{6,20}$/', $old['voter_epic_no'])) {
    $errors[] = 'EPIC number must be 6–20 letters/digits.';
}

// ---- Date of Birth (must be 18+) ----
if ($old['date_of_birth'] === '') {
    $errors[] = 'Date of birth is required.';
} else {
    $dob = DateTime::createFromFormat('Y-m-d', $old['date_of_birth']);
    if (!$dob) {
        $errors[] = 'Invalid date of birth format.';
    } else {
        $today = new DateTime();
        $age   = $today->diff($dob)->y;
        if ($age < 18) {
            $errors[] = 'You must be at least 18 years old to register.';
        }
    }
}

// ---- Gender ----
if (!in_array($old['gender'], ['Male','Female','Other'], true)) {
    $errors[] = 'Please select a valid gender.';
}

// ---- Mobile ----
if (!preg_match('/^[0-9]{10}$/', $old['mobile'])) {
    $errors[] = 'Mobile number must be exactly 10 digits.';
}

// ---- Address ----
if ($old['address_line'] === '')      $errors[] = 'Address Line is required.';
if ($old['state'] === '')             $errors[] = 'State is required.';
if ($old['district'] === '')          $errors[] = 'District is required.';
```

```
    if (!preg_match('/^[0-9]{6}$/', $old['pincode'])) {
        $errors[] = 'PIN Code must be exactly 6 digits.';
    }
    if ($old['ward_number'] === '')       $errors[] = 'Ward Number is required.';
    if ($old['assembly_constituency'] === '')      $errors[] = 'Assembly Constituency is required.';
    if ($old['parliamentary_constituency'] === '') $errors[] = 'Parliamentary Constituency is required.';

    // ---- Uniqueness checks ----
    if (empty($errors)) {
        $stmt = $pdo->prepare("
            SELECT id FROM users
            WHERE username = ?
              OR email = ?
              OR voter_epic_no = ?
              OR mobile = ?
        ");
        $stmt->execute([
            $old['username'], $old['email'], $old['voter_epic_no'], $old['mobile']
        ]);
        if ($stmt->fetch()) {
            $errors[] = 'Username, email, EPIC number, or mobile is already registered.';
        }
    }

    // ---- Insert ----
    if (empty($errors)) {
        $hash = password_hash($password, PASSWORD_DEFAULT);

        $stmt = $pdo->prepare("
            INSERT INTO users (
                full_name, username, email, voter_epic_no, date_of_birth, gender,
                mobile, address_line, state, district, pincode, ward_number,
                assembly_constituency, parliamentary_constituency,
                password_hash, role
            ) VALUES (
                ?, ?, ?, ?, ?, ?,
                ?, ?, ?, ?, ?, ?,
                ?, ?,
                ?, 'voter'
            )
        ");
        $stmt->execute([
            $old['full_name'], $old['username'], $old['email'],
            strtoupper($old['voter_epic_no']), $old['date_of_birth'], $old['gender'],
            $old['mobile'], $old['address_line'], $old['state'],
            $old['district'], $old['pincode'], $old['ward_number'],
            $old['assembly_constituency'], $old['parliamentary_constituency'],
            $hash
        ]);

        set_flash('success', 'Registration successful! Please log in.');
        redirect('login.php');
    }
}

include 'includes/header.php';
```

```
?>

<section class="form-section form-section-wide">
  <h1>Voter Registration</h1>
  <p class="muted" style="text-align:center; margin-bottom:20px;">
    All fields marked with <span style="color:#dc2626">*</span> are required.
  </p>

  <?php if ($errors): ?>
    <div class="alert alert-error">
      <ul><?php foreach ($errors as $err) echo '<li>' . e($err) . '</li>'; ?></ul>
    </div>
  <?php endif; ?>

  <form method="post" class="card form-card">
    <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">

    <!-- ================== ACCOUNT ================== -->
    <h2 class="form-section-title">🔑 Account Information</h2>
    <div class="form-grid">
      <label class="span-2">Full Name <span class="req">*</span>
        <input type="text" name="full_name" required value="<?= e($old['full_name']) ?>">
      </label>

      <label>Username <span class="req">*</span>
        <input type="text" name="username" required value="<?= e($old['username']) ?>">
      </label>

      <label>Email <span class="req">*</span>
        <input type="email" name="email" required value="<?= e($old['email']) ?>">
      </label>

      <label>Password <span class="req">*</span>
        <input type="password" name="password" id="passwordInput" required minlength="6">
        <div class="strength-meter">
          <div class="strength-bar" id="strengthBar"></div>
        </div>
        <small id="strengthText" class="muted">Enter a password</small>
      </label>

      <label>Confirm Password <span class="req">*</span>
        <input type="password" name="confirm_password" required minlength="6">
      </label>
    </div>

    <!-- ================== IDENTITY ================== -->
    <h2 class="form-section-title">🪪 Voter Identity</h2>
    <div class="form-grid">
      <label>Voter EPIC Number <span class="req">*</span>
        <input type="text" name="voter_epic_no" required maxlength="20"
               value="<?= e($old['voter_epic_no']) ?>"
               placeholder="e.g. ABC1234567">
      </label>

      <label>Date of Birth <span class="req">*</span>
        <input type="date" name="date_of_birth" required
```

```
            max="<?= date('Y-m-d', strtotime('-18 years')) ?>"
            value="<?= e($old['date_of_birth']) ?>">
      <small class="muted">You must be at least 18 years old.</small>
    </label>

    <label>Gender <span class="req">*</span>
      <select name="gender" required>
        <option value="">-- select --</option>
        <option value="Male"   <?= $old['gender']==='Male'   ? 'selected':'' ?>>Male</option>
        <option value="Female" <?= $old['gender']==='Female' ? 'selected':'' ?>>Female</option>
        <option value="Other"  <?= $old['gender']==='Other'  ? 'selected':'' ?>>Other</option>
      </select>
    </label>

    <label>Mobile Number <span class="req">*</span>
      <input type="tel" name="mobile" required
            pattern="[0-9]{10}" maxlength="10"
            title="Enter exactly 10 digits"
            value="<?= e($old['mobile']) ?>"
            placeholder="10-digit mobile number">
    </label>
  </div>

  <!-- ================ ADDRESS ================ -->
  <h2 class="form-section-title">🏠 Address Details</h2>
  <div class="form-grid">
    <label class="span-2">Address Line <span class="req">*</span>
      <input type="text" name="address_line" required maxlength="255"
            value="<?= e($old['address_line']) ?>"
            placeholder="House no., street, locality">
    </label>

    <label>State <span class="req">*</span>
      <input type="text" name="state" required value="<?= e($old['state']) ?>">
    </label>

    <label>District <span class="req">*</span>
      <input type="text" name="district" required value="<?= e($old['district']) ?>">
    </label>

    <label>PIN Code <span class="req">*</span>
      <input type="text" name="pincode" required
            pattern="[0-9]{6}" maxlength="6"
            title="Enter exactly 6 digits"
            value="<?= e($old['pincode']) ?>"
            placeholder="6-digit PIN">
    </label>

    <label>Ward Number <span class="req">*</span>
      <input type="text" name="ward_number" required maxlength="20"
            value="<?= e($old['ward_number']) ?>">
    </label>

    <label>Assembly Constituency <span class="req">*</span>
      <input type="text" name="assembly_constituency" required maxlength="100"
            value="<?= e($old['assembly_constituency']) ?>">
```

```
        </label>

        <label>Parliamentary Constituency <span class="req">*</span>
          <input type="text" name="parliamentary_constituency" required maxlength="100"
                 value="<?= e($old['parliamentary_constituency']) ?>">
        </label>
      </div>

      <button type="submit" class="btn btn-primary btn-block">Register</button>
      <p class="muted" style="text-align:center; margin-top:10px;">
        Already registered? <a href="login.php">Login here</a>
      </p>
    </form>
</section>

<?php include 'includes/footer.php'; ?>
```

login.php :

```
<?php
require_once 'includes/functions.php';
require_once 'includes/auth.php';      // <-- ADDED
require_once 'config/db.php';

if (is_logged_in()) {
    redirect($_SESSION['role'] === 'admin' ? 'admin_dashboard.php' : 'dashboard.php');
}

$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $error = 'Invalid session token.';
    } else {
        $username = trim($_POST['username'] ?? '');
        $password = $_POST['password'] ?? '';

        if ($username === '' || $password === '') {
            $error = 'Please enter username and password.';
        } else {
            $stmt = $pdo->prepare("SELECT * FROM users WHERE username = ? AND role = 'voter'");
            $stmt->execute([$username]);
            $user = $stmt->fetch();

            if ($user && password_verify($password, $user['password_hash'])) {
                session_regenerate_id(true);
                $_SESSION['user_id']   = $user['id'];
                $_SESSION['username']  = $user['username'];
                $_SESSION['full_name'] = $user['full_name'];
                $_SESSION['role']      = $user['role'];
                set_flash('success', 'Welcome back, ' . $user['full_name'] . '!');
                redirect('dashboard.php');
            } else {
                $error = 'Invalid username or password.';
            }
        }
```

```
    }
}

include 'includes/header.php';
?>

<section class="form-section">
    <h1>Voter Login</h1>

    <?php if ($error): ?>
        <div class="alert alert-error"><?= e($error) ?></div>
    <?php endif; ?>

    <form method="post" class="card form-card">
        <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">

        <label>Username
            <input type="text" name="username" required>
        </label>

        <label>Password
            <input type="password" name="password" required>
        </label>

        <button type="submit" class="btn btn-primary">Login</button>
        <p class="muted">New voter? <a href="register.php">Register here</a></p>
    </form>
</section>

<?php include 'includes/footer.php'; ?>
```

logout.php :

```
<?php
require_once 'includes/functions.php';
$_SESSION = [];
session_destroy();
session_start();
set_flash('success', 'You have been logged out.');
header('Location: index.php');
exit;
```

dashboard.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_voter();

$userId = $_SESSION['user_id'];

// ---- Fetch full voter details ----
$stmt = $pdo->prepare("SELECT * FROM users WHERE id = ?");
$stmt->execute([$userId]);
$me = $stmt->fetch();
```

```
// ---- Elections list ----
$elections = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC")->fetchAll();

// ---- Which elections has this voter already voted in? ----
$stmt = $pdo->prepare("SELECT election_id, candidate_id FROM votes WHERE user_id = ?");
$stmt->execute([$userId]);
$myVotes = [];
foreach ($stmt->fetchAll() as $row) {
    $myVotes[$row['election_id']] = $row['candidate_id'];
}

// ---- Count votes cast by this voter ----
$votesCast = count($myVotes);
$totalElections = count($elections);

include 'includes/header.php';
?>

<section class="section">
    <h1>Welcome, <?= e($me['full_name']) ?> 👋</h1>
    <p class="muted">Here is your voter profile and available elections.</p>

    <!-- ================================================================
         VOTER PROFILE CARD
         ================================================================ -->
    <div class="card profile-hero">
        <div class="profile-hero-header">
            <div class="profile-avatar">
                <?= strtoupper(substr($me['full_name'], 0, 1)) ?>
            </div>
            <div class="profile-hero-info">
                <h2><?= e($me['full_name']) ?></h2>
                <p class="muted">
                    <span class="badge badge-open">🗳️ Registered Voter</span>
                    <span class="badge badge-not_started">🪪 <?= e($me['voter_epic_no'] ?? 'EPIC not set')
?></span>
                </p>
            </div>
            <div class="profile-hero-stats">
                <div class="mini-stat">
                    <strong><?= (int)$votesCast ?></strong>
                    <span>Votes Cast</span>
                </div>
                <div class="mini-stat">
                    <strong><?= (int)$totalElections ?></strong>
                    <span>Elections</span>
                </div>
            </div>
        </div>

        <!-- ============ DETAIL GRID ============ -->
        <div class="detail-grid" style="margin-top:22px;">

            <div class="detail-item">
                <span class="detail-label">Username</span>
```

```
    <span class="detail-value"><?= e($me['username']) ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">Email</span>
    <span class="detail-value"><?= e($me['email']) ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">Voter EPIC Number</span>
    <span class="detail-value"><?= e($me['voter_epic_no'] ?? '—') ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">Date of Birth</span>
    <span class="detail-value">
        <?= !empty($me['date_of_birth'])
            ? e(date('d M Y', strtotime($me['date_of_birth'])))
            : '—' ?>
        <?php if (!empty($me['date_of_birth'])):
            $age = (new DateTime($me['date_of_birth']))->diff(new DateTime())->y;
        ?>
            <small class="muted">(<?= $age ?> yrs)</small>
        <?php endif; ?>
    </span>
</div>

<div class="detail-item">
    <span class="detail-label">Gender</span>
    <span class="detail-value"><?= e($me['gender'] ?? '—') ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">Mobile Number</span>
    <span class="detail-value"><?= e($me['mobile'] ?? '—') ?></span>
</div>

<div class="detail-item span-2">
    <span class="detail-label">Address</span>
    <span class="detail-value"><?= e($me['address_line'] ?? '—') ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">State</span>
    <span class="detail-value"><?= e($me['state'] ?? '—') ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">District</span>
    <span class="detail-value"><?= e($me['district'] ?? '—') ?></span>
</div>

<div class="detail-item">
    <span class="detail-label">PIN Code</span>
    <span class="detail-value"><?= e($me['pincode'] ?? '—') ?></span>
</div>
```

```
      <div class="detail-item">
        <span class="detail-label">Ward Number</span>
        <span class="detail-value"><?= e($me['ward_number'] ?? '—') ?></span>
      </div>

      <div class="detail-item">
        <span class="detail-label">Assembly Constituency</span>
        <span class="detail-value"><?= e($me['assembly_constituency'] ?? '—') ?></span>
      </div>

      <div class="detail-item">
        <span class="detail-label">Parliamentary Constituency</span>
        <span class="detail-value"><?= e($me['parliamentary_constituency'] ?? '—') ?></span>
      </div>

      <div class="detail-item">
        <span class="detail-label">Registered On</span>
        <span class="detail-value">
          <?= e(date('d M Y, H:i', strtotime($me['created_at']))) ?>
        </span>
      </div>

    </div>

    <div class="profile-hero-actions">
      <a href="profile.php" class="btn btn-outline">🖍️ Edit Profile</a>
    </div>
  </div>

  <!-- ═══════════════════════════════════════════════════════════
       ELECTIONS
       ═══════════════════════════════════════════════════════════ -->
  <h2 style="margin-top:35px;">🗳️ Available Elections</h2>

  <?php if (empty($elections)): ?>
    <p>No elections available at the moment.</p>
  <?php else: ?>
    <?php foreach ($elections as $el):
      $status = get_election_status($el);
      $hasVoted = isset($myVotes[$el['id']]);
    ?>
    <div class="card election-block">
      <h2><?= e($el['title']) ?></h2>
      <p><?= e($el['description']) ?></p>
      <p>
        <span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span>
        <small>Ends: <?= e(date('d M Y, H:i', strtotime($el['end_time']))) ?></small>
      </p>

      <?php if ($hasVoted): ?>
        <div class="alert alert-success">✅ You have already voted in this election.</div>
        <?php if ($status === 'ended'): ?>
          <a href="results.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-outline">View Results</a>
        <?php endif; ?>
      <?php elseif ($status === 'open'): ?>
```

```
            <a href="vote.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-primary">Vote Now</a>
          <?php elseif ($status === 'not_started'): ?>
            <div class="alert alert-info">Voting has not started yet.</div>
          <?php else: ?>
            <div class="alert alert-info">Voting has ended.</div>
            <a href="results.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-outline">View Results</a>
          <?php endif; ?>
        </div>
        <?php endforeach; ?>
    <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

vote.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_voter();

$userId = $_SESSION['user_id'];
$electionId = (int)($_GET['election_id'] ?? 0);

$stmt = $pdo->prepare("SELECT * FROM elections WHERE id = ?");
$stmt->execute([$electionId]);
$election = $stmt->fetch();

if (!$election) {
    set_flash('error', 'Election not found.');
    redirect('dashboard.php');
}

$status = get_election_status($election);
if ($status !== 'open') {
    set_flash('error', 'Voting is not open for this election.');
    redirect('dashboard.php');
}

$stmt = $pdo->prepare("SELECT id FROM votes WHERE user_id = ? AND election_id = ?");
$stmt->execute([$userId, $electionId]);
if ($stmt->fetch()) {
    set_flash('error', 'You have already voted in this election.');
    redirect('dashboard.php');
}

$stmt = $pdo->prepare("SELECT * FROM candidates WHERE election_id = ?");
$stmt->execute([$electionId]);
$candidates = $stmt->fetchAll();

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        set_flash('error', 'Invalid session token.');
        redirect('vote.php?election_id=' . $electionId);
    }
```

```
    $candidateId = (int)($_POST['candidate_id'] ?? 0);

    $stmt = $pdo->prepare("SELECT id FROM candidates WHERE id = ? AND election_id = ?");
    $stmt->execute([$candidateId, $electionId]);
    if (!$stmt->fetch()) {
        set_flash('error', 'Invalid candidate selection.');
        redirect('vote.php?election_id=' . $electionId);
    }

    try {
        $pdo->beginTransaction();

        $stmt = $pdo->prepare("SELECT id FROM votes WHERE user_id = ? AND election_id = ? FOR
UPDATE");
        $stmt->execute([$userId, $electionId]);
        if ($stmt->fetch()) {
            throw new Exception('You have already voted in this election.');
        }

        $stmt = $pdo->prepare("INSERT INTO votes (election_id, user_id, candidate_id) VALUES (?, ?, ?)");
        $stmt->execute([$electionId, $userId, $candidateId]);

        $pdo->commit();
        set_flash('success', 'Your vote has been recorded successfully!');
        redirect('dashboard.php');
    } catch (Exception $ex) {
        $pdo->rollBack();
        set_flash('error', $ex->getMessage());
        redirect('dashboard.php');
    }
}

include 'includes/header.php';
?>

<section class="section">
    <h1>Vote: <?= e($election['title']) ?></h1>
    <p class="muted">Select one candidate. You can vote only once.</p>

    <?php if (empty($candidates)): ?>
        <p>No candidates available for this election.</p>
    <?php else: ?>
        <form method="post" id="voteForm">
            <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
            <input type="hidden" name="candidate_id" id="selectedCandidateId" value="">

            <div class="candidate-grid">
                <?php foreach ($candidates as $c): ?>
                    <div class="candidate-card" data-id="<?= (int)$c['id'] ?>">
                        <div class="symbol">
                            <?php
                            $logoPath = 'assets/images/parties/' . ($c['logo'] ?? '');
                            $absPath  = __DIR__ . '/' . $logoPath;
                            if (!empty($c['logo']) && is_file($absPath)): ?>
                                <img src="<?= e($logoPath) ?>"
```

```
                        alt="<?= e($c['party_name']) ?> logo"
                        class="party-logo">
                    <?php else: ?>
                        <?= e($c['symbol']) ?>
                    <?php endif; ?>
                </div>
                <h3><?= e($c['candidate_name']) ?></h3>
                <p class="party"><?= e($c['party_name']) ?></p>
                <button type="button" class="btn btn-outline select-btn">Select</button>
            </div>
        <?php endforeach; ?>
    </div>

    <div class="confirm-bar">
        <p id="confirmText" class="muted">No candidate selected yet.</p>
        <button type="submit" class="btn btn-primary" id="submitVote" disabled>Confirm & Submit
Vote</button>
    </div>
</form>
<?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

results.php :

```
<?php
require_once 'includes/functions.php';
require_once 'config/db.php';

$electionId = (int)($_GET['election_id'] ?? 0);

// ============================================================
// No election selected → show list of elections
// ============================================================
if (!$electionId) {
    $elections = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC")->fetchAll();
    include 'includes/header.php';
    ?>
    <section class="section">
        <h1>Election Results</h1>
        <p class="muted">Select an election to view its result.</p>
        <div class="election-list">
            <?php foreach ($elections as $el):
                $status = get_election_status($el); ?>
                <div class="election-card">
                    <h3><?= e($el['title']) ?></h3>
                    <p><span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span></p>
                    <a href="results.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-outline">View</a>
                </div>
            <?php endforeach; ?>
        </div>
    </section>
    <?php
    include 'includes/footer.php';
```

```
    exit;
}

// ============================================================
// Load selected election
// ============================================================
$stmt = $pdo->prepare("SELECT * FROM elections WHERE id = ?");
$stmt->execute([$electionId]);
$election = $stmt->fetch();

if (!$election) {
    set_flash('error', 'Election not found.');
    redirect('results.php');
}

$status = get_election_status($election);

include 'includes/header.php';
?>

<section class="section">
    <h1>Results: <?= e($election['title']) ?></h1>
    <p><span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span></p>

    <?php if ($status !== 'ended'): ?>
        <div class="alert alert-info">
            🔒 Results will be visible only after the election ends.
        </div>
    <?php else:
        // ---- Fetch candidate-wise vote counts (including logo) ----
        $stmt = $pdo->prepare("
            SELECT c.id, c.candidate_name, c.party_name, c.symbol, c.logo,
                   COUNT(v.id) AS total_votes
            FROM candidates c
            LEFT JOIN votes v ON v.candidate_id = c.id
            WHERE c.election_id = ?
            GROUP BY c.id
            ORDER BY total_votes DESC
        ");
        $stmt->execute([$electionId]);
        $rows = $stmt->fetchAll();

        // Determine highest vote count and winners (handles ties)
        $maxVotes = 0;
        foreach ($rows as $r) {
            if ((int)$r['total_votes'] > $maxVotes) {
                $maxVotes = (int)$r['total_votes'];
            }
        }
        $winners = array_filter(
            $rows,
            fn($r) => (int)$r['total_votes'] === $maxVotes && $maxVotes > 0
        );

        $totalVotesAll = array_sum(array_column($rows, 'total_votes'));
    ?>
```

```
    <div class="results-chart">
      <?php foreach ($rows as $r):
        $isWinner   = ((int)$r['total_votes'] === $maxVotes && $maxVotes > 0);
        $percentage = $totalVotesAll > 0
          ? round(($r['total_votes'] / $totalVotesAll) * 100, 1)
          : 0;

        // Build logo path once
        $logoPath = 'assets/images/parties/' . ($r['logo'] ?? '');
        $absPath  = __DIR__ . '/' . $logoPath;
        $hasLogo  = !empty($r['logo']) && is_file($absPath);
      ?>
        <div class="result-row <?= $isWinner ? 'winner-row' : '' ?>">
          <div class="result-header">
            <?php if ($hasLogo): ?>
              <img src="<?= e($logoPath) ?>"
                   alt="<?= e($r['party_name']) ?> logo"
                   class="result-logo">
            <?php else: ?>
              <span class="result-symbol"><?= e($r['symbol']) ?></span>
            <?php endif; ?>

            <span class="result-name"><?= e($r['candidate_name']) ?></span>
            <span class="result-party"><?= e($r['party_name']) ?></span>

            <?php if ($isWinner): ?>
              <span class="badge badge-open">🏆 Winner</span>
            <?php endif; ?>

            <span class="result-count">
              <?= (int)$r['total_votes'] ?> votes (<?= $percentage ?>%)
            </span>
          </div>

          <div class="result-bar-track">
            <div class="result-bar" style="width: <?= $percentage ?>%;"></div>
          </div>
        </div>
      <?php endforeach; ?>
    </div>

    <?php if ($totalVotesAll === 0): ?>
      <div class="alert alert-info">No votes were cast in this election.</div>
    <?php endif; ?>

    <?php if (count($winners) > 1): ?>
      <div class="alert alert-info">
        ⚖️ It's a tie between <?= count($winners) ?> candidates.
      </div>
    <?php endif; ?>

  <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

profile.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_voter();

$userId = $_SESSION['user_id'];
$errors = [];

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $errors[] = 'Invalid session token.';
    } else {
        $action = $_POST['action'] ?? '';

        if ($action === 'update_profile') {
            $full_name = trim($_POST['full_name'] ?? '');
            $email     = trim($_POST['email'] ?? '');

            if ($full_name === '') $errors[] = 'Full name is required.';
            if (!filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = 'Valid email required.';

            if (empty($errors)) {
                $stmt = $pdo->prepare("SELECT id FROM users WHERE email = ? AND id != ?");
                $stmt->execute([$email, $userId]);
                if ($stmt->fetch()) {
                    $errors[] = 'Email already in use.';
                } else {
                    $stmt = $pdo->prepare("UPDATE users SET full_name = ?, email = ? WHERE id = ?");
                    $stmt->execute([$full_name, $email, $userId]);
                    $_SESSION['full_name'] = $full_name;
                    set_flash('success', 'Profile updated.');
                    redirect('profile.php');
                }
            }
        }

        if ($action === 'change_password') {
            $current = $_POST['current_password'] ?? '';
            $new     = $_POST['new_password'] ?? '';
            $confirm = $_POST['confirm_password'] ?? '';

            $stmt = $pdo->prepare("SELECT password_hash FROM users WHERE id = ?");
            $stmt->execute([$userId]);
            $user = $stmt->fetch();

            if (!$user || !password_verify($current, $user['password_hash'])) {
                $errors[] = 'Current password is incorrect.';
            } elseif (strlen($new) < 6) {
                $errors[] = 'New password must be at least 6 characters.';
            } elseif ($new !== $confirm) {
                $errors[] = 'New passwords do not match.';
            } else {
                $hash = password_hash($new, PASSWORD_DEFAULT);
                $stmt = $pdo->prepare("UPDATE users SET password_hash = ? WHERE id = ?");
```

```
            $stmt->execute([$hash, $userId]);
            set_flash('success', 'Password changed successfully.');
            redirect('profile.php');
        }
    }
  }
}

$stmt = $pdo->prepare("SELECT * FROM users WHERE id = ?");
$stmt->execute([$userId]);
$user = $stmt->fetch();

include 'includes/header.php';
?>

<section class="section">
  <h1>My Profile</h1>

  <?php if ($errors): ?>
    <div class="alert alert-error">
      <ul><?php foreach ($errors as $err) echo '<li>' . e($err) . '</li>'; ?></ul>
    </div>
  <?php endif; ?>

  <div class="card">
    <h2>Basic Information</h2>
    <p><strong>Username:</strong> <?= e($user['username']) ?> <em>(cannot be changed)</em></p>

    <form method="post" class="form-card">
      <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
      <input type="hidden" name="action" value="update_profile">

      <label>Full Name
        <input type="text" name="full_name" value="<?= e($user['full_name']) ?>" required>
      </label>

      <label>Email
        <input type="email" name="email" value="<?= e($user['email']) ?>" required>
      </label>

      <button type="submit" class="btn btn-primary">Update Profile</button>
    </form>
  </div>

  <div class="card">
    <h2>Change Password</h2>
    <form method="post" class="form-card">
      <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
      <input type="hidden" name="action" value="change_password">

      <label>Current Password
        <input type="password" name="current_password" required>
      </label>

      <label>New Password
        <input type="password" name="new_password" required minlength="6">
```

```
        </label>

        <label>Confirm New Password
          <input type="password" name="confirm_password" required minlength="6">
        </label>

        <button type="submit" class="btn btn-primary">Change Password</button>
      </form>
    </div>
</section>

<?php include 'includes/footer.php'; ?>
```

admin_login.php :

```
<?php
require_once 'includes/functions.php';
require_once 'includes/auth.php';
require_once 'config/db.php';

if (is_logged_in() && $_SESSION['role'] === 'admin') {
    redirect('admin_dashboard.php');
}

$error = '';

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $error = 'Invalid session token.';
    } else {
        $username = trim($_POST['username'] ?? '');
        $password = $_POST['password'] ?? '';

        $stmt = $pdo->prepare("SELECT * FROM users WHERE username = ? AND role = 'admin'");
        $stmt->execute([$username]);
        $user = $stmt->fetch();

        if ($user && password_verify($password, $user['password_hash'])) {
            session_regenerate_id(true);
            $_SESSION['user_id']   = $user['id'];
            $_SESSION['username']  = $user['username'];
            $_SESSION['full_name'] = $user['full_name'];
            $_SESSION['role']      = 'admin';
            set_flash('success', 'Admin login successful.');
            redirect('admin_dashboard.php');
        } else {
            $error = 'Invalid admin credentials.';
        }
    }
}

include 'includes/header.php';
?>

<section class="form-section">
```

```
  <h1>Administrator Login</h1>

  <?php if ($error): ?>
    <div class="alert alert-error"><?= e($error) ?></div>
  <?php endif; ?>

  <form method="post" class="card form-card">
    <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">

    <label>Admin Username
      <input type="text" name="username" required autofocus>
    </label>

    <label>Password
      <input type="password" name="password" required>
    </label>

    <button type="submit" class="btn btn-primary">Login as Admin</button>
  </form>

  <p class="muted" style="text-align:center; margin-top:16px;">
    Not an admin? <a href="login.php">Login as voter</a>
  </p>
</section>

<?php include 'includes/footer.php'; ?>
```

admin_dashboard.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();

// Statistics
$totalVoters    = $pdo->query("SELECT COUNT(*) FROM users WHERE role='voter'")->fetchColumn();
$totalCandidates = $pdo->query("SELECT COUNT(*) FROM candidates")->fetchColumn();
$totalVotes     = $pdo->query("SELECT COUNT(*) FROM votes")->fetchColumn();

// Elections with per-election stats
$elections = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC")->fetchAll();

include 'includes/header.php';
?>

<section class="section">
  <h1>Administrator Dashboard</h1>
  <p class="muted">Manage elections, candidates, and view results.</p>

  <div class="stats-grid">
    <div class="stat-card">
      <h3><?= (int)$totalVoters ?></h3>
      <p>Registered Voters</p>
    </div>
    <div class="stat-card">
```

```
        <h3><?= (int)$totalCandidates ?></h3>
        <p>Total Candidates</p>
      </div>
      <div class="stat-card">
        <h3><?= (int)$totalVotes ?></h3>
        <p>Total Votes Cast</p>
      </div>
    </div>

    <div class="admin-actions">
      <a href="manage_elections.php" class="btn btn-primary">Manage Elections</a>
      <a href="manage_candidates.php" class="btn btn-secondary">Manage Candidates</a>
      <a href="voters.php" class="btn btn-outline">View Voters</a>
      <a href="admin_profile.php" class="btn btn-outline">👤 My Profile</a>
    </div>

    <h2>Election Overview</h2>
    <?php if (empty($elections)): ?>
      <p>No elections created yet.</p>
    <?php else: ?>
      <table class="data-table">
        <thead>
          <tr>
            <th>Title</th>
            <th>Status</th>
            <th>Start</th>
            <th>End</th>
            <th>Votes Cast</th>
            <th>Not Voted</th>
            <th>Actions</th>
          </tr>
        </thead>
        <tbody>
        <?php foreach ($elections as $el):
          $status = get_election_status($el);

          $stmt = $pdo->prepare("SELECT COUNT(*) FROM votes WHERE election_id = ?");
          $stmt->execute([$el['id']]);
          $votesCast = (int)$stmt->fetchColumn();

          $notVoted = $totalVoters - $votesCast;
        ?>
          <tr>
            <td><?= e($el['title']) ?></td>
            <td><span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span></td>
            <td><?= e(date('d M Y H:i', strtotime($el['start_time']))) ?></td>
            <td><?= e(date('d M Y H:i', strtotime($el['end_time']))) ?></td>
            <td><?= $votesCast ?></td>
            <td><?= max(0, $notVoted) ?></td>
            <td>
              <a href="results.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-outline btn-
sm">Results</a>
              <a href="export_results.php?election_id=<?= (int)$el['id'] ?>" class="btn btn-secondary btn-
sm">Export CSV</a>
            </td>
          </tr>
```

```
        <?php endforeach; ?>
        </tbody>
      </table>
  <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

admin_profile.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();

$userId = $_SESSION['user_id'];
$errors = [];

// ============================================================
// Handle POST (update profile / change password)
// ============================================================
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
  if (!verify_csrf($_POST['csrf_token'] ?? '')) {
    $errors[] = 'Invalid session token.';
  } else {
    $action = $_POST['action'] ?? '';

    // ---------------------------------------------------
    // Update basic info (full name + email — username is LOCKED)
    // ---------------------------------------------------
    if ($action === 'update_profile') {
      $full_name = trim($_POST['full_name'] ?? '');
      $email     = trim($_POST['email'] ?? '');

      if ($full_name === '') $errors[] = 'Full name is required.';
      if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = 'Please enter a valid email address.';
      }

      if (empty($errors)) {
        // Check email uniqueness (excluding self)
        $stmt = $pdo->prepare("SELECT id FROM users WHERE email = ? AND id != ?");
        $stmt->execute([$email, $userId]);
        if ($stmt->fetch()) {
          $errors[] = 'That email is already in use by another account.';
        } else {
          $stmt = $pdo->prepare("UPDATE users SET full_name = ?, email = ? WHERE id = ?");
          $stmt->execute([$full_name, $email, $userId]);
          $_SESSION['full_name'] = $full_name;
          set_flash('success', 'Profile updated successfully.');
          redirect('admin_profile.php');
        }
      }
    }
```

```
        // ------------------------------------------------------
        // Change password
        // ------------------------------------------------------
        if ($action === 'change_password') {
            $current = $_POST['current_password'] ?? '';
            $new     = $_POST['new_password'] ?? '';
            $confirm = $_POST['confirm_password'] ?? '';

            $stmt = $pdo->prepare("SELECT password_hash FROM users WHERE id = ?");
            $stmt->execute([$userId]);
            $user = $stmt->fetch();

            if (!$user || !password_verify($current, $user['password_hash'])) {
                $errors[] = 'Current password is incorrect.';
            } elseif (strlen($new) < 6) {
                $errors[] = 'New password must be at least 6 characters.';
            } elseif ($new !== $confirm) {
                $errors[] = 'New passwords do not match.';
            } else {
                $hash = password_hash($new, PASSWORD_DEFAULT);
                $stmt = $pdo->prepare("UPDATE users SET password_hash = ? WHERE id = ?");
                $stmt->execute([$hash, $userId]);
                set_flash('success', 'Password changed successfully.');
                redirect('admin_profile.php');
            }
        }
    }
}

// ============================================================
// Fetch current admin user
// ============================================================
$stmt = $pdo->prepare("SELECT * FROM users WHERE id = ?");
$stmt->execute([$userId]);
$admin = $stmt->fetch();

include 'includes/header.php';
?>

<section class="section">
    <h1>👤 My Admin Profile</h1>

    <?php if ($errors): ?>
        <div class="alert alert-error">
            <ul><?php foreach ($errors as $err) echo '<li>' . e($err) . '</li>'; ?></ul>
        </div>
    <?php endif; ?>

    <!-- ============================================================
         Account Details Card
         ============================================================ -->
    <div class="card admin-details-card">
        <h2>Account Details</h2>

        <div class="detail-grid">
            <div class="detail-item">
```

```
            <span class="detail-label">Full Name</span>
            <span class="detail-value"><?= e($admin['full_name']) ?></span>
        </div>

        <div class="detail-item">
            <span class="detail-label">Username</span>
            <span class="detail-value">
                <?= e($admin['username']) ?>
                <span class="badge badge-not_started" title="Username cannot be changed">🔒 Locked</span>
            </span>
        </div>

        <div class="detail-item">
            <span class="detail-label">Email</span>
            <span class="detail-value"><?= e($admin['email']) ?></span>
        </div>

        <div class="detail-item">
            <span class="detail-label">Role</span>
            <span class="detail-value">
                <span class="badge badge-open">🛡️ Administrator</span>
            </span>
        </div>

        <div class="detail-item">
            <span class="detail-label">User ID</span>
            <span class="detail-value">#<?= (int)$admin['id'] ?></span>
        </div>

        <div class="detail-item">
            <span class="detail-label">Joined</span>
            <span class="detail-value">
                <?= e(date('d M Y, H:i', strtotime($admin['created_at']))) ?>
            </span>
        </div>
    </div>
</div>

<!-- ============================================================
     Update Basic Info Form
     ============================================================ -->
<div class="card">
    <h2>Update Basic Information</h2>

    <form method="post" class="form-card">
        <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
        <input type="hidden" name="action" value="update_profile">

        <label>Username (cannot be changed)
            <input type="text"
                   value="<?= e($admin['username']) ?>"
                   disabled
                   class="locked-input"
                   title="Username is permanently locked">
        </label>
```

```
        <label>Full Name
            <input type="text"
                   name="full_name"
                   value="<?= e($admin['full_name']) ?>"
                   required>
        </label>

        <label>Email
            <input type="email"
                   name="email"
                   value="<?= e($admin['email']) ?>"
                   required>
        </label>

        <button type="submit" class="btn btn-primary">Update Profile</button>
    </form>
</div>

<!-- ============================================================
     Change Password Form
     ============================================================ -->
<div class="card">
    <h2>🔒 Change Password</h2>

    <form method="post" class="form-card">
        <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
        <input type="hidden" name="action" value="change_password">

        <label>Current Password
            <input type="password" name="current_password" required>
        </label>

        <label>New Password
            <input type="password"
                   name="new_password"
                   required
                   minlength="6"
                   id="newPasswordInput">
            <div class="strength-meter">
                <div class="strength-bar" id="strengthBar"></div>
            </div>
            <small id="strengthText" class="muted">Enter a new password</small>
        </label>

        <label>Confirm New Password
            <input type="password"
                   name="confirm_password"
                   required
                   minlength="6">
        </label>

        <button type="submit" class="btn btn-primary">Change Password</button>
    </form>
</div>

<!-- ============================================================
```

```
        Quick Actions
        ========================================================== -->
    <div class="card">
        <h2>Quick Actions</h2>
        <div class="admin-actions">
            <a href="admin_dashboard.php" class="btn btn-secondary">← Back to Dashboard</a>
            <a href="manage_elections.php" class="btn btn-outline">Manage Elections</a>
            <a href="manage_candidates.php" class="btn btn-outline">Manage Candidates</a>
            <a href="logout.php" class="btn btn-danger">Logout</a>
        </div>
    </div>
</section>

<?php include 'includes/footer.php'; ?>
```

manage_elections.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();

$errors = [];

// Handle create/update/delete
if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $errors[] = 'Invalid session token.';
    } else {
        $action = $_POST['action'] ?? '';

        if ($action === 'create') {
            $title       = trim($_POST['title'] ?? '');
            $description = trim($_POST['description'] ?? '');
            $start_time  = $_POST['start_time'] ?? '';
            $end_time    = $_POST['end_time'] ?? '';

            if ($title === '') $errors[] = 'Title is required.';
            if ($start_time === '' || $end_time === '') $errors[] = 'Start and end time required.';
            if (strtotime($end_time) <= strtotime($start_time)) $errors[] = 'End time must be after start time.';

            if (empty($errors)) {
                $stmt = $pdo->prepare("INSERT INTO elections (title, description, start_time, end_time, status)
VALUES (?, ?, ?, ?, 'not_started')");
                $stmt->execute([$title, $description, $start_time, $end_time]);
                set_flash('success', 'Election created.');
                redirect('manage_elections.php');
            }
        }

        if ($action === 'update_status') {
            $id     = (int)($_POST['id'] ?? 0);
            $status = $_POST['status'] ?? '';
            if (in_array($status, ['not_started', 'open', 'ended'], true)) {
                $stmt = $pdo->prepare("UPDATE elections SET status = ? WHERE id = ?");
```

```
            $stmt->execute([$status, $id]);
            set_flash('success', 'Election status updated.');
        }
        redirect('manage_elections.php');
    }

    if ($action === 'delete') {
        $id = (int)($_POST['id'] ?? 0);
        $stmt = $pdo->prepare("DELETE FROM elections WHERE id = ?");
        $stmt->execute([$id]);
        set_flash('success', 'Election deleted.');
        redirect('manage_elections.php');
    }
  }
}

$elections = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC")->fetchAll();

include 'includes/header.php';
?>

<section class="section">
  <h1>Manage Elections</h1>

  <?php if ($errors): ?>
    <div class="alert alert-error">
      <ul><?php foreach ($errors as $err) echo '<li>' . e($err) . '</li>'; ?></ul>
    </div>
  <?php endif; ?>

  <div class="card">
    <h2>Create New Election</h2>
    <form method="post" class="form-card">
      <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
      <input type="hidden" name="action" value="create">

      <label>Title
        <input type="text" name="title" required>
      </label>

      <label>Description
        <textarea name="description" rows="3"></textarea>
      </label>

      <label>Start Time
        <input type="datetime-local" name="start_time" required>
      </label>

      <label>End Time
        <input type="datetime-local" name="end_time" required>
      </label>

      <button type="submit" class="btn btn-primary">Create Election</button>
    </form>
  </div>
```

```
  <h2>Existing Elections</h2>
  <table class="data-table">
    <thead>
      <tr>
        <th>Title</th>
        <th>Status</th>
        <th>Start</th>
        <th>End</th>
        <th>Actions</th>
      </tr>
    </thead>
    <tbody>
    <?php foreach ($elections as $el):
      $status = get_election_status($el); ?>
      <tr>
        <td><?= e($el['title']) ?></td>
        <td><span class="badge badge-<?= $status ?>"><?= status_label($status) ?></span></td>
        <td><?= e(date('d M Y H:i', strtotime($el['start_time']))) ?></td>
        <td><?= e(date('d M Y H:i', strtotime($el['end_time']))) ?></td>
        <td class="actions">
          <form method="post" class="inline-form">
            <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
            <input type="hidden" name="action" value="update_status">
            <input type="hidden" name="id" value="<?= (int)$el['id'] ?>">
            <select name="status">
              <option value="not_started" <?= $el['status']=='not_started'?'selected':'' ?>>Not
Started</option>
              <option value="open" <?= $el['status']=='open'?'selected':'' ?>>Open</option>
              <option value="ended" <?= $el['status']=='ended'?'selected':'' ?>>Ended</option>
            </select>
            <button type="submit" class="btn btn-sm btn-secondary">Update</button>
          </form>

          <form method="post" class="inline-form" onsubmit="return confirm('Delete this election?')">
            <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
            <input type="hidden" name="action" value="delete">
            <input type="hidden" name="id" value="<?= (int)$el['id'] ?>">
            <button type="submit" class="btn btn-sm btn-danger">Delete</button>
          </form>
        </td>
      </tr>
    <?php endforeach; ?>
    </tbody>
  </table>
</section>

<?php include 'includes/footer.php'; ?>
```

manage_candidates.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();
```

```
$errors = [];
$elections = $pdo->query("SELECT * FROM elections ORDER BY start_time DESC")->fetchAll();

// Ensure upload folder exists
$uploadDir = __DIR__ . '/assets/images/parties/';
if (!is_dir($uploadDir)) {
    mkdir($uploadDir, 0755, true);
}

if ($_SERVER['REQUEST_METHOD'] === 'POST') {
    if (!verify_csrf($_POST['csrf_token'] ?? '')) {
        $errors[] = 'Invalid session token.';
    } else {
        $action = $_POST['action'] ?? '';

        // ============================================================
        // CREATE
        // ============================================================
        if ($action === 'create') {
            $election_id    = (int)($_POST['election_id'] ?? 0);
            $candidate_name = trim($_POST['candidate_name'] ?? '');
            $party_name     = trim($_POST['party_name'] ?? '');
            $symbol         = trim($_POST['symbol'] ?? '');

            if (!$election_id)        $errors[] = 'Please select an election.';
            if ($candidate_name === '') $errors[] = 'Candidate name required.';
            if ($party_name === '')     $errors[] = 'Party name required.';
            if ($symbol === '')         $errors[] = 'Symbol required.';

            // ---- Handle logo upload ----
            $logoFilename = null;
            if (!empty($_FILES['logo']['name'])) {
                $file = $_FILES['logo'];

                // Check for upload errors
                if ($file['error'] !== UPLOAD_ERR_OK) {
                    $errors[] = 'Logo upload failed (error code ' . $file['error'] . ').';
                } else {
                    // Validate size (max 2 MB)
                    if ($file['size'] > 2 * 1024 * 1024) {
                        $errors[] = 'Logo must be smaller than 2 MB.';
                    }

                    // Validate MIME type
                    $allowed = ['image/jpeg', 'image/png', 'image/gif', 'image/webp'];
                    $finfo = finfo_open(FILEINFO_MIME_TYPE);
                    $mime  = finfo_file($finfo, $file['tmp_name']);
                    finfo_close($finfo);

                    if (!in_array($mime, $allowed, true)) {
                        $errors[] = 'Logo must be JPG, PNG, GIF, or WEBP.';
                    }

                    // Generate a safe unique filename
                    if (empty($errors)) {
                        $ext = match($mime) {
```

```
                    'image/jpeg' => 'jpg',
                    'image/png'  => 'png',
                    'image/gif'  => 'gif',
                    'image/webp' => 'webp',
                    default      => 'png'
                ];
                $logoFilename = 'party_' . $election_id . '_' . bin2hex(random_bytes(4)) . '.' . $ext;
                $targetPath   = $uploadDir . $logoFilename;

                if (!move_uploaded_file($file['tmp_name'], $targetPath)) {
                    $errors[] = 'Could not save the uploaded logo.';
                    $logoFilename = null;
                }
            }
        }
    }

    if (empty($errors)) {
        $stmt = $pdo->prepare("
            INSERT INTO candidates
                (election_id, candidate_name, party_name, symbol, logo)
            VALUES (?, ?, ?, ?, ?)
        ");
        $stmt->execute([$election_id, $candidate_name, $party_name, $symbol, $logoFilename]);
        set_flash('success', 'Candidate added successfully.');
        redirect('manage_candidates.php');
    }
}

// ============================================================
// DELETE
// ============================================================
if ($action === 'delete') {
    $id = (int)($_POST['id'] ?? 0);

    // Fetch logo filename to delete the file too
    $stmt = $pdo->prepare("SELECT logo FROM candidates WHERE id = ?");
    $stmt->execute([$id]);
    $row = $stmt->fetch();

    if ($row && !empty($row['logo'])) {
        $filePath = $uploadDir . $row['logo'];
        if (is_file($filePath)) {
            @unlink($filePath);
        }
    }

    $stmt = $pdo->prepare("DELETE FROM candidates WHERE id = ?");
    $stmt->execute([$id]);
    set_flash('success', 'Candidate deleted.');
    redirect('manage_candidates.php');
}
}
}

// Fetch candidates with election title
```

```
$candidates = $pdo->query("
    SELECT c.*, e.title AS election_title
    FROM candidates c
    JOIN elections e ON e.id = c.election_id
    ORDER BY e.start_time DESC, c.id ASC
")->fetchAll();

include 'includes/header.php';
?>

<section class="section">
    <h1>Manage Candidates</h1>

    <?php if ($errors): ?>
        <div class="alert alert-error">
            <ul><?php foreach ($errors as $err) echo '<li>' . e($err) . '</li>'; ?></ul>
        </div>
    <?php endif; ?>

    <div class="card">
        <h2>Add Candidate</h2>
        <form method="post" enctype="multipart/form-data" class="form-card">
            <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
            <input type="hidden" name="action" value="create">

            <label>Election
                <select name="election_id" required>
                    <option value="">-- Select Election --</option>
                    <?php foreach ($elections as $el): ?>
                        <option value="<?= (int)$el['id'] ?>"><?= e($el['title']) ?></option>
                    <?php endforeach; ?>
                </select>
            </label>

            <label>Candidate Name
                <input type="text" name="candidate_name" required>
            </label>

            <label>Party Name
                <input type="text" name="party_name" required>
            </label>

            <label>Symbol (emoji or short text — used as fallback if no logo)
                <input type="text" name="symbol" maxlength="10" required placeholder="e.g. 🌟">
            </label>

            <label>Party Logo (optional — JPG / PNG / GIF / WEBP, max 2 MB)
                <input type="file" name="logo" accept="image/*">
            </label>

            <button type="submit" class="btn btn-primary">Add Candidate</button>
        </form>
    </div>

    <h2>Existing Candidates</h2>
    <?php if (empty($candidates)): ?>
```

```
      <p>No candidates yet.</p>
   <?php else: ?>
      <table class="data-table">
         <thead>
            <tr>
               <th>Logo / Symbol</th>
               <th>Name</th>
               <th>Party</th>
               <th>Election</th>
               <th>Action</th>
            </tr>
         </thead>
         <tbody>
         <?php foreach ($candidates as $c): ?>
            <tr>
               <td style="font-size:1.5rem">
                  <?php if (!empty($c['logo']) && is_file($uploadDir . $c['logo'])): ?>
                     <img src="assets/images/parties/<?= e($c['logo']) ?>"
                          alt="<?= e($c['party_name']) ?>"
                          style="width:40px;height:40px;object-fit:contain;vertical-align:middle;border-
radius:6px;">
                  <?php else: ?>
                     <?= e($c['symbol']) ?>
                  <?php endif; ?>
               </td>
               <td><?= e($c['candidate_name']) ?></td>
               <td><?= e($c['party_name']) ?></td>
               <td><?= e($c['election_title']) ?></td>
               <td>
                  <form method="post" class="inline-form" onsubmit="return confirm('Delete this
candidate?')">
                     <input type="hidden" name="csrf_token" value="<?= e(csrf_token()) ?>">
                     <input type="hidden" name="action" value="delete">
                     <input type="hidden" name="id" value="<?= (int)$c['id'] ?>">
                     <button type="submit" class="btn btn-sm btn-danger">Delete</button>
                  </form>
               </td>
            </tr>
         <?php endforeach; ?>
         </tbody>
      </table>
   <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

voters.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();

$search = trim($_GET['q'] ?? '');
```

```
if ($search !== '') {
    $stmt = $pdo->prepare("
        SELECT id, full_name, username, email, created_at
        FROM users
        WHERE role='voter'
          AND (full_name LIKE ? OR username LIKE ? OR email LIKE ?)
        ORDER BY created_at DESC
    ");
    $like = '%' . $search . '%';
    $stmt->execute([$like, $like, $like]);
    $voters = $stmt->fetchAll();
} else {
    $voters = $pdo->query("
        SELECT id, full_name, username, email, created_at
        FROM users WHERE role='voter' ORDER BY created_at DESC
    ")->fetchAll();
}

include 'includes/header.php';
?>

<section class="section">
    <h1>Registered Voters</h1>
    <p class="muted">Total: <strong><?= count($voters) ?></strong> voter(s) found.</p>

    <form method="get" class="search-bar">
        <input type="text" name="q" placeholder="Search by name, username, or email..."
               value="<?= e($search) ?>">
        <button type="submit" class="btn btn-primary">Search</button>
        <?php if ($search): ?>
            <a href="voters.php" class="btn btn-outline">Clear</a>
        <?php endif; ?>
    </form>

    <?php if (empty($voters)): ?>
        <p>No voters found.</p>
    <?php else: ?>
        <table class="data-table">
            <thead>
                <tr>
                    <th>#</th>
                    <th>Full Name</th>
                    <th>Username</th>
                    <th>Email</th>
                    <th>Registered</th>
                </tr>
            </thead>
            <tbody>
                <?php foreach ($voters as $i => $v): ?>
                    <tr>
                        <td><?= $i + 1 ?></td>
                        <td><?= e($v['full_name']) ?></td>
                        <td><?= e($v['username']) ?></td>
                        <td><?= e($v['email']) ?></td>
                        <td><?= e(date('d M Y H:i', strtotime($v['created_at']))) ?></td>
                    </tr>
```

```
            <?php endforeach; ?>
          </tbody>
        </table>
    <?php endif; ?>
</section>

<?php include 'includes/footer.php'; ?>
```

export_results.php :

```
<?php
require_once 'includes/auth.php';
require_once 'config/db.php';
require_admin();

$electionId = (int)($_GET['election_id'] ?? 0);

$stmt = $pdo->prepare("SELECT * FROM elections WHERE id = ?");
$stmt->execute([$electionId]);
$election = $stmt->fetch();

if (!$election) {
    set_flash('error', 'Election not found.');
    redirect('admin_dashboard.php');
}
$stmt = $pdo->prepare("
    SELECT c.candidate_name, c.party_name, c.symbol,
           COUNT(v.id) AS total_votes
    FROM candidates c
    LEFT JOIN votes v ON v.candidate_id = c.id
    WHERE c.election_id = ?
    GROUP BY c.id
    ORDER BY total_votes DESC
");
$stmt->execute([$electionId]);
$rows = $stmt->fetchAll();

// Send CSV headers
$filename = 'results_' . preg_replace('/[^a-zA-Z0-9]/', '_', $election['title']) . '.csv';
header('Content-Type: text/csv; charset=utf-8');
header('Content-Disposition: attachment; filename="' . $filename . '"');

$out = fopen('php://output', 'w');
fputcsv($out, ['Election', $election['title']]);
fputcsv($out, ['Start', $election['start_time']]);
fputcsv($out, ['End', $election['end_time']]);
fputcsv($out, []);
fputcsv($out, ['Symbol', 'Candidate', 'Party', 'Votes']);

foreach ($rows as $r) {
    fputcsv($out, [$r['symbol'], $r['candidate_name'], $r['party_name'], $r['total_votes']]);
}

fclose($out);
exit;
```

health.php :

```
<?php
require_once 'includes/functions.php';
require_once 'config/db.php';

$checks = [];

// 1. DB connection
$checks['Database Connection'] = $pdo ? 'OK' : 'FAIL';

// 2. Tables exist
foreach (['users', 'elections', 'candidates', 'votes'] as $table) {
    try {
        $count = $pdo->query("SELECT COUNT(*) FROM $table")->fetchColumn();
        $checks["Table: $table"] = "OK ($count rows)";
    } catch (Exception $e) {
        $checks["Table: $table"] = 'MISSING';
    }
}

// 3. Unique constraint on votes
try {
    $stmt = $pdo->query("SHOW INDEX FROM votes WHERE Key_name = 'unique_vote'");
    $checks['Unique constraint on votes(election_id, user_id)'] = $stmt->fetch() ? 'OK' : 'MISSING';
} catch (Exception $e) {
    $checks['Unique constraint on votes'] = 'ERROR';
}

// 4. PHP version
$checks['PHP Version'] = PHP_VERSION;

// 5. Sessions
$checks['Sessions'] = session_status() === PHP_SESSION_ACTIVE ? 'OK' : 'INACTIVE';

// 6. Password hashing
$checks['password_hash() available'] = function_exists('password_hash') ? 'OK' : 'MISSING';

include 'includes/header.php';
?>

<section class="section">
    <h1> System Health Check</h1>
    <p class="muted">Quick verification of the environment for demonstration.</p>

    <table class="data-table">
        <thead>
            <tr><th>Check</th><th>Result</th></tr>
        </thead>
        <tbody>
            <?php foreach ($checks as $label => $result):
                $ok = str_starts_with($result, 'OK');
            ?>
                <tr>
                    <td><?= e($label) ?></td>
                    <td>
```

```
                    <span class="badge badge-<?= $ok ? 'open' : 'ended' ?>">
                        <?= e($result) ?>
                    </span>
                </td>
            </tr>
        <?php endforeach; ?>
    </tbody>
</table>

<p style="margin-top:20px">
    <a href="index.php" class="btn btn-primary">← Back to Home</a>
</p>
</section>

<?php include 'includes/footer.php'; ?>
```

assets/css/style.css :

```
/* ====== Reset & Base ====== */
* { box-sizing: border-box; margin: 0; padding: 0; }

:root {
    --primary: #2563eb;
    --primary-dark: #1d4ed8;
    --secondary: #0ea5e9;
    --success: #16a34a;
    --danger: #dc2626;
    --info: #0891b2;
    --bg: #f1f5f9;
    --surface: #ffffff;
    --text: #1e293b;
    --muted: #64748b;
    --border: #e2e8f0;
    --radius: 10px;
    --shadow: 0 2px 8px rgba(0,0,0,0.06);
}

body {
    font-family: 'Segoe UI', Tahoma, sans-serif;
    background: var(--bg);
    color: var(--text);
    line-height: 1.6;
    min-height: 100vh;
    display: flex;
    flex-direction: column;
}

.container {
    max-width: 1100px;
    margin: 0 auto;
    padding: 0 20px;
    width: 100%;
}

main.container { flex: 1; padding: 30px 20px; }
```

```
a { color: var(--primary); text-decoration: none; }
a:hover { text-decoration: underline; }

/* ====== Header ====== */
.site-header {
  background: var(--surface);
  box-shadow: var(--shadow);
  position: sticky;
  top: 0;
  z-index: 100;
}

.header-inner {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 15px 20px;
  flex-wrap: wrap;
  gap: 10px;
}

.brand {
  font-size: 1.3rem;
  font-weight: 700;
  color: var(--primary);
  text-decoration: none;
}

.nav {
  display: flex;
  gap: 18px;
  flex-wrap: wrap;
  align-items: center;
}

.nav a {
  color: var(--text);
  font-weight: 500;
  font-size: 0.95rem;
}

.nav a:hover { color: var(--primary); text-decoration: none; }

.btn-link { color: var(--danger) !important; }

/* ====== Hero ====== */
.hero {
  text-align: center;
  padding: 50px 20px;
  background: linear-gradient(135deg, #2563eb 0%, #0ea5e9 100%);
  color: white;
  border-radius: var(--radius);
  margin-bottom: 30px;
}
```

```
.hero h1 { font-size: 2.2rem; margin-bottom: 15px; }
.hero .lead { font-size: 1.05rem; max-width: 700px; margin: 0 auto 20px; opacity: 0.95; }

.hero .notice {
    background: rgba(255,255,255,0.2);
    padding: 12px 20px;
    border-radius: var(--radius);
    display: inline-block;
    margin-bottom: 20px;
    font-size: 0.95rem;
}

.hero-actions {
    display: flex;
    gap: 12px;
    justify-content: center;
    flex-wrap: wrap;
}

/* ====== Sections ====== */
.section { margin-bottom: 40px; }
.section h1 { font-size: 1.8rem; margin-bottom: 15px; color: var(--text); }
.section h2 { font-size: 1.3rem; margin: 25px 0 15px; color: var(--text); }

.muted { color: var(--muted); font-size: 0.92rem; }

/* ====== Buttons ====== */
.btn {
    display: inline-block;
    padding: 10px 20px;
    border-radius: var(--radius);
    border: none;
    cursor: pointer;
    font-size: 0.95rem;
    font-weight: 600;
    text-decoration: none;
    transition: all 0.2s;
    text-align: center;
}

.btn:hover { text-decoration: none; transform: translateY(-1px); }

.btn-primary { background: var(--primary); color: white; }
.btn-primary:hover { background: var(--primary-dark); color: white; }

.btn-secondary { background: var(--secondary); color: white; }
.btn-secondary:hover { background: #0284c7; color: white; }

.btn-outline {
    background: transparent;
    color: var(--primary);
    border: 2px solid var(--primary);
}
.btn-outline:hover { background: var(--primary); color: white; }

.btn-danger { background: var(--danger); color: white; }
```

```
.btn-danger:hover { background: #b91c1c; color: white; }

.btn-sm { padding: 6px 12px; font-size: 0.85rem; }

.btn:disabled {
    opacity: 0.5;
    cursor: not-allowed;
    transform: none;
}

/* ====== Cards ====== */
.card {
    background: var(--surface);
    border-radius: var(--radius);
    padding: 25px;
    box-shadow: var(--shadow);
    margin-bottom: 20px;
}

.form-card { display: flex; flex-direction: column; gap: 15px; }

.form-card label {
    display: flex;
    flex-direction: column;
    gap: 6px;
    font-weight: 600;
    color: var(--text);
    font-size: 0.95rem;
}

.form-card input,
.form-card select,
.form-card textarea {
    padding: 10px 12px;
    border: 1px solid var(--border);
    border-radius: 6px;
    font-size: 0.95rem;
    font-family: inherit;
    transition: border-color 0.2s;
}

.form-card input:focus,
.form-card select:focus,
.form-card textarea:focus {
    outline: none;
    border-color: var(--primary);
}

.form-section { max-width: 500px; margin: 0 auto; }
.form-section h1 { text-align: center; margin-bottom: 20px; }

/* ====== Alerts ====== */
.alert {
    padding: 12px 18px;
    border-radius: var(--radius);
    margin-bottom: 18px;
```

```
    font-size: 0.95rem;
}

.alert ul { margin-left: 20px; }

.alert-success { background: #dcfce7; color: #14532d; border-left: 4px solid var(--success); }
.alert-error   { background: #fee2e2; color: #7f1d1d; border-left: 4px solid var(--danger); }
.alert-info    { background: #cffafe; color: #164e63; border-left: 4px solid var(--info); }

/* ====== Badges ====== */
.badge {
    display: inline-block;
    padding: 4px 12px;
    border-radius: 999px;
    font-size: 0.8rem;
    font-weight: 600;
}

.badge-open        { background: #dcfce7; color: #14532d; }
.badge-ended       { background: #fee2e2; color: #7f1d1d; }
.badge-not_started { background: #fef3c7; color: #78350f; }

/* ====== Election Cards ====== */
.election-list, .results-grid, .candidate-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(280px, 1fr));
    gap: 20px;
}

.election-card {
    background: var(--surface);
    padding: 20px;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    border-left: 4px solid var(--primary);
}

.election-card h3 { margin-bottom: 8px; color: var(--primary); }
.election-card .meta {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-top: 12px;
    flex-wrap: wrap;
    gap: 8px;
}

.election-block { border-left: 4px solid var(--primary); }

/* ====== Candidate Cards ====== */
.candidate-card {
    background: var(--surface);
    padding: 25px 20px;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    text-align: center;
```

```
    border: 2px solid transparent;
    transition: all 0.2s;
    position: relative;
}

.candidate-card:hover { border-color: var(--primary); transform: translateY(-3px); }

.candidate-card.selected {
    border-color: var(--primary);
    background: #eff6ff;
    box-shadow: 0 0 0 3px rgba(37,99,235,0.2);
}

.candidate-card.winner {
    border-color: #fbbf24;
    background: #fffbeb;
}

.candidate-card .symbol {
    font-size: 3rem;
    margin-bottom: 10px;
    line-height: 1;
}

.candidate-card h3 { margin-bottom: 5px; font-size: 1.1rem; }
.candidate-card .party { color: var(--muted); font-size: 0.9rem; margin-bottom: 12px; }
.candidate-card .votes {
    font-size: 1.3rem;
    font-weight: 700;
    color: var(--primary);
    margin: 10px 0;
}

/* ====== Vote Confirmation ====== */
.confirm-bar {
    background: var(--surface);
    padding: 20px;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    margin-top: 25px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    flex-wrap: wrap;
    gap: 15px;
}

/* ====== Stats Grid ====== */
.stats-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(180px, 1fr));
    gap: 20px;
    margin-bottom: 30px;
}

.stat-card {
```

```
    background: var(--surface);
    padding: 25px;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    text-align: center;
    border-top: 4px solid var(--primary);
}

.stat-card h3 {
    font-size: 2.2rem;
    color: var(--primary);
    margin-bottom: 5px;
}

.stat-card p { color: var(--muted); font-size: 0.9rem; }

.admin-actions {
    display: flex;
    gap: 12px;
    flex-wrap: wrap;
    margin-bottom: 25px;
}

/* ====== Tables ====== */
.data-table {
    width: 100%;
    background: var(--surface);
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    border-collapse: collapse;
    overflow: hidden;
}

.data-table th, .data-table td {
    padding: 12px 15px;
    text-align: left;
    border-bottom: 1px solid var(--border);
    font-size: 0.92rem;
}

.data-table th {
    background: #f8fafc;
    font-weight: 700;
    color: var(--text);
}

.data-table tr:last-child td { border-bottom: none; }
.data-table tr:hover { background: #f8fafc; }

.actions { display: flex; gap: 8px; flex-wrap: wrap; }
.inline-form { display: inline-flex; gap: 6px; align-items: center; }

.inline-form select {
    padding: 5px 8px;
    border-radius: 6px;
    border: 1px solid var(--border);
```

```
    font-size: 0.85rem;
}

/* ====== Footer ====== */
.site-footer {
    background: var(--surface);
    padding: 20px 0;
    margin-top: auto;
    text-align: center;
    color: var(--muted);
    font-size: 0.88rem;
    border-top: 1px solid var(--border);
}

/* ====== Responsive ====== */
@media (max-width: 600px) {
    .hero h1 { font-size: 1.6rem; }
    .hero { padding: 30px 15px; }
    .header-inner { flex-direction: column; align-items: flex-start; }
    .nav { gap: 12px; }
    .confirm-bar { flex-direction: column; align-items: stretch; }
    .data-table { font-size: 0.85rem; }
    .data-table th, .data-table td { padding: 8px 10px; }
}

/* ====== Results Bar Chart ====== */
.results-chart {
    display: flex;
    flex-direction: column;
    gap: 20px;
    margin-top: 20px;
}

.result-row {
    background: var(--surface);
    padding: 20px;
    border-radius: var(--radius);
    box-shadow: var(--shadow);
    border-left: 4px solid var(--primary);
    transition: transform 0.2s;
}

.result-row:hover { transform: translateX(4px); }

.result-row.winner-row {
    border-left-color: #fbbf24;
    background: linear-gradient(90deg, #fffbeb 0%, #ffffff 60%);
    box-shadow: 0 4px 16px rgba(251, 191, 36, 0.25);
}

.result-header {
    display: flex;
    align-items: center;
    gap: 12px;
    flex-wrap: wrap;
    margin-bottom: 12px;
```

```
}

.result-symbol {
    font-size: 2rem;
    line-height: 1;
}

.result-name {
    font-weight: 700;
    font-size: 1.1rem;
    color: var(--text);
}

.result-party {
    color: var(--muted);
    font-size: 0.9rem;
    flex-grow: 1;
}

.result-count {
    font-weight: 600;
    color: var(--primary);
    font-size: 0.95rem;
    margin-left: auto;
}

.result-bar-track {
    width: 100%;
    height: 14px;
    background: #e2e8f0;
    border-radius: 999px;
    overflow: hidden;
}

.result-bar {
    height: 100%;
    background: linear-gradient(90deg, #2563eb, #0ea5e9);
    border-radius: 999px;
    transition: width 1.2s cubic-bezier(0.22, 1, 0.36, 1);
    animation: growBar 1.2s ease-out forwards;
}

.winner-row .result-bar {
    background: linear-gradient(90deg, #f59e0b, #fbbf24);
}

@keyframes growBar {
    from { width: 0 !important; }
}

/* Winner trophy glow */
.winner-row .result-name::after {
    content: " ✨";
    animation: sparkle 1.5s infinite;
}
```

```
@keyframes sparkle {
  0%, 100% { opacity: 1; }
  50% { opacity: 0.3; }
}

/* ====== Countdown ====== */
.countdown {
  font-family: 'Courier New', monospace;
  background: #fef3c7;
  color: #78350f;
  padding: 2px 8px;
  border-radius: 4px;
  font-weight: 600;
  font-size: 0.82rem;
}

.countdown-ended {
  background: #fee2e2;
  color: #7f1d1d;
}

/* ====== Search Bar ====== */
.search-bar {
  display: flex;
  gap: 10px;
  margin: 15px 0 25px;
  flex-wrap: wrap;
}

.search-bar input {
  flex: 1;
  min-width: 200px;
  padding: 10px 14px;
  border: 1px solid var(--border);
  border-radius: var(--radius);
  font-size: 0.95rem;
  font-family: inherit;
}

.search-bar input:focus {
  outline: none;
  border-color: var(--primary);
  box-shadow: 0 0 0 3px rgba(37,99,235,0.15);
}

/* ====== My Vote Info ====== */
.my-vote-info {
  margin-top: 10px;
  padding: 10px 14px;
  background: #eff6ff;
  border-radius: 6px;
  font-size: 0.92rem;
  color: #1e40af;
  border-left: 3px solid var(--primary);
}
```

```
/* ====== Password Strength Meter ====== */
.strength-meter {
    width: 100%;
    height: 6px;
    background: #e2e8f0;
    border-radius: 999px;
    overflow: hidden;
    margin-top: 6px;
}

.strength-bar {
    height: 100%;
    width: 0;
    background: #e2e8f0;
    transition: all 0.3s ease;
    border-radius: 999px;
}

/* ====== Print Styles for Results ====== */
@media print {
    .site-header,
    .site-footer,
    .nav,
    .btn,
    .admin-actions {
        display: none !important;
    }

    body { background: white; }

    .section h1 {
        border-bottom: 2px solid #000;
        padding-bottom: 10px;
    }

    .result-row {
        box-shadow: none;
        border: 1px solid #ccc;
        page-break-inside: avoid;
    }

    .result-bar {
        background: #333 !important;
        -webkit-print-color-adjust: exact;
        print-color-adjust: exact;
    }
}

/* ====== Active Nav Link ====== */
.nav-link {
    position: relative;
    padding-bottom: 2px;
    transition: color 0.2s;
}

.nav-link.active {
```

```
    color: var(--primary) !important;
    font-weight: 700;
}

.nav-link.active::after {
    content: "";
    position: absolute;
    bottom: -4px;
    left: 0;
    right: 0;
    height: 2px;
    background: var(--primary);
    border-radius: 999px;
}

/* ====== Party Logos ====== */
.party-logo {
    width: 90px;
    height: 90px;
    object-fit: contain;
    border-radius: 12px;
    background: #f8fafc;
    padding: 8px;
    border: 1px solid var(--border);
    margin-bottom: 10px;
    transition: transform 0.2s;
}

.candidate-card:hover .party-logo {
    transform: scale(1.05);
}

.result-logo {
    width: 44px;
    height: 44px;
    object-fit: contain;
    border-radius: 8px;
    background: #f8fafc;
    padding: 4px;
    border: 1px solid var(--border);
}

/* Selected state: highlight logo */
.candidate-card.selected .party-logo {
    border: 2px solid var(--primary);
    box-shadow: 0 0 0 3px rgba(37, 99, 235, 0.15);
}

/* Winner logo gets a golden glow */
.winner-row .result-logo {
    border-color: #fbbf24;
    box-shadow: 0 0 8px rgba(251, 191, 36, 0.5);
}

/* Make the symbol container flexible whether it has image or emoji */
.candidate-card .symbol {
```

```
    display: flex;
    justify-content: center;
    align-items: center;
    font-size: 3rem;
    margin-bottom: 10px;
    line-height: 1;
}

/* ====== Admin Profile — Details Card ====== */
.admin-details-card {
    border-top: 4px solid var(--primary);
}

.detail-grid {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));
    gap: 20px;
    margin-top: 15px;
}

.detail-item {
    display: flex;
    flex-direction: column;
    gap: 4px;
    padding: 12px 16px;
    background: #f8fafc;
    border-radius: 8px;
    border-left: 3px solid var(--primary);
}

.detail-label {
    font-size: 0.78rem;
    text-transform: uppercase;
    letter-spacing: 0.5px;
    color: var(--muted);
    font-weight: 600;
}

.detail-value {
    font-size: 1rem;
    color: var(--text);
    font-weight: 500;
    display: flex;
    align-items: center;
    gap: 8px;
    flex-wrap: wrap;
}

/* ====== Locked Input (username) ====== */
.locked-input,
.form-card input:disabled {
    background: #f1f5f9 !important;
    color: #64748b !important;
    cursor: not-allowed !important;
    border-style: dashed !important;
}
```

```
/* ====== Admin Profile Small Screens ====== */
@media (max-width: 600px) {
    .detail-grid {
        grid-template-columns: 1fr;
    }
}

.site-footer .footer-sub {
    font-size: 0.8rem;
    color: #94a3b8;
    margin-top: 4px;
}

/* ====== Wide form section ====== */
.form-section-wide {
    max-width: 900px;
}

/* ====== Section titles inside form ====== */
.form-section-title {
    font-size: 1.05rem;
    color: var(--primary);
    margin: 20px 0 10px;
    padding-bottom: 6px;
    border-bottom: 2px solid var(--border);
}

.form-section-title:first-of-type {
    margin-top: 5px;
}

/* ====== Two-column form grid ====== */
.form-grid {
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 15px;
    margin-bottom: 10px;
}

.form-grid label {
    display: flex;
    flex-direction: column;
    gap: 6px;
    font-weight: 600;
    font-size: 0.92rem;
    color: var(--text);
}

.form-grid .span-2 {
    grid-column: span 2;
}

.form-grid input,
.form-grid select,
.form-grid textarea {
```

```
    padding: 10px 12px;
    border: 1px solid var(--border);
    border-radius: 6px;
    font-size: 0.95rem;
    font-family: inherit;
    transition: border-color 0.2s;
    width: 100%;
}

.form-grid input:focus,
.form-grid select:focus {
    outline: none;
    border-color: var(--primary);
    box-shadow: 0 0 0 3px rgba(37, 99, 235, 0.15);
}

/* Required asterisk */
.req {
    color: #dc2626;
    font-weight: 700;
}

/* Full-width button */
.btn-block {
    width: 100%;
    margin-top: 15px;
}

/* Mobile: single column */
@media (max-width: 700px) {
    .form-grid {
        grid-template-columns: 1fr;
    }
    .form-grid .span-2 {
        grid-column: span 1;
    }
    .form-section-wide {
        max-width: 100%;
    }
}

/* ====== Voter Profile Hero ====== */
.profile-hero {
    border-top: 5px solid var(--primary);
    padding: 28px 26px;
}

.profile-hero-header {
    display: flex;
    align-items: center;
    gap: 20px;
    flex-wrap: wrap;
    padding-bottom: 18px;
    border-bottom: 1px dashed var(--border);
}
```

```
.profile-avatar {
    width: 72px;
    height: 72px;
    border-radius: 50%;
    background: linear-gradient(135deg, #2563eb, #0ea5e9);
    color: #ffffff;
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 2rem;
    font-weight: 700;
    box-shadow: 0 4px 12px rgba(37, 99, 235, 0.35);
    flex-shrink: 0;
}

.profile-hero-info {
    flex: 1;
    min-width: 200px;
}

.profile-hero-info h2 {
    margin: 0 0 6px;
    font-size: 1.5rem;
    color: var(--text);
}

.profile-hero-info p {
    display: flex;
    gap: 8px;
    flex-wrap: wrap;
    margin: 0;
}

.profile-hero-stats {
    display: flex;
    gap: 14px;
    flex-wrap: wrap;
}

.mini-stat {
    background: #f1f5f9;
    border-radius: 10px;
    padding: 10px 18px;
    text-align: center;
    min-width: 90px;
}

.mini-stat strong {
    display: block;
    font-size: 1.4rem;
    color: var(--primary);
    line-height: 1.1;
}

.mini-stat span {
    font-size: 0.75rem;
```

```
    color: var(--muted);
    text-transform: uppercase;
    letter-spacing: 0.5px;
}

.profile-hero-actions {
    margin-top: 20px;
    padding-top: 16px;
    border-top: 1px dashed var(--border);
    display: flex;
    gap: 10px;
    flex-wrap: wrap;
    justify-content: flex-end;
}

/* Detail grid — make span-2 work if not already defined */
.detail-grid .span-2 {
    grid-column: span 2;
}

@media (max-width: 700px) {
    .profile-hero-header {
        flex-direction: column;
        align-items: flex-start;
    }

    .profile-hero-stats {
        width: 100%;
    }

    .mini-stat {
        flex: 1;
    }

    .detail-grid .span-2 {
        grid-column: span 1;
    }

    .profile-hero-actions {
        justify-content: stretch;
    }

    .profile-hero-actions .btn {
        flex: 1;
    }
}
```

assets/js/script.js :

```
// assets/js/script.js

document.addEventListener('DOMContentLoaded', function () {
    const form = document.getElementById('voteForm');
    if (!form) return;
```

```
    const candidateCards = document.querySelectorAll('.candidate-card');
    const hiddenInput    = document.getElementById('selectedCandidateId');
    const confirmText    = document.getElementById('confirmText');
    const submitBtn      = document.getElementById('submitVote');

    candidateCards.forEach(card => {
        const btn = card.querySelector('.select-btn');
        btn.addEventListener('click', () => {
            // Clear previous selection
            candidateCards.forEach(c => c.classList.remove('selected'));

            // Select this card
            card.classList.add('selected');

            const id   = card.dataset.id;
            const name = card.querySelector('h3').textContent;
            const party = card.querySelector('.party').textContent;

            hiddenInput.value = id;
            confirmText.innerHTML = `You selected: <strong>${name}</strong> (${party})`;
            submitBtn.disabled = false;
        });
    });

    // Final confirmation before submit
    form.addEventListener('submit', (e) => {
        if (!hiddenInput.value) {
            e.preventDefault();
            alert('Please select a candidate first.');
            return;
        }
        const name = confirmText.textContent;
        if (!confirm(`Are you sure you want to submit your vote?\n\n${name}\n\nYou cannot change it later.`)) {
            e.preventDefault();
        }
    });
});

// ====== Live Election Countdown ======
(function () {
    const countdownEls = document.querySelectorAll('[data-countdown]');
    if (!countdownEls.length) return;

    function updateCountdowns() {
        const now = new Date().getTime();

        countdownEls.forEach(el => {
            const target = new Date(el.dataset.countdown).getTime();
            const diff = target - now;

            if (diff <= 0) {
                el.textContent = 'Ended';
                el.classList.add('countdown-ended');
                return;
            }
```

```
            const days    = Math.floor(diff / (1000 * 60 * 60 * 24));
            const hours   = Math.floor((diff % (1000 * 60 * 60 * 24)) / (1000 * 60 * 60));
            const minutes = Math.floor((diff % (1000 * 60 * 60)) / (1000 * 60));
            const seconds = Math.floor((diff % (1000 * 60)) / 1000);

            el.textContent = (days > 0 ? days + 'd ' : '') +
                             String(hours).padStart(2, '0') + 'h ' +
                             String(minutes).padStart(2, '0') + 'm ' +
                             String(seconds).padStart(2, '0') + 's';
        });
    }

    updateCountdowns();
    setInterval(updateCountdowns, 1000);
})();

// ====== Password Strength Meter ======
(function () {
    const input = document.getElementById('passwordInput');
    if (!input) return;

    const bar  = document.getElementById('strengthBar');
    const text = document.getElementById('strengthText');

    input.addEventListener('input', function () {
        const val = input.value;
        let score = 0;


        if (val.length >= 6) score++;
        if (val.length >= 10) score++;
        if (/[A-Z]/.test(val)) score++;
        if (/[0-9]/.test(val)) score++;
        if (/[^A-Za-z0-9]/.test(val)) score++;


        const levels = [
            { pct: 0,   color: '#e2e8f0', label: 'Enter a password' },
            { pct: 20,  color: '#dc2626', label: 'Very weak' },
            { pct: 40,  color: '#f97316', label: 'Weak' },
            { pct: 60,  color: '#eab308', label: 'Fair' },
            { pct: 80,  color: '#22c55e', label: 'Strong' },
            { pct: 100, color: '#16a34a', label: 'Very strong' }
        ];


        const level = levels[score];
        bar.style.width = level.pct + '%';
        bar.style.background = level.color;
        text.textContent = level.label;
        text.style.color = level.color;
    });
})();
```


assets/images/parties/
Is Used This folder stores **party logo images** uploaded by the admin when adding candidates. Here's the complete picture of how it fits into your project.


Output



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/index.php
Chat
Online Voting System
Home
Results
Voter Login
Register
Admin
You have been logged out.
Online Voting System
A simple and transparent platform for conducting college elections online. Register as a voter, cast your vote once, and view the election results when voting ends.
College Assignment Project: This Online Voting System is developed for academic purposes as part of a college assignment.
Register as Voter
Voter Login
View Results
Available Elections
Title: Foodies Fight Election 2026
Welcome to the ultimate food battle!
Three legendary food parties are competing for the crown: Samosa
Student Council President 2025
Annual election for the Student Council President position.
Ended
Ends: 18 Oct 2026, 12:06



Available Elections
Title: Foodies Fight Election 2026
Welcome to the ultimate food battle!
Three legendary food parties are competing for the crown: Samosa Supreme Party, Momos Mafia Party, and Biryani Brotherhood Party. Cast your vote for your favourite food team and decide which food deserves to rule the campus. Remember, every vote counts, but only one party can win the feast!
Open
Ends: 12 Oct 2026, 15:48 · 23h 23m 51s
Student Council President 2025
Annual election for the Student Council President position.
Ended
Ends: 18 Oct 2026, 12:06
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.



Online Voting System
Home
Results
Voter Login
Register
Admin
Voter Registration
All fields marked with * are required.
Account Information
Full Name
*
BILTU KUNDU
Username
*
Suvo99
Email
*
biltukundu0@gmail.com
Password
*
Confirm Password
*
Strong



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/login.php
Chat
Online Voting System
Home
Results
Voter Login
Register
Admin
Voter Login
Username
Suvo99
Password
Login
New voter? Register here
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/dashboard.php
Chat
Online Voting System
Home
Results
Profile
Logout
Welcome back, BILTU KUNDU!
Welcome, BILTU KUNDU
Here is your voter profile and available elections.
B
BILTU KUNDU
Registered Voter
ABC123456
0
VOTES CAST
2
ELECTIONS
USERNAME
Suvo99
EMAIL
biltukundu0@gmail.com
VOTER EPIC NUMBER
ABC123456
DATE OF BIRTH
18 May 2005 (21 yrs)
GENDER
Male
MOBILE NUMBER
9163302145
ADDRESS
19A CHETLA HAT ROAD
STATE
WEST BENGAL
DISTRICT
KOLKATA
PIN CODE
700027
WARD NUMBER
74



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/dashboard.php
Chat
Online Voting System
Home
Results
Profile
Logout
Available Elections
Title: Foodies Fight Election 2026
Welcome to the ultimate food battle! Three legendary food parties are competing for the crown: Samosa Supreme Party, Momos Mafia Party, and Biryani Brotherhood Party. Cast your vote for your favourite food team and decide which food deserves to rule the campus. Remember, every vote counts, but only one party can win the feast!
Open
Ends: 12 Oct 2026, 15:48
Vote Now
Student Council President 2025
Annual election for the Student Council President position.
Ended
Ends: 18 Oct 2026, 12:06
Voting has ended.
View Results



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/vote.php?election_id=2
Chat
Online Voting System
Home Results Profile Logout
Vote: Title: Foodies Fight Election 2026
Select one candidate. You can vote only once.
Samosa Singh
Samosa Supreme Party
Select
Momo Maharaj
Momos Mafia Party
Select
Biryani Badshah
Biryani Brotherhood Party
Select
You selected: Biryani Badshah (Biryani Brotherhood Party)
Confirm & Submit Vote
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/admin_login.php
Chat
Online Voting System
Home Results Voter Login Register Admin
Administrator Login
Admin Username
Suvo99
Password
Login as Admin
Not an admin? Login as voter
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/admin_dashboard.php
Chat
Online Voting System
Home Results Profile Logout
Admin login successful.
Administrator Dashboard
Manage elections, candidates, and view results.
2
Registered Voters
3
Total Candidates
1
Total Votes Cast
Manage Elections
Manage Candidates
View Voters
My Profile
Election Overview
Title
Status
Start
End
Votes Cast
Not Voted
Actions
Title: Foodies Fight Election 2026
Open
11 Oct 2026 15:18
12 Oct 2026 15:48
1
1
Results
Export CSV
Student Council President 2025
Ended
10 Oct 2026 12:06
18 Oct 2026 12:06
0
2
Results
Export CSV



Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/manage_elections.php
Chat
Online Voting System
Home Results Profile Logout
Manage Elections
Create New Election
Title
Description
Start Time
dd-mm-yyyy --:--
End Time
dd-mm-yyyy --:--
Create Election
Existing Elections
Title Status Start End Actions
Title: Foodies Fight Election 2026 Open 11 Oct 2026 15:18 12 Oct 2026 15:48 Open Update Delete
Student Council President 2025 Ended 10 Oct 2026 12:06 18 Oct 2026 12:06 Ended Update Delete
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.


Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/manage_candidates.php
Chat
Online Voting System
Home Results Profile Logout
Manage Candidates
Add Candidate
Election
-- Select Election --
Candidate Name
Party Name
Symbol (emoji or short text — used as fallback if no logo)
e.g.
Party Logo (optional — JPG / PNG / GIF / WEBP, max 2 MB)
Choose File No file chosen
Add Candidate


Registered Voters
Total: 2 voter(s) found.
Search by name, username, or email...
Search
Full Name Username Email Registered
1 BILTU KUNDU Suvo99 biltukundu0@gmail.com 11 Oct 2026 16:21
2 Risi Risi99 risi0@gmail.com 11 Oct 2026 16:08


Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/admin_profile.php
Chat
Online Voting System
Home
Results
Profile
Logout
My Admin Profile
Account Details
FULL NAME
Biltu Admin
USERNAME
Biltu99
Locked
EMAIL
biltu99@admin.com
ROLE
Administrator
USER ID
#1
JOINED
11 Oct 2026, 12:47
Update Basic Information
Username (cannot be changed)
Biltu99
Full Name
Biltu Admin


Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/admin_profile.php
Chat
Online Voting System
Home
Results
Profile
Logout
Change Password
Current Password
New Password
Enter a new password
Confirm New Password
Change Password
Quick Actions
← Back to Dashboard
Manage Elections
Manage Candidates
Logout


Online Voting System - College As
localhost / 127.0.0.1 / online_votin
localhost/VotingSystemCollegeAssign/results.php?election_id=2
Chat
Online Voting System
Home
Results
Profile
Logout
Results: Title: Foodies Fight Election 2026
Ended
Biryani Badshah
Biryani Brotherhood Party
Winner
1 votes (100%)
Samosa Singh
Samosa Supreme Party
0 votes (0%)
Momo Maharaj
Momos Mafia Party
0 votes (0%)
© 2026 Online Voting System | Developed as a College Academic Project at SVIMS. All Rights Reserved.