


KICKSTARTER



- What is it:
Crowdfunding
- Who is it for:
Creative Project Owners
- Where:
Anywhere in the World
- When:
Anytime
- Why should it be used:
Fund Generation
Cost Savings
Ease of Use
Idea Awareness



Since our launch, on April 28, 2009,
22 million people have backed a project,
\$7,414,223,858 has been pledged, and **241,997**
projects have been successfully funded.

All projects

Projects and Dollars

Category	Launched Projects	Total Dollars	Successful Dollars	Unsuccessful Dollars	Live Dollars	Live Projects	Success Rate
All	596,970	\$7.41 B	\$6.79 B	\$582 M	\$40 M	2,891	40.73%

Successfully Funded Projects

Most successfully funded projects raise less than \$10,000, but a growing number have reached six, seven, and even eight figures. Currently funding projects that have reached their goals are not included in this chart — only projects whose funding is complete.

Category	Successfully Funded Projects	Less than \$1,000 Raised	\$1,000 to \$9,999 Raised	\$10,000 to \$19,999 Raised	\$20,000 to \$99,999 Raised	\$100 K to \$999,999 Raised	\$1 M Raised
All	241,997	31,107	128,268	35,053	36,753	10,070	746

Aim of the Project:

To predict if a newly added project will get funding

Client:

Would like to submit a project to Kickstarters.com

The client would like to get recommendation to increase possibility to get funding for their project

Information on Dataset

Data: Success or the failure of past projects on Kickstarter.com (?)

Number of data points: 149,500 unique projects

Data spanning: from year 2009 to year 2019

Info on the projects: Overall 37 features → country, date, title, category, number of backers etc.

Initial Assumptions - baseline


Baseline model:

Target - whether or not a campaign would be funded


Factors

- Goal funding figure
- Duration of the campaign


Correlation of Different Parameters



Initial Assumptions - baseline



Initial Assumptions - baseline




“Complex” Modeling

1. Logistic regression
2. Decision tree
3. Random forest
4. Adaboost


Features used for complex modeling

Boolean: 'staff_pick', 'profile_state', 'is_excl_or_ques', 'country_...' x 21, 'main_category_...' x 14
'blurb_word_count', 'duration_day',
'Launch_year', 'launch_week', 'launch_weekday', 'launch_monthday',
, 'goal_usd_log',
'country_AU', 'country_BE', 'country_CA',
'country_CH', 'country_DE', 'country_DK', 'country_ES', 'country_FR',
'country_GB', 'country_HK', 'country_IE', 'country_IT', 'country_JP',
'country_LU', 'country_MX', 'country_NL', 'country_NO', 'country_NZ',
'country_SE', 'country_SG', 'country_US',
'main_category_Comics', 'main_category_Crafts', 'main_category_Dance',
'main_category_Design', 'main_category_Fashion',
'main_category_Film & video', 'main_category_Food',
'main_category_Games', 'main_category_Journalism',
'main_category_Music', 'main_category_Photography',
'main_category_Publishing', 'main_category_Technology',
'main_category_Theater'

Complex Modeling



Complex Modeling



Best Model for Our Predictions

Model	Score
Logistic Regression	0.71
Decision Tree	0.75
Random Forest	0.76
Adaboost	0.75