# TRUSTONIC

Release Notes

Trustonic Test Suite (TTS)

PREFACE

This document is the confidential and proprietary information of Trustonic ("Confidential Information"). This document is protected by copyright and the information described therein may be protected by one or more EC patents, foreign patents, or pending applications. No part of the document may be reproduced or divulged in any form by any means without the prior written authorization of Trustonic. Any use of the document and the information described is forbidden (including, but not limited to, implementation, whether partial or total, modification, and any form of testing or derivative work) unless written authorization or appropriate license rights are previously granted by Trustonic.

1   What's New in TTS

1.1 Version identification

TTS 311B-r1

1.1.1 New Features

Support for Android N with Trustonic TEE versions 301D, 302D, 310D, 311B.

1.1.2 Bug Fixes and improvements

Kinibi versions support

‹   This version now supports all Kenibi versions ranging from Kinibi 301 up to 311B.

Tests

‹   No changes.

1.1.3 Known issues

‹   Email reporting might fail when connected to some corporate networks. This is likely due to corporate firewall policies. Use cellular data connectivity instead.
‹   TUI GC0004-TestTouchInteractive always returns failed even if the test is successful.

2   INSTALLATION

The TTS package is delivered to you as a stand-alone zip file or as part of the Trustonic OEM package.

Once the package extracted, the TTS application can be found in the folder TTS/bin.

To install the application on the device, use the adb install command as follow:

```
adb install TTS.apk
```

3   TROUBLESHOOTING AND SUPPORT

If you are having issues using the TTS application, you can check our trouble shooting page at:

https://trustonic.zendesk.com/hc/en-us/categories/200517982-Troubleshooting

You can alternatively send support requests at: https://trustonic.zendesk.com