Speculative Parallelization on the JVM

Ivo Anjo

ESW INESC-ID Lisboa

June 2010

• You can get a lot of processing cores these days

• You can get a lot of processing cores these days (Azul Vega!)


- You can get a lot of processing cores these days (Azul Vega!)
- ...even on a cheap x86 CPU:



SUNNYVALE, Calif. — 3/29/2010 AMD announces [...] the world's first 8and 12-core x86 processor for the high-volume 2P and value 4P server market.

```
void method() {
    doA();
    doB();
}
```

```
void method() {
    doA();
    doB();
}
```



• Can doA() and doB() be run in parallel?

- Can doA() and doB() be run in parallel?
 - Shared state

• Can doA() and doB() be run in parallel?

Our Approach: Speculative Parallelization

• Can doA() and doB() be run in parallel?

Our Approach: Speculative Parallelization

• Maybe, let's try and we'll see how it goes

Parallelization system does not have to prove a parallelization valid

- Parallelization system does not have to prove a parallelization valid
- Maps speculative executions to memory transactions

- Parallelization system does not have to prove a parallelization valid
- Maps speculative executions to memory transactions
- Most TLS approaches need hardware support for transactions

- Parallelization system does not have to prove a parallelization valid
- Maps speculative executions to memory transactions
- Most TLS approaches need hardware support for transactions
 - Limits

- Parallelization system does not have to prove a parallelization valid
- Maps speculative executions to memory transactions
- Most TLS approaches need hardware support for transactions
 - Limits
 - Hardware support just isn't there

Java Speculative Parallel Executor

Developed during my MSc

- Developed during my MSc
- TLS system for Java/JVM

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM
 - Now "jvstm-rulam"

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM
 - Now "jvstm-rulam"
- Also done in Java

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM
 - Now "jvstm-rulam"
- Also done in Java
- Two big components:

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM
 - Now "jvstm-rulam"
- Also done in Java
- Two big components:
 - Transactification

- Developed during my MSc
- TLS system for Java/JVM
- Works at the JVM bytecode level
- Used the JVSTM
 - Now "jvstm-rulam"
- Also done in Java
- Two big components:
 - Transactification
 - Speculation

No support for memory transactions on the JVM

- No support for memory transactions on the JVM
- JVSTM is just a Java library

- No support for memory transactions on the JVM
- JVSTM is just a Java library
- Application needs to be modified to use the JVSTM

- No support for memory transactions on the JVM
- JVSTM is just a Java library
- Application needs to be modified to use the JVSTM
 - → "Transactification"

• native methods

- native methods
- Cannot load modified versions of java.* classes on the Sun JVM

- native methods
- Cannot load modified versions of java.* classes on the Sun JVM
- Arrays, reflection, ...

- native methods
- Cannot load modified versions of java.* classes on the Sun JVM
- Arrays, reflection, ...

→ We need to detect and handle nontransactional operations

Speculation

• Speculative execution of methods

Speculation

- Speculative execution of methods
- When a method is invoked, some of the methods it invokes may be run speculatively

Speculation

- Speculative execution of methods
- When a method is invoked, some of the methods it invokes may be run speculatively

```
int fib(int n) {
    if (n <= 1) return n;
    return fib(n-1) + fib(n-2);
}</pre>
```

Speculation Problems

Lots of overhead instrumenting methods so we can do speculation

- Lots of overhead instrumenting methods so we can do speculation
- Can only jump intra-method

- Lots of overhead instrumenting methods so we can do speculation
- Can only jump intra-method
 - Cannot start execution at a given instruction

- Lots of overhead instrumenting methods so we can do speculation
- Can only jump intra-method
 - Cannot start execution at a given instruction
 - Hard to do finer-grain stuff

- Lots of overhead instrumenting methods so we can do speculation
- Can only jump intra-method
 - Cannot start execution at a given instruction
 - Hard to do finer-grain stuff
- Currently, cannot reuse threads FJ style, hard to migrate call stacks

What I need:

What I need:

• buffer speculative writes (aka write-set)

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

What I don't need:

atomicity

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

- atomicity
- versions

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

- atomicity
- versions
- read-only

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

- atomicity
- versions
- read-only
- ..

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

What I don't need:

- atomicity
- versions
- read-only
- ..

What would come in handy:

What I need:

- buffer speculative writes (aka write-set)
- remember+validate speculative reads (aka read-set)

What I don't need:

- atomicity
- versions
- read-only
- ...

What would come in handy:


• non-linear nesting :)

no versions (VBoxBody)

- no versions (VBoxBody)
- no sincronization, locking

- no versions (VBoxBody)
- no sincronization, locking
- reads and writes to boxes outside transactions are immediately visible


- no versions (VBoxBody)
- no sincronization, locking
- reads and writes to boxes outside transactions are immediately visible
- ...




Benchmarks







→ Should be a bit better now



Time for calculating fib(50) com 1..8 cores

Conclusions/Future Work

• Doing all of this using bytecode was an interesting experiment

Conclusions/Future Work

- Doing all of this using bytecode was an interesting experiment
- We hope to solve some of these issues and obtain real results by adapting a JVM to our use-case

The end

Questions?