

```

//***** main.c *****

// Project: Keil Labs and Project

// File: main.c

// Class: ENEL 351 Lab Works

// Programmer: Amandip Padda

// SID: 200455829

// Description: The project is based on the STM32F103RB that is being used in ENEL 351 Labs.

// It will also be used in the Project related to input and output of various sensors.


// =====

// *****IMPORTANT*****

//                                     Copyright (c) 2023. All rights reserved.

//                                     See the bottom of this file for the license terms.

// =====


// ***** Header Files *****

#include "stm32f10x.h"

#include "header.h"

#include <string.h>

#include <stdio.h>

#include <stdlib.h>

#include <math.h>


// ***** Interrupt Handler to handle Line Tracking Sensors *****

void EXTI9_5_IRQHandler(void)

{

    if (EXTI -> PR & (1 << 5)) // Line 5 Checker

    {

        completeStop();

```

```

        leftReverse();

        rightForward();

EXTI -> PR |= (1 << 5); // Line 5 Clear
}

if (EXTI -> PR & (1 << 6)) // Line 6 Checker
{
        completeStop();

        rightReverse();

        leftForward();

EXTI -> PR |= (1 << 6); // Line 6 Clear
}

}

// ***** Main Starts *****

int main(void)
{
        clockInit(); // Clock Set Up

        portEnable(); // Enable Port Clocks

        pinConfigure(); // Pin Config

        lcdSetup(); // LCD Setup

        char message[20];

        powerScreen();

        while(1)
        {

                float photoResistor = (readPhotoResistor()*(100.00/4095.00));

                float pressure = (readPressure()*(500.00/4095.00));

                brightnessControl(photoResistor);

                float distance = calculateDistance();

                completeGoForward();

```

```

if (distance > 0)
{
    if (distance < 5)
    {
        completeStop();
        ledTest();
        sprintf(message, " Weight : %.2f", pressure);
        stringToLCD(message);
        delay(1200);
        clear();
    }
    else
    {
        if ((GPIOB->IDR & GPIO_IDR_IDR5) > 0)
        {

            stringToLCD(" Travelling ");
            stringToLCD(message);
            delay(500);
            clear();
        }
        else if ((GPIOB->IDR & GPIO_IDR_IDR6) > 0)
        {

            stringToLCD(" Travelling ");
            stringToLCD(message);
            delay(500);
            clear();
        }
    }
}

```

```

        else
        {
            completeStop();
            completeGoForward();
            stopLedTest();
            stringToLCD(" Travelling ");
            stringToLCD(message);
            delay(500);
            clear();
        }
    }
}

}

}

}

// =====
// *****IMPORTANT*****
//
// Copyright (c) 2016. All rights reserved.
// This library is free software; you can redistribute it and/or modify it under the terms of the
// GNU Lesser General Public License as published by the Free Software Foundation; either version
// 2.1 of the License, or (at your option) any later version. This library is distributed in the
// hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of
// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public
// License
// for more details. You should have received a copy of the GNU Lesser General Public License along
// with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street,
// Fifth Floor, Boston, MA 02110-1301 USA
// =====

```