

BEYOND LEAST PRIVILEGE

Credential Harvesting in Endpoint Privilege Manager



ANDY THOMPSON

Andy.Thompson@CyberArk.com

- Linkedin: in/andythompsoninfosec
- GitHub: github.com/binarywasp
- Twitter: @R41nMkr

- Global Research Evangelist
- SSCP/CISSP
- GPEN Pen-tester
- Dallas Hacker
- Travel-Hacker



IT IS ALL ABOUT THE ENDPOINT

Most attacks start on the endpoints



The endpoint is the best source for harvesting credentials.

This facilitates lateral movement.






AGENDA



ATTACK PATTERN





CREDENTIAL THEFT

- ☐ System Processes
- ☐ Registry Locations
- ☐ Known File Paths
- ☐ Session Tokens



Dump Credentials







Within Minutes or Seconds...



Cloud/On-Prem Network Takeover



Targeted Repositories






RISK: SYSTEM PROCESSES

LSASS memory:

Clear-text passwords of logged on users, Kerberos tickets, Kerberos encryption keys, SmartCard/Token PIN codes, LM/NTLM hashes, DPAPI Domain Backup Key, Domain Trust Auth Information, cached DPAPI MasterKeys, cached SysKey (need to decrypt SAM/LSA Secrets/Cached credentials/NTDS.dit), clear-text passwords of accounts, stored in Credential Manager.





DEMO VID OF ATTACK & BLOCK





RISK: SYSTEM REGISTRY

SAM registry hive/file: LM/NTLM hashes of local users;

What is the SAM File?

The Security Account Manager (SAM) is a database file in Microsoft Windows OS's that stores users' passwords. It can be used to authenticate local and remote users. Beginning with Windows 2000 SP4, Active Directory is used to authenticate remote users. SAM uses cryptographic measures to prevent forbidden users to gain access to the system.

During normal operation of a Windows system, the SAM database cannot be copied due to restrictions enforced by the operating system kernel. The SAM database is stored in two places within Windows: "systemroot%\system32\config\sam" is the location of the main storage for passwords and "systemroot%\repair\sam._ is a backup of the main file in the event that recovery is required for a repair process."



DEMO VID OF ATTACK & BLOCK





RISK: KNOWN FILE PATHS

NTDS.dit file:

Hashes of domain accounts, Domain Backup Key;

Offline – grab SAM/SYSTEM/SECURITY/NTDS.dit from compromised host and process it using special tools. **Online** – run special tool directly on compromised host (this tool will do all necessary work itself)

Windows allows programs to have direct access to logical volumes. Programs with direct access may read and write files directly from the drive by analyzing file system data structures. This technique bypasses Windows file access controls as well as file system monitoring tools.



DEMO VID OF ATTACK & BLOCK





RISK:SESSION TOKENS





Application

- End User Layer
- HTTP, FTP, IRC, SSH, DNS

Presentation

- Syntax Layer
- SSL, SSH, IMAP, TFP, MPEG, JPEG

Session

- Synch & send to port
- API's, Sockets, Winsock

Transport

- End-to-end connections
- TCP, UDP

Network

- Packets
- IP, ICMP, IPSec, IGMP


Data Link

- Frames
- Ethernet, PPP, Switch, Bridge

Physical

- Physical Structure
- Coax, Fibre, Wireless, Hubs, Repeaters

MICROSOFT TEAMS ATTACK WORKFLOW

















Victim's Screen





PURCHASING STOLEN COOKIES



WHY?

- Identity Theft
- Account Take-over
- Targeted Phishing
- Data Breaches
- Profit



CASE STUDY: ELECTRONIC ARTS (EA)

- Began attack by purchasing Slack access for \$10.
- Tricked employee to reset MFA
- Exfil Data
 - 780GB stolen Source Code, SDK's and other proprietary tools.
 - FIFA 21 Source Code
 - Frostbyte Engine



Dashboard

Home / Wiki

i Genesis Wiki

I

■ News

Genesis Wiki

Bots

400k+

Generate FP

Orders

Purchases

\$ Payments

Tickets

Software

6.3 | 19.0

Profile

Invites

♠ Logout

Genesis Store - professional place that helps you to increase anonymity in World Wide Web.

Genesis Store specializing in selling:

- FingerPrints (FP),
- Cookies.
- · Inject Scripts info,
- Form Grabbers (Logs),
- Saved Logins,
- · Other personal data obtained from different devices in the WEB.

Each bot in the store may include all mentioned above info of partial.

To help you work with this information we have developed professional software:

Genesis Security - the proprietary plugin which can simplify your work with FingerPrints and Cookies of the bots (holders).

You may purchase all the necessary data on any bot (holder).

NB: we do not check the sources or the accounts, we provide the info «as it is».

Fingerprints may be obtained in 2 different ways:

- · real FP scratched by bot from the user's Device,
- · generated FP based on the data grabbed by bot on the user's Device.

To find usefull information how to use this service, you can look at following sections:

