



HTML Widget Plugins

 WIDGET API VERSION 1.4.0

HTML widget plugins extend iCUE widget functionality, and are registered using the `required_plugins` property in `manifest.json`.

Supported Plugins

Plugin	Module name	Plugin name	Version	Description
Sensors Data Provider	widgetbuilder.sensorsdataproducer	Sensors	1.0	Sensor data from connected devices
Media Data Provider	widgetbuilder.mediadataprovider	Media	1.0	Media playback control
Link Provider	widgetbuilder.linkprovider	Url	1.0	Open links in the system browser
Stream Deck	widgetbuilder.streamdeck	StreamDeck	1.0	Stream Deck integration
FPS Data Provider	widgetbuilder.fpsdataproducer	Fps	1.0	FPS data and current process name

Plugin	Module name	Plugin name	Version	Description
Device Action Provider	widgetbuilder.deviceactionprovider	DeviceAction	1.0	Dial and key action events from the device

Declaration

Plugins are declared in the manifest.json file in the "required_plugins" section.

Single plugin:

manifest.json

```
"required_plugins": [  
  "widgetbuilder.sensorsdatapvider:Sensors:1.0"  
]
```

Multiple plugins:

manifest.json

```
"required_plugins": [  
  "widgetbuilder.sensorsdatapvider:Sensors:1.0",  
  "widgetbuilder.mediadataprovider:Media:1.0"  
]
```

Plugin Interface

Initialization Check

Boolean variable indicating plugin load status: `plugin<<module_name>>_initialized`

Examples:

- `pluginSensorsdataprovder_initialized`
- `pluginMediadataprovder_initialized`
- `pluginLinkprovder_initialized`
- `pluginFpsdataprovder_initialized`
- `pluginDeviceactionprovder_initialized`

Initialization Callback

```
plugin<<module_name>>Events = {  
    "onInitialized": <<callback_function>>  
};
```

Sensors plugin example:

```
pluginSensorsdataprovderEvents = {  
    onInitialized: onSensorsdataprovderInitialized,  
};
```

Media plugin example:

```
pluginMediadataprovderEvents = {  
    onInitialized: onMediadataprovderInitialized,  
};
```

Link plugin example:

```
pluginLinkprovderEvents = {  
    onInitialized: onLinkprovderInitialized,  
};
```

FPS plugin example:

```
pluginFpsdataprovderEvents = {  
    onInitialized: onFpsdataprovderInitialized,  
};
```

Device Action Provider example:

```
pluginDeviceactionproviderEvents = {  
    onInitialized: onDeviceactionproviderInitialized,  
};
```

Plugin Access

Access plugins via `window.plugins.<<module_name>>`:

- `window.plugins.Sensorsdataprovder`
- `window.plugins.Mediadataprovider`
- `window.plugins.Linkprovider`
- `window.plugins.Fpsdataprovder`
- `window.plugins.Deviceactionprovider`

Each plugin has its own interface documented in the plugin-specific documentation.