

[References](#)[Controls](#)[media-selector](#)

media-selector

Media file selector with transformation controls (scale, position, rotation).

Platform notes:

- Windows: supports `AV1`, `VP8`, `VP9` video codecs
- macOS: video codecs are **not** supported

Attributes

Attribute	Type	Description	Support JS expressions
<code>data-filters</code>	<code>string[]</code>	File type filters	

Output Value

`object` (or `undefined` if no media selected):

Property	Type	Description
<code>pathToAsset</code>	<code>string</code>	URL/path to selected file
<code>scale</code>	<code>number</code>	Scale factor (1.0)
<code>positionX</code>	<code>number</code>	X position offset
<code>positionY</code>	<code>number</code>	Y position offset
<code>baseWidth</code>	<code>number</code>	Original image width

Property	Type	Description
baseHeight	number	Original image height
angle	number	Rotation angle in degrees

Example

```
<meta
  name="x-icue-property"
  content="backgroundImage"
  data-label="tr('Background Image')"
  data-type="media-selector"
  data-filters="['*.png', '*.jpg', '*.gif']"
/>
```

```
if (typeof backgroundImage !== "undefined") {
  console.log(backgroundImage.pathToAsset); // "file:///path/to/image.png"
  console.log(backgroundImage.scale); // 1.5
  console.log(backgroundImage.angle); // 45
}
```

MediaViewer Helper

See [MediaViewer documentation](#) for simplified media handling.

Complete Widget Example

Manifest:

```
{
  "author": "Corsair Team",
  "id": "com.corsair.mediaselectordemo",
  "name": "Media Selector Demo",
  "description": "Media Selector Demo",
```

```

"version": "1.0.0",
"preview_icon": "icon.png",
"min_framework_version": "1.0.0",
"os": [
  {
    "platform": "windows"
  },
  {
    "platform": "mac"
  }
],
"supported_devices": [
  {
    "type": "dashboard_lcd",
    "features": ["sensor-screen"]
  },
  {
    "type": "pump_lcd"
  },
  {
    "type": "keyboard_lcd"
  }
]
}

```

HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>'Media Selector Demo'</title>
  <link rel="icon" type="image/svg+xml" href="resources/icon.svg">

  <meta name="x-icue-property" content="backgroundImage"
        data-label="tr('Background Image')" data-type="media-selector"
        data-filters="['*.png', '*.jpg', '*.gif']">

  <script type="application/json" id="x-icue-groups">
    [{"title": "tr('Settings')", "properties": ["backgroundImage"]}
  </script>

  <!-- Bundle these files from docs/common into your widget folder -->
  <link rel="stylesheet" href="common/tools/media_viewer/MediaViewer.css">
  <script src="common/tools/media_viewer/MediaViewer.js"></script>
</head>

```

```

<body style="margin:0;height:100vh;background:#1a1a2e;color:#fff;font-family:sans-serif;">
  <div id="media" style="position:relative;width:100%;height:100%;"></div>
  <div id="info" style="position:relative;z-index:1;padding:20px;">No media</div>
  <script>
    const viewer = new MediaViewer({ container: document.getElementById("media")
  });

  icueEvents = { "onDataUpdated": update, "onICUEInitialized": update };

  function update() {
    if (typeof backgroundImage === "undefined") {
      viewer.clear();
      document.getElementById("info").textContent = "No media";
    } else {
      viewer.loadMedia({
        path: backgroundImage.pathToAsset,
        baseWidth: backgroundImage.baseWidth,
        baseHeight: backgroundImage.baseHeight,
        scale: backgroundImage.scale,
        positionX: backgroundImage.positionX,
        positionY: backgroundImage.positionY,
        angle: backgroundImage.angle
      });
    }
  }
  if (iCUE_initialized) update();
</script>
</body>
</html>

```

For the example to work, you also need to add icon.svg

Copy `common/tools/media_viewer/` from the documentation bundle into your widget folder, then include the files as shown above.