



sensors-combobox

Dropdown for selecting a system sensor. Requires the [Sensors plugin](#).

Attributes

Attribute	Type	Description	Support JS expressions
<code>data-default</code>	<code>string</code>	Default sensor ID	☒

Output Value

`string` - Selected sensor ID

Requirements

This control requires the Sensors plugin to be declared in manifest.json:

```
"required_plugins": [  
  "widgetbuilder.sensorsdatapvider:Sensors:1.0"  
]
```

Example

Manifest:

```
"required_plugins": [  
  "widgetbuilder.sensorsdatapvider:Sensors:1.0"  
]
```

HTML:

```
<meta
  name="x-icue-property"
  content="sensorId"
  data-label="tr('Sensor')"
  data-type="sensors-combobox"
  data-default="plugins.SensorsDataProvider.getDefaultSensorIdBlock('temperature')"
/>
```

Usage in JavaScript

```
console.log(sensorId); // "cpu_temp_0"
```

Complete Widget Example

Manifest:

```
{
  "author": "Corsair Team",
  "id": "com.corsair.sensorscomboboxdemo",
  "name": "Sensors Combobox Demo",
  "description": "Sensors Combobox Demo",
  "version": "1.0.0",
  "preview_icon": "icon.png",
  "min_framework_version": "1.0.0",
  "os": [
    {
      "platform": "windows"
    },
    {
      "platform": "mac"
    }
  ],
  "supported_devices": [
    {
      "type": "dashboard_lcd"
    },
    {
      "type": "pump_lcd"
    }
  ]
}
```

```

    },
    {
        "type": "keyboard_lcd"
    }
],
"required_plugins": [
    "widgetbuilder.sensorsdatapvider:Sensors:1.0"
]
}

```

HTML:

```

<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>'Sensors Combobox Demo'</title>
    <link rel="icon" type="image/svg+xml" href="resources/icon.svg" />

    <meta
      name="x-icue-property"
      content="sensorId"
      data-label="'Sensor'"
      data-type="sensors-combobox"
      data-
default="plugins.Sensorsdatapvider.getDefaultSensorIdBlock('temperature')"
    />

    <script type="application/json" id="x-icue-groups">
      [{ "title": "'Settings'", "properties": ["sensorId"] }]
    </script>

    <script src="common/plugins/IcueWidgetApiWrapper.js"></script>
    <script src="common/plugins/SimpleSensorApiWrapper.js"></script>
  </head>
  <body
    style="margin:0;height:100vh;display:flex;align-items:center;justify-
content:center;background:#1a1a2e;color:#fff;font-family:sans-serif;"
  >
    <div>
      <span id="value" style="font-size:48px;">--</span>
      <span id="units" style="font-size:24px;"></span>
    </div>
    <script>
      let api = null;
      icueEvents = { onDataUpdated: update, onICUEInitialized: update };
      pluginSensorsdatapviderEvents = { onInitialized: onPluginReady };
    </script>
  </body>
</html>

```

```

        function onPluginReady() {
            api = new SimpleSensorApiWrapper(window.plugins.Sensorsdataprovider);
            window.plugins.Sensorsdataprovider.sensorValueChanged.connect((id,
val) => {
                if (id === sensorId) document.getElementById("value").textContent
= parseFloat(val).toFixed(1);
                });
            update();
        }

        async function update() {
            if (!api || !sensorId) return;
            const [val, units] = await Promise.all([api.getSensorValue(sensorId),
api.getSensorUnits(sensorId)]);
            document.getElementById("value").textContent =
parseFloat(val).toFixed(1);
            document.getElementById("units").textContent = units;
        }

        if (iCUE_initialized) update();
        if (typeof pluginSensorsdataprovider_initialized !== "undefined" &&
pluginSensorsdataprovider_initialized)
            onPluginReady();
    </script>
</body>
</html>

```

For the example to work, you also need to add icon.svg

IcueWidgetApiWrapper and SimpleSensorApiWrapper are available in the common folder of the iCUE installation directory.