```
<!DOCTYPE html>
<!--firsthide-->
<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js">
</script>
<!--<script src="jquery-3.4.1.min.js"></script>-->
<script>
$(document).ready(function(){
 $("p").click(function(){
   $(this).hide();
 });
});
</script>
</head>
<body>
If you click on me, I will disappear.
Click me away!
Click me too!
</body>
</html>
```

```
<!DOCTYPE html>
<!--ID selector-->
<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script>
$(document).ready(function(){
 $("button").click(function(){
   $("#test").hide(1000);
 });
});
</script>
</head>
<body>
<h2>This is a heading</h2>
This is a paragraph.
This is another paragraph.
<button>Click me</button>
</body>
</html>
```

```
<!DOCTYPE html>
<!--class selector-->
<html>
<head>
<!--<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>-->
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
$(document).ready(function(){
 $("#click").click(function(){
   $(".test").hide();
 $("#show").click(function(){
   $(".test").show();
 });
});
</script>
</head>
<body>
<h2 class="test">This is a heading</h2>
This is a paragraph.
This is another paragraph.
<button id="click">Click me</button>
<button id="show">show
</body>
</html>
```

```
<!DOCTYPE html>
<!--element selector-->
<html>
<head>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
<script>
$(document).ready(function(){
 $("#hide").click(function(){
   $("p").hide(5000);
 });
$("#show").click(function(){
   $("p").show(5000);
 });
});
</script>
</head>
<body>
<h2>This is a heading</h2>
This is a paragraph.
This is another paragraph.
<button id="hide">Click me to hide paragraphs/button>
<button id="show">Click me to show paragraphs/button>
</body>
</html>
```