```
<html> <head>
<style type="text/css">
ul.a {list-style-type:circle;}
ul.b {list-style-type:disc;}
ul.c {list-style-type:square;}
ol.f {list-style-type:decimal;}
ol.g {list-style-type:decimal-leading-zero;
list-style-position:outside;}
ol.n {list-style-type:lower-alpha;list-style-position:inside;}
ol.q {list-style-type:lower-roman;}
ol.r {list-style-type:upper-alpha;}
ol.t {list-style-type:upper-roman;}
ol.u {list-style-type:none;}
ol.v {list-style:decimal outside url("myimage.jpg");
}
</style> </head>
<body>
Circle type 
class="b">
Disc type 
Square type
Decimal type
>Decimal-leading-zero type
>Decimal-leading-zero type
>Decimal-leading-zero type
Decimal-leading-zero type
>Decimal-leading-zero type
Lower-alpha type 
Lower-roman type
Upper-alpha type
Upper-roman type
None type
Image type
</body> </html>
```

```
<html> <head>
<style type="text/css">
a.one:link {color:#ff0000;}
a.one:visited {color:#0000ff;}
a.one:hover {color:#00ff00;}
a.one.active{color:#00ff77;}
a.two:link {color:#ff0000;}
a.two:visited {color:#0000ff;}
a.two:hover {font-size:150%;color:red;}
a.three:link {color:#ff0000;}
a.three:visited {color:#0000ff;}
a.three:hover {background:#66ff66;font-size:100%;}
a.four:link {color:#ff0000;}
a.four:visited {color:#0000ff;}
a.four:hover {font-family:monospace;}
a.five:link { color:#ff0000;
    text-decoration:none; }
a.five:visited {color:#0000ff;
   text-decoration:none; }
a.five:hover{text-decoration:
                               ;}
a.six:link,a.six:visited
{ display:block;
font-weight:bold;
color:#FFFFF;
background-color: #98bf21;
width:120px;
text-align:center;
padding:4px;
text-decoration:none; }
a.six:hover,a.six:active
{ background-color: #7A991A;
font-size:50px;
text-decoration:underline; }
</style> </head>
<body>
Mouse over the links to see them change layout.
<b><a class="one" href="http://www.vit.ac.in" target="_blank">This link changes color
</a></b>
<b><a class="two" href="http://www.vit.ac.in" target="_blank">This link changes font-size
</a></b>
<b><a class="three" href="http://www.vit.ac.in" target="_blank">This link changes
background-color</a></b>
<b><a class="four" href="http://www.vit.ac.in" target="_blank">This link changes
font-family</a></b>
<b><a class="five" href="http://www.vit.ac.in" target="_blank">This link changes
text-decoration</a></b>
<b><a class="six" href="http://www.vit.ac.in" target="_blank">This link changes Box Color
</a></b>
</body></html>
```

```
<!DOCTYPE html>
<html>
<head>
<style>
div {
   height: 100px;
   width: 500px;
   background-color: powderblue;
    }
</style>
</head>
<body>
<h2>Set the height and width of an element</h2>
<div>This div element has a height of 200px and a width of 50%:
asdflkjasdf asdfljasdlfkkj
<h2>Set the height and width of an element</h2>
</div>
</body>
</html>
```

```
<!DOCTYPE html>
<html>
<head>
<style type="text/css">
table
{
   border-collapse:collapse;
   width:50%;
   padding:100px;
   border-spacing:1px;
th
{
   height:50px;
   vertical-align:middle;
}
td
{
   text-align:center;
   padding:20px;
table, th, td
border:10px solid red;
}
table.ex1 {
   border-collapse:collapse;
   border-spacing: 10px;
}
table.ex2 {
   border-collapse:collapse;
   border-spacing: 10px 50px;
   empty-cells:show;
}
caption {
   caption-side:bottom;
}
</style>
</head>
<body>
<caption>Student details
Student Name
Seminar Topic
Madhusuthanan P
Internet, Intranet and WWW
Roopa S
<br>
<br><br><br><br><
Peter
   Griffin
```

```
Lois
 Griffin
<br>
<br>>
Cleveland
 Brown
Glenn
  </body>
</html>
```

```
<html>
<head>
<style type="text/css">
font-size:20px;
p.none {border-style:none; margin:20px;}
p.dotted {border-style:solid; border-width:5px;
border-color:blue red yellow black;
border-radius:10px;margin:10px;}
p.dashed {border-style:dashed;margin:0px;}
p.solid {border:5px solid orange;
border-radius:10px;margin:0px;padding:10px 100px;
background-color:yellow;}
p.double {border-style:double;margin:20px 40px;}
p.groove {border-style:groove;border-color:red;
padding:20px 30px 40px 50px;}
p.ridge {border-style:ridge;}
p.inset {border-style:inset;}
p.outset {border-style:outset;}
p.hidden {border-style:dotted dashed double outset;}
</style>
</head>
<body>
No border.
A dotted border.
A dashed border.
A solid border.
A double border.
A groove border asdfkjasdflkajsdflkjasdflkjasdflkkjasdflkkjasdflk
asdfkljasdflkkjasdfadfasdflkjasdflkkjassdfjhasdf.
A ridge border.
An inset border.
An outset border.
A hidden border.
</body>
</html>
```

```
<html>
<head>
<style type="text/css">
div.ex
width:160px;
padding:10px;
border:5px solid gray;
margin:0px;
background-color:pink;
}
div.ex1
{
width:50px;
padding:10px;
border:5px solid gray;
margin:20px 10px;
background-color:yellow;
div.ex1 a
{
text-decoration:none;
color:red;
}
div.outer
{
width:200px;
padding:20px 10px;
border:10px solid blue;
margin:0px;
background-color:aqua;
}
</style>
</head>
<body>
<div class="outer">
<div class="ex">The line above is 250px wide.
Now the total width of this element is also 250px.</div>
<div class="ex1"><a href="">HOME</a></div>
</div>
</body>
</html>
```