

```
<html>
<head>
<style type="text/css">
p#para1
{   text-align:center;
    color:red;    }
p#para3
{
color:black;
text-align:right;
}
p{font-family:Arial;background-color:aqua;}
p.class1{color:#0f88fe;}
</style> </head>
<body>
<p id="para1">Hello World!</p>
<p class="class1"> The id selector uses the id attribute of the HTML element, and is defined
with a "#".The style rule below will be applied to the element with id="para2" </p>
<p id="para3">This paragraph is not affected by the style.</p>
<p class="class1"> asdfilkasdfsad</p>
</body>
</html>
```

```
<html>
<head>
<style type="text/css">
/*
body{
background-color:yellow;
background-image:url(myimage.jpg);
background-repeat:no-repeat;
background-attachment:fixed;
background-position:50px 50px;
}*/

body{
background:aqua url(myimage.jpg) no-repeat fixed top center;
}
</style>
</head>
<body>
<h4>Heading 4</h4>
<p>bbbvcbbcdfjbdfbgjd fhgjfhgjdhfgk
fgkl dfhghdfk khghdfkh
fghdfk khkldfhlmv,xcglrgjepr;sdmv;s[f[pwoewflsd;mklwejf
gerogoerog</p>
<ol>
<li>one</li>
<li>two</li>
<li>one</li>
<li>two</li>
</ol>
<ul>
<li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li>
</ul>
<p>fkjasdlfkjalsdkfjllkjaskdjflaksjdfkjasdlfkjalskdfj<br>
asdasdlfkjalsdkfjlaksdjflkasjdfkjasdlfkjasldkfj<br>
askdkfjasldkfjalskdfjalskdfjlaskdfj<br>
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkj
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkjasdf
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkjasdfasdf
asdff
asfd
asdffasdf
asdffasdfdf
asdffasdfasdf
asdasdlfkjalsdkfjlaksdjflkasjdfkjasdlfkjasldkfjfa
sdf
asdffasdfasdff<br>
askkfhasldkfalsdkfjlaksdjf
</p>
<p>fkjasdlfkjalsdkfjllkjaskdjflaksjdfkjasdlfkjalskdfj<br>
asdasdlfkjalsdkfjlaksdjflkasjdfkjasdlfkjasldkfj<br>
askdkfjasldkfjalskdfjalskdfjlaskdfj<br>
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkj
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkjasdf
asdfjasdlfkjasldfkjasdfasdlfkjasdlfkkjasdfasdf
asdff
asfd
asdffasdf
asdffasdfdf
asdffasdfasdf
asdasdlfkjalsdkfjlaksdjflkasjdfkjasdlfkjasldkfjfa
sdf
asdffasdfasdff<br>
askkfhasldkfalsdkfjlaksdjf
</p>
```



```
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkj
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkjasdf
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkjasdfasdf
asdff
asfd
asdffasdf
asdffasdfdf
asdffasdfasdf
asdasdlfkjalsdkfjlaksdjflkasjdflkjasdlfkjasldkfjfa
sdf
asdffasdfasdff<br>
asdkfhasldkfalsdkfjlaksdjf
</p><p>fkjasdlfkjalsdkfjllkjaskdjflaksjdflkjasdlfkjalskdfj<br>
asdasdlfkjalsdkfjlaksdjflkasjdflkjasdlfkjasldkfj<br>
askdkfjasldkfjalskdfjalskdfjlaskdfj<br>
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkj
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkjasdf
asdfjasdlfkjasldfkjasdfasdfkjasdlfkkjasdfasdf
asdff
asfd
asdffasdf
asdffasdfdf
asdffasdfasdf
asdasdlfkjalsdkfjlaksdjflkasjdflkjasdlfkjasldkfjfa
sdf
asdffasdfasdff<br>
asdkfhasldkfalsdkfjlaksdjf
</p>
</body>
</html>
```

[illegible]

```
</ol>
<ul>
<li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li>
<li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li><li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li><li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li><li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li><li>aaaaaaaaaaaa</li>
<li>bbbbbbbbbbbbbb</li>
<li>cccccccccccccc</li>
<li>dddddddddddddd</li>
</ul>
<textarea wrap="hard">
haihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaihaih
aihai</textarea>
</body>
</html>
```

```
<html>
<body>
<div style="color:#FF0000">
<h3>This is a header</h3>
<p>This is a paragraph.</p>
<h5>Content Articles</h5>
<p>This paragraph would be your content
  paragraph with all of your readable material.</p>
</div><br>
<div style="color:#00FF00">
  <h3>This is a header</h3>
  <p>This is a paragraph.</p>
<h5>Content Articles</h5>
<p>This paragraph would be your
<span style="background-color:#FF0000">content</span>
  paragraph with all of your readable material.</p>
</div>
<div id="menu" align="right" style="color:#FF0000">
Links:<a href="">HOME</a> |
<a href="">CONTACT</a> |
<a href="">ABOUT</a> |
</div><br>
<div style="background:#00FF00">
  <h3>This is a header</h3>
  <p>This is a paragraph.</p>
<h5>Content Articles</h5>
<p>This paragraph would be your content
  paragraph with all of your readable material.</p>
</div>
</body>
</html>
```

```
<html>
<head>
<style type="text/css">
p
{
    /*font-style:italic;
    font-variant:small-caps;
    font-weight:500;
    font-size:2em;
    font-family:"Arial";
    color:red;*/
    font:italic small-caps bold 1em Callibri;
}

ol
{
    font-family:Arial;
    font-style:italic;
    font-weight:200;
}
</style>
</head>
<body>
<p>Font Properties Font PropertiesFont Properties Font Properties
Font Properties Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties
Font Properties Font Properties Font Properties Font Properties
</p>
<ol>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
    <li>One ONE one</li>
</ol>
</body>
</html>
```



```
<html> <head>
<style type="text/css">
ul.a {list-style-type:circle;}
ul.b {list-style-type:disc;}
ul.c {list-style-type:square;}
ol.f {list-style-type:decimal;}
ol.g {list-style-type:decimal-leading-zero;
list-style-position:outside;}
ol.n {list-style-type:lower-alpha;list-style-position:inside;}
ol.q {list-style-type:lower-roman;}
ol.r {list-style-type:upper-alpha;}
ol.t {list-style-type:upper-roman;}
ol.u {list-style-type:none;}
ol.v {list-style:decimal outside url("myimage.jpg");
}
</style> </head>
<body>
<ul class="a">
<li>Circle type</li> </ul>
<ul class="b">
<li>Disc type</li> </ul>
<ul class="c">
<li>Square type</li></ul>
<ol class="f">
<li>Decimal type</li></ol>
<ol class="g">
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
<li>Decimal-leading-zero type</li>
</ol>
<ol class="n">
<li>Lower-alpha type</li> </ol>
<ol class="q">
<li>Lower-roman type</li>
</ol>
<ol class="r">
<li>Upper-alpha type</li>
</ol>
<ol class="t">
<li>Upper-roman type</li>
</ol>
<ol class="u">
<li>None type</li>
</ol>
<ol class="v">
<li>Image type</li>
</ol>
</body> </html>
```