

```
const express = require('express');
const app = express();
app.get('/', (req, res) => res.send('Hello Vijayan!'));
app.get('/display', function(req, res){ res.send('Hello Vijayan123!')})
app.listen(3000, () => console.log('Your Express Server is ready'));
```

```
var express = require('express');
var app = express();
app.get('/hello', function(req, res){ res.send("Hello World!"); });
app.post('/hello1', function(req, res){
res.send("You just called the post method at '/hello'!\n"); });

app.all('/test', function(req, res){
res.send("HTTP method doesn't have any effect on this route!"); });
app.listen(3000);
```

```
var express = require('express');
var router = express.Router();
router.get('/', function(req, res){ res.send('GET route on things.')}
});
router.post('/', function(req, res){ res.send('POST route on things.')} });
//export this router to use in our index.js
module.exports = router;
```

```
var express = require('Express');
    var app = express();
    var things = require('./node_express_things.js');
//both index.js and things.js should be in same directory
app.use('/things', things);
app.listen(3000);
```

```
var express = require('express');
var app = express();
var str="";
app.get('/', function(req, res){
res.send('<p>'+req.baseUrl+'<br>'+req.hostname+'<br>'+req.ip+'<br>'+
req.protocol+'<br>'+req.path+'<br>'+req.query.name+'<br>'+req.query.place+'<br>'+req.route+
'methods'+<br>'+ req.accepts('text/html')+<br>'+req.get('Content-type')+<br>'+req.is(
'text/html')+</p>')
});
app.listen(3000, function(){ console.log('Your Express Server is ready')});
```

```
var express = require('express');
var app = express();
var str="";
app.get('/', function(req, res){
res.send('<p>'+res.app+'<br>'+res.headerSent+'<br>'+res.methods+
res.append('Link', ['<http://localhost/>', '<http://localhost:3000/>'])+'<br>'+
'<br>'+res.get('Content-Type')+'<br>'+res.json({ name: 'ajeet' })+'</p>')
});
app.get('/down', function(req, res){
res.download('./Circular.pdf','test.pdf')});
app.get('/direct', function(req, res){
res.redirect('http://www.vit.ac.in')});

app.listen(3000, function(){ console.log('Your Express Server is ready')});
```