Fait par : Binetou Rassoul SEYE

Date : 13/03/2026

Pratique GIT Dépôt local & distant

1. Création du dossier git-pratique et déplacement vers le dossier

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~ (main)
$ cd C:/Users/seye1/Documents/Orange-Digital-Center

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center (main)
$ mkdir git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center (main)
$ cd git-pratique
```

2. Création du fichier file.txt dans le dossier git-pratique

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ touch file.txt
```

3. Initialisation du dépôt git

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git init
Initialized empty Git repository in C:/Users/seye1/Documents/Orange-Digital-Center/git-pratique/.git/
```

5. Visualisation de l'initialisation du dépôt local git. Avec le dossier .git



6. Faire un status pour voir l'état actuel du dépôt

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git status -s
?? file.txt
```

7. Sauvegarder les modifications dans l'historique

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git commit -m "ajout d'une premiere ligne"
[master (root-commit) d9c2885] ajout d'une premiere ligne
 1 file changed, 1 insertion(+)
 create mode 100644 file.txt
```

8. Modification du fichier et voir le contenu

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ echo "ajout de ma deuxieme ligne" >> file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ cat file.txt
ma premiere ligne
ajout de ma deuxieme ligne

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git status -s
 M file.txt
```

9. Voir les modifications faites dans un fichier

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git diff
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
diff --git a/file.txt b/file.txt
index 591c3e3..6769fa8 100644
--- a/file.txt
+++ b/file.txt
@@ -1 +1,2 @@
 ma premiere ligne
+ajout de ma deuxieme ligne
```

10. Faire un commit

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git add .
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git status -s
M  file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git commit -m "ajout de ma deuxieme ligne"
[master 1621fc3] ajout de ma deuxieme ligne
 1 file changed, 1 insertion(+)
```

11. Visualiser l'historique

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git log --online
fatal: unrecognized argument: --online
```

12. Faire une modification en ajoutant une ligne et l'annuler

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ echo "ajout de ma deuxieme ligne" >> file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ cat file.txt
ma premiere ligne
ajout de ma deuxieme ligne

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git status -s
 M file.txt
```

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ cat file.txt
ma premiere ligne
ajout de ma deuxieme ligne
ma troisieme ligne

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git restore file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ cat file.txt
ma premiere ligne
ajout de ma deuxieme ligne
```

13.Creation et switch vers la branch main

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git checkout -b main
Switched to a new branch 'main'

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ echo "ma quatrieme ligne" >> file.txt
```

14. Modifier le fichier sur main et le commiter

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git add .
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git commit -m "ajout de ma quatrieme ligne"
[main ff2ccd8] ajout de ma quatrieme ligne
 1 file changed, 1 insertion(+)
```

15. Switcher sur la branche master

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git switch master
Switched to branch 'master'
```

16. Modifier le fichier sur main et le commiter afin de créer un conflit merge

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ echo "ma cinquieme ligne" >> file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git add .
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git commit -m "ajout de ma cinquieme ligne"
[master b84b6ba] ajout de ma cinquieme ligne
 1 file changed, 1 insertion(+)
```

17. Confit après un commit

```
MINGW64:/c/Users/seye1/Documents/Orange-Digital-Center/git-pratique

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git merge main
Auto-merging file.txt
CONFLICT (content): Merge conflict in file.txt
Automatic merge failed; fix conflicts and then commit the result.
```

Corriger le conflit

```
This is a first text after title
<<<<<<< HEAD
Updating a text in master
=======
Updating a text in main
>>>>>>> main
```

18. Faire un commit

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master|MERGING)
$ git add .

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master|MERGING)
$ git commit -m "ajout de ma cinquieme ligne"
[master f70b1b2] ajout de ma cinquieme ligne
```

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git merge main
Already up to date.
```

19. Re-switch vers la branche master

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (master)
$ git switch main
Switched to branch 'main'
```

20. Apres avoir régler le conflit, la fusion des deux branches marchent

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git merge master
Updating ff2ccd8..f70b1b2
Fast-forward
 file.txt | 3 ++-
 1 file changed, 2 insertions(+), 1 deletion(-)
```

21. Edit du fichier pour la sauvegarde avec stash

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ echo "je suis occupee" >> file.txt

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git status -s
 M file.txt
```

21. Sauvegarde du fichier et lister les sauvegardes

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git stash -m "sauvegarder mon travail"
warning: in the working copy of 'file.txt', LF will be replaced by CRLF the next time Git touches it
Saved working directory and index state On main: sauvegarder mon travail

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git stash list
stash@{0}: On main: sauvegarder mon travail
```

22. Supprimer la sauvegarde

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git stash pop
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file.txt

no changes added to commit (use "git add" and/or "git commit -a")
Dropped refs/stash@{0} (d83c42a5481590b7c4078ad42d7888c87a29c9e3)

seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git stash list
```

Création du dépôt distant

24. Gérer le dépôt distant

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git remote add origin https://github.com/Binetuuu/Portfolio_Binetou.git
```

25. Envoyer les modifications vers le dépôt distant

```
seye1@DESKTOP-MNF5E6P MINGW64 ~/Documents/Orange-Digital-Center/git-pratique (main)
$ git push origin main
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 8 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (15/15), 1.23 KiB | 630.00 KiB/s, done.
Total 15 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Binetuuu/Portfolio_Binetou.git
 * [new branch]      main -> main
```