

# N706B

## AT Commands Manual

Issue 1.0      Date 2025-11-18



# Contents

1	□□□□	1
2	SMS□□	24
3	□□	36

# Chapter 1

## 1.1 ATI

□□□□□□□□,□□□□□□□□□□ □□□□

### 1.1.1

□□□

ATI

□□□

```
<CR><LF><manufacturer>
<CR><LF><module_version>
<CR><LF><soft_version>
<CR><LF>OK<CR><LF>
```

### 1.1.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.1.3

ATI

OK

### 1.1.4

□□□□1

## 1.2 AT+GMR

□□□□□□□□□□□□

### 1.2.1

□□□

AT+GMR

□□□

```
<CR><LF>+GMR: <reversion>  
<CR><LF>OK<CR><LF>
```

### 1.2.2

- <service>□ □□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.2.3

AT+CSMS=1

+CSMS: 1,1,1  
OK

### 1.2.4

□□□□2

## 1.3 AT+CSQ

□□□□□□□□<rssI>□ □□□□

### 1.3.1

□□□

```
AT+CSQ
```

```
□□□
```

```
<CR><LF>OK<CR><LF>
```

### 1.3.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.3.3

```
AT+CSQ
```

```
OK
```

### 1.3.4

```
□□□□3
```

## 1.4 AT+CREG

```
□□□□□□□□□□□□□□□□
```

### 1.4.1

```
□□□
```

```
AT+CREG
```

```
□□□
```

```
<CR><LF>OK<CR><LF>
```

### 1.4.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□

- 1□□□

### 1.4.3

AT+CREG

OK

### 1.4.4

□□□□4

## 1.5 AT+CEREG EPS

□□EPS□□□□□□□□□□

### 1.5.1

□□□

AT+CEREG

□□□

<CR><LF>OK<CR><LF>

### 1.5.2

- <service>□□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□□□/□□/□□□□
- 0□□□□
- 1□□□

### 1.5.3

AT+CEREG

OK

### 1.5.4

□□□□5

## 1.6 AT+COPS

□□□□□ □□□□

### 1.6.1

□□□

AT+COPS

□□□

<CR><LF>OK<CR><LF>

### 1.6.2

- <service>□ □□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□□

### 1.6.3

AT+COPS

OK

### 1.6.4

□□□□6

## 1.7 AT+CIMI

□□□□□□□□□□IMSI□international mobile subscriber identification□□ □□□□

### 1.7.1

□□□

AT+CIMI

□□□

<CR><LF>OK<CR><LF>

### 1.7.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.7.3

AT+CIMI

OK

### 1.7.4

□□□□7

## 1.8 AT+CGSN IMEI

□□□□□□□□□□,□□□IMEI□□International Mobile Equipment Identity□□ □□□□

### 1.8.1

□□□

AT+CGSN

□□□

<CR><LF>OK<CR><LF>

### 1.8.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□



### 1.8.3

```
AT+CGSN
```

```
OK
```

### 1.8.4

□□□□8

## 1.9 AT+GSN IMEI

□□□□□□□□□□,□□□IMEI□□International Mobile Equipment Identity□□ □□□□

### 1.9.1

□□□

```
AT+GSN
```

□□□

```
<CR><LF>OK<CR><LF>
```

### 1.9.2

- <service>□ □□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.9.3

```
AT+GSN
```

```
OK
```

### 1.9.4

□□□□9

## 1.10 AT+CCID SIM

□□SIM□□ICCID□ □□□□

### 1.10.1

□□□

AT+CCID

□□□

<CR><LF>OK<CR><LF>

### 1.10.2

- <service>□ □□□□□□□
- 0□ GSM03.40/GSM03.41 Phase 2
- 1□ GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.10.3

AT+CCID

OK

### 1.10.4

□□□□10

## 1.11 AT+CGMM

□□□□□□□ □□□□

### 1.11.1

□□□

AT+CGMM

□□□

<CR><LF>OK<CR><LF>

### 1.11.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.11.3

AT+CGMM

OK

### 1.11.4

□□□□11

## 1.12 AT+GMM

□□□□□□□ □□□□

### 1.12.1

□□□

AT+GMM

□□□

<CR><LF>OK<CR><LF>

### 1.12.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

OK

---

10

## 1.14 AT+CFUN

1111<fun>1111111111<fun>11111111 11111111,11111111 1111

### 1.14.1

111

AT+CFUN

111

<CR><LF>OK<CR><LF>

### 1.14.2

- <service> 1 1111111111
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm> 1 11/11/1111
- 0 1111
- 1 111

### 1.14.3

AT+CFUN

OK

### 1.14.4

111114

## 1.15 AT+CMUX

1111111111111111 111111111111,1111111111111111,11111111,1111111111111111,1111  
1111AT+CMUX=0 111111111111 1111

### 1.15.1

111

AT+CMUX

111

### 1.15.2

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

### 1.15.3

AT+CMUX

OK

### 1.15.4

□ □ □ □ 15

## 1.16 AT+CCLK

□□□□□□□□□□ □□□□□□□□,□□□□,□□□□□0□□,□□1/4□□□□□□□□

### 1.16.1

333

AT+CCLK

333

<CR><LF>OK<CR><LF>

### 1.16.2

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

### 1.16.3

AT+CCLK

OK

### 1.16.4

□□□□16

## 1.17 AT+CPIN PIN

□□PIN□□□□□PIN□□ □□□PIN□,□□□□SIM□□AT+CLCK="SC",1,"1234"□□,□□□□□□PIN□,□□□□□□PIN□□□□

### 1.17.1

□□□

AT+CPIN

□□□

<CR><LF>OK<CR><LF>

### 1.17.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.17.3

AT+CPIN

OK

### 1.17.4

□□□□17

## 1.18 AT+CLK PIN

□□□□□□□□MT□□□□□□□□□□,□□□□□□□ □□□□

### 1.18.1

□□□

AT+CLK

□□□

<CR><LF>OK<CR><LF>

### 1.18.2

- <service>□ □□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□□

### 1.18.3

AT+CLK

OK

### 1.18.4

□□□□18

## 1.19 AT+CPWD

□□□□□□□□□□ □□□□PIN□,□□□SIM□□AT+CLK="SC",1,"1234"□□□□□□□ □□□□

### 1.19.1

□□□

AT+CPWD

□□□

<CR><LF>OK<CR><LF>



### 1.19.2

- **<service>**□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>**□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.19.3

AT+CPWD

OK

### 1.19.4

□□□□19

## 1.20 AT+CGDCONT PDP

□□GPRS□PDP□Packet Data Protocol,□□□□□□□□□APN□□□□□□□□□50□ □□□□

### 1.20.1

□□□

AT+CGDCONT

□□□

<CR><LF>OK<CR><LF>

### 1.20.2

- **<service>**□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>**□ □□/□□/□□□□
- 0□□□□
- 1□□□

OK

## □ □ □ □ 20

OK

## □ □ □ □ 21

## 1.22 AT+CGATT GPRS

```

GPRS, GPRS PPP G-
PRS, AT AT+CGATT? 1, PPP, 0, AT+CGATT=1

```

### 1.22.1



AT+CGATT

333

<CR><LF>OK<CR><LF>

### 1.22.2

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

### 1.22.3

AT+CGATT

OK

### 1.22.4

□ □ □ □ 22

### 1.23 ATE1 /ATE0 &

AT

### 1.23.1

111

ATE1

333

```
<CR><LF>OK<CR><LF>
```

### 1.23.2

- **<service>**□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>**□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.23.3

```
ATE1
```

```
OK
```

### 1.23.4

```
□□□□23
```

## 1.24 ATD \*99# GPRS

□□□□□□□,□□GPRS□□□□□ □□□□□□□□□□CREG□□□□□□□,□□□□□□APN□ □□□□

### 1.24.1

```
□□□
```

```
ATD
```

```
□□□
```

```
<CR><LF>OK<CR><LF>
```

### 1.24.2

- **<service>**□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>**□ □□/□□/□□□□
- 0□□□□
- 1□□□

ATD

OK

## □ □ □ □ 24

□ □ □ □ □ □ □ □ □

111

AT+CESQ



<CR><LF>OK<CR><LF>

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □ □
- 0 □ □ □ □ □
- 1 □ □ □ □

## AT+CESQ

OK

## □ □ □ □ 25

[illegible]

11/11

333

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ □ □ □ □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

## OK

## □ □ □ □ 26

**Sleep**, **DTR**

333

1111

20

## 1.27.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

## 1.27.3

```
AT+NWENPWRSAVE
```

```
OK
```

## 1.27.4

```
□□□□27
```

## 1.28 AT+NWPWROFF

□□□□□□□□ AT+NWPWROFF □□,□□□□□□□□ POWERKEY □□□□□□□□ OK □,□□□□□□,□□□ POW-  
ERKEY □□□□□ □□□□

## 1.28.1

```
□□□
```

```
AT+NWPWROFF
```

```
□□□
```

```
<CR><LF>OK<CR><LF>
```

## 1.28.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

## AT+NWPWROFF

OK

## □ □ □ □ 28

[illegible]

333

AT+NWRFTTEST

333

<CR><LF>OK<CR><LF>

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ □ □ □ □ □ □ □ □ □ □ □
- 0 □ □ □ □ □
- 1 □ □ □ □

## AT+NWRFTTEST

OK

## □ □ □ □ 29



## 1.30 AT+NSTGETRSSI

□□□□□□□□□□□□□□□□,□□□□□□□□□□□□ □□□□

### 1.30.1

□□□

```
AT+NSTGETRSSI
```

□□□

```
<CR><LF>OK<CR><LF>
```

### 1.30.2

- <service>□ □□□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 1.30.3

```
AT+NSTGETRSSI
```

```
OK
```

### 1.30.4

□□□□30

## Chapter 2 SMS

### 2.1 AT+CSMS

SMS-MO SMS-MT SMS-CB

#### 2.1.1

```
AT+CSMS=<service><CR>
```

```
<CR><LF>+CSMS: <mt>,<mo>,<bm>
<CR><LF>OK<CR><LF>
Or
<CR><LF>ERROR<CR><LF>,<CR><LF>+CSMS: <service>,<mt>,<mo>,<bm>
<CR><LF>OK<CR><LF>,<CR><LF>+CSMS: (list of supported <service>s)
<CR><LF>OK<CR><LF>
```

```
AT+CSMS?<CR>
```

```
OK
```

```
AT+CSMS=?<CR>
```

```
OK
```

### 2.1.2

- **<service>** 0 0 0 0 0 0 0 0
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>** 0 0 / 0 0 / 0 0 0 0
- 0 0 0 0
- 1 0 0 0

### 2.1.3

```
AT+CSMS=1

+CSMS: 1,1,1
OK
AT+CSMS=2

ERROR
AT+CSMS=?

+CSMS: 1,1,1,1
OK
AT+CSMS=?

+CSMS: (0,1)
OK
```

### 2.1.4

0 0 0 0 0 0 0 0 0 0

## 2.2 AT+CPMS

0 0 0 0 0 0 0 0 0 0 0 0

### 2.2.1

0 0 0

AT+CPMS

0 0 0

<CR><LF>OK<CR><LF>

### 2.2.2

- **<service>** 00000000
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>** 00/00/0000
- 00000
- 1000

### 2.2.3

AT+CPMS

OK

### 2.2.4

000032

## 2.3 AT+CMGF

0000000000 0000

### 2.3.1

000

AT+CMGF

000

<CR><LF>OK<CR><LF>

### 2.3.2

- **<service>** 00000000
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>** 00/00/0000
- 00000
- 1000

### 2.3.3

AT+CMGF

OK

### 2.3.4

□□□□33

## 2.4 AT+CSCS TE

□□TE□□□□□□ □□□□

### 2.4.1

□□□

AT+CSCS

□□□

<CR><LF>OK<CR><LF>

### 2.4.2

- <service>□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 2.4.3

AT+CSCS

OK

### 2.4.4

□□□□34

## 2.5 AT+CNMI

□□□□□□□□□□□□□□□□ □□□□

333

33

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

OK

## □ □ □ □ 35

AT+CPMS, [mode], [storage], [file number]  
[mode] 0: delete file from memory  
[mode] 1: delete file from SIM card  
[mode] 2: delete file from both memory and SIM card  
[storage] 0: delete file from memory  
[storage] 1: delete file from SIM card  
[file number] 0: delete all files

333

333

28

## 2.6.2

- **<service>** 00000000
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>** 00/00/0000
- 00000
- 1000

## 2.6.3

AT+CMGR

OK

## 2.6.4

000036

## 2.7 AT+CMGL

0000000000,00000+CPMS 0000000000000000 0000

### 2.7.1

000

AT+CMGL

000

<CR><LF>OK<CR><LF>

### 2.7.2

- **<service>** 00000000
- 0 GSM03.40/GSM03.41 Phase 2
- 1 GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>** 00/00/0000
- 00000
- 1000

## AT+CMGL

OK

## □ □ □ □ 37

, <mr>

333

AT+CMGS

333

<CR><LF>OK<CR><LF>

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

## AT+CMGS

OK

## □ □ □ □ 38

,  <index>



### 2.9.1

□ □ □

AT+CMGW

□ □ □

&lt;CR&gt;&lt;LF&gt;OK&lt;CR&gt;&lt;LF&gt;

### 2.9.2

- <service>□ □ □ □ □ □ □ □
- 0□ GSM03.40/GSM03.41 Phase 2
- 1□ GSM03.40/GSM03.41 Phase 2+
- <mt>,<mo>,<bm>□ □ □ / □ □ / □ □ □ □
- 0□ □ □ □
- 1□ □ □

### 2.9.3

AT+CMGW

OK

### 2.9.4

□ □ □ □ 39

## 2.10 AT+CMSS

□ □ □ □ □ □ &lt;index&gt;□ □ □ □ □ □ □ □ SMS-SUBMIT□,□ □ □ □ □ □ □ □ □ □ □ □ □ □ &lt;mr&gt;□ □ □ □ □ □ □ □

### 2.10.1

□ □ □

AT+CMSS

□ □ □

&lt;CR&gt;&lt;LF&gt;OK&lt;CR&gt;&lt;LF&gt;

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

OK

## □ □ □ □ 40

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



333

<CR><LF>OK<CR><LF>

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

## AT+CMGD

OK

## □ □ □ □ 41

□□□□□□□□□CDMA□□□,□□□□□□□□□□□□□□□□

333

AT+CSCA

333

<CR><LF>OK<CR><LF>

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

## AT+CSCA

OK

## □ □ □ □ 42

□□□□, □□□□□□□□□□, □□SMSC□□□□□□□□□□□□□□□□□□□□□□□□□□□□

333

33

- **<service>** □ □ □ □ □ □ □ □
- 0 □ GSM03.40/GSM03.41 Phase 2
- 1 □ GSM03.40/GSM03.41 Phase 2+
- **<mt>**, **<mo>**, **<bm>** □ □ □ / □ □ □ / □ □ □ □
- 0 □ □ □ □
- 1 □ □ □

OK

## □ □ □ □ 43

[illegible]

333

333

<CR><LF>OK<CR><LF>

### 2.14.2

- **<service>**□ □□□□□□□
- 0□GSM03.40/GSM03.41 Phase 2
- 1□GSM03.40/GSM03.41 Phase 2+
- **<mt>,<mo>,<bm>**□ □□/□□/□□□□
- 0□□□□
- 1□□□

### 2.14.3

AT+CSDH

OK

### 2.14.4

□□□□44

## Chapter 3