

TravelEase Hub - Supabase Table Design

USERS Table

Column Name	Data Type	Constraints	Description
id	UUID	PK, default: uuid_generate_v4()	Unique user ID
name	VARCHAR(100)	NOT NULL	User's full name
email	VARCHAR(100)	UNIQUE, NOT NULL	User email address
password_hash	TEXT	NOT NULL	Encrypted password
role	VARCHAR(10)	DEFAULT 'user'	Role: 'user', 'agency', or 'admin'
created_at	TIMESTAMP	DEFAULT now()	Account creation time
is_active	BOOLEAN	DEFAULT true	Account status

AGENCIES Table

id	UUID	PK, FK → users.id	Linked to users table
agency_name	VARCHAR(100)	NOT NULL	Name of the agency
description	TEXT		Description of agency services
verified	BOOLEAN	DEFAULT false	Admin approval status

ADMINS Table

id	UUID	PK, FK → users.id	Linked to users table
super_admin	BOOLEAN	DEFAULT false	If true, can manage other admins

PACKAGES Table

id	UUID	PK	Unique package ID
agency_id	UUID	FK → agencies.id	Agency offering this package
title	VARCHAR(150)	NOT NULL	Package title
description	TEXT		Details about the package
destination	VARCHAR(100)	NOT NULL	Destination place
duration_days	INTEGER	NOT NULL	Trip duration in days
price_per_person	DECIMAL(10,2)	NOT NULL	Cost per person
image_url	TEXT		URL to image or banner
is_verified	BOOLEAN	DEFAULT false	Approved by admin or not

id	UUID	PK	Unique package ID
created_at	TIMESTAMP	DEFAULT now()	Package creation time

BOOKINGS Table

id	UUID	PK	Unique booking ID
user_id	UUID	FK → users.id	User who booked
package_id	UUID	FK → packages.id	Booked package
number_of_people	INTEGER	NOT NULL	Number of travelers
total_price	DECIMAL(10,2)	NOT NULL	Auto-calculated total cost
booking_date	DATE	NOT NULL	Date of booking
status	VARCHAR(20)	DEFAULT 'confirmed'	Booking status

REVIEWS Table

id	UUID	PK	Unique review ID
user_id	UUID	FK → users.id	Reviewer
package_id	UUID	FK → packages.id	Reviewed package
rating	INTEGER	CHECK (1 ≤ rating ≤ 5)	Rating (1-5)
comment	TEXT		Review content
created_at	TIMESTAMP	DEFAULT now()	Time of review

PROMOTIONS Table

id	UUID	PK	Promotion ID
agency_id	UUID	FK → agencies.id	Offered by agency
package_id	UUID	FK → packages.id	Applicable package
discount_percent	INTEGER	CHECK (≤ 100)	Discount percentage
valid_from	DATE	NOT NULL	Start of promotion
valid_until	DATE	NOT NULL	End of promotion

ITINERARIES Table

id	UUID	PK	Unique itinerary ID
user_id	UUID	FK → users.id	For which user
trip_name	VARCHAR(100)		Name/title of trip
destination	VARCHAR(100)	NOT NULL	Destination

id	UUID	PK	Unique itinerary ID
ai_generated	BOOLEAN	DEFAULT true	AI-generated or manual
data	JSONB		Full itinerary content
created_at	TIMESTAMP	DEFAULT now()	Creation date

EXPENSES Table

id	UUID	PK	Unique expense ID
trip_id	UUID	FK → itineraries.id	Related trip
payer_id	UUID	FK → users.id	Who paid the expense
amount	DECIMAL(10,2)	NOT NULL	Expense amount
description	TEXT		Description of expense
shared_with	JSONB		Array of user_ids sharing this
created_at	TIMESTAMP	DEFAULT now()	Time of entry