Bio 1M: Midterm 1 extra notes (complete)

1 Phylogeny

- Bioskills are in the back of your book
- Phylogeny is the evolutionary history of a group of organisms
- Based on the idea that organisms are related by evolution
- Understanding these relationships is critical to our understanding of both evolution, and how biological processes work

Phylogenetic trees

- A **phylogenetic tree** is a model of how a group of organisms descended from a common ancestor
- The model consists of **nodes**, where groups split, **branches** where evolution occurs, and **tips** representing observed **taxa** which are the endpoints of the process we are trying to model.
- A point where more than two branches diverge is called a *polytomy*.
 - Polytomies mean we don't know which event happened first.

Monophyletic group

- A monophyletic group is a group defined by a single common ancestor
 - All descendants of the ancestor must be in the group
- Monophyletic groups can also be called **clades** or **taxa**.
- As biologists, we should try to think in terms of clades
 - Are flying vertebrates a clade?
 - What are some prominent groups that are not clades?
 - * Answer: apes, reptiles, trees

Sister taxa

- Sister taxa can be a useful way of thinking about trees
 - two taxa that share a common node
 - You need to take the whole taxon
- E.g., sisters of: *Homo sapiens*; *Homo erectus*; humans?
 - <u>Answer</u>: Homo neanderthalensis; Hn and Hs; Paranthropus

Reading phylogenetic trees

- The tree indicates the pattern of branching of lineages (evolving lines)
- Tips are assumed by the model to be monophyletic
- A tree is a model of how evolution occurred
 - Trees that correspond to the same model are considered equivalent

Order of species

- Except for the branching pattern, we don't interpret anything about the order of a tree
 - No species are higher or lower than others, according to the tree
 - We've all been evolving for the same amount of time
- How do we judge how closely related two organisms are, according to a tree?
 - Answer: By looking for their common ancestor

1.1 Constructing phylogenetic trees

- First, measure **characteristics** (or **characters**) of the taxa of interest i.e., anything that seems useful to measure
 - Can be **morphological** (i.e., physical) or genetic
- Then infer (make an educated guess about) the phylogenetic relationships.
 - Phenetic approaches use measures of distance between organisms
 - Cladistic approaches are based on modeling how evolution occurs on the tree

Morphological vs. genetic characteristics

- Should we use morphological or genetic characteristics to infer phylogenies?
 - We usually have more information from genetic characteristics, and this information is easier to measure precisely
- When should we use morphological characteristics?
 - **Answer:** When genetic information is not available
 - * Answer: Most fossil organisms
 - <u>Comment</u>: Some viruses evolve so fast that morphological characteristics can be more stable than genetic characteristics

Phenetic vs. cladistic analysis

- Cladistic analysis makes use of the phylogenetic model of organisms evolving from each other to infer phylogenies
- Phenetic analysis ignores the phylogenetic model of organisms evolving from each other while inferring phylogenies
- Which is better?
 - **Answer:** Cladistic analysis
- When should we use the other one?
 - Answer: When our data are only distances, with no characters available e.g.,
 certain molecular techniques

Synapomorphies

- Classical cladistic analysis is based on synapomorphies shared, derived characters
 as evidence that two taxa are related
- Why do we focus on derived characters?
 - Answer: These are things that evolved in the relevant context
 - Answer: So they are the things our model (the phylogenies) must explain

Flight as evidence

- Oaks and fish don't fly, but birds do
 - **Answer:** We're pretty sure that the common ancestor didn't fly
 - **Answer:** No evidence (any model will have flight evolve once)
 - **Answer:** Flight evolved once in either case
- Mosquitoes and birds fly, but fish don't
 - Answer: Evidence (flight might have evolved once or twice on this tree)
 - **Answer**: But this evidence points in the wrong direction
 - * **Answer:** This is why we combine evidence from different sources

What characters are derived?

- Derived compared to what?
 - The common ancestor (characteristics of the common ancestor are called **basal** or **ancestral** characters).
 - * What if our flight example was ostriches, hawks, and sparrows?
 - * **Answer:** No evidence for similarity between hawks and sparrows
 - A derived character is a character not shared by the common ancestor of the group that we are currently thinking about
 - One way to think about cladistic vs. phenetic analysis is that phenetic analysis treats derived and basal characters equally

Inferring the common ancestor

- We want to know what the common ancestor was like, so we can tell which characters are derived (as opposed to basal)
- This can be done sometimes by common sense
- Inferring the common ancestor statistically is difficult, for technical reasons
 - We can make use of an **outgroup** to study a group. An outgroup is an organism closely related to, but outside, the group being studied.
 - We assume that the **root**, or beginning, of the tree is where the outgroup branches from the group

Confusing the phylogeny

- Two species may have the same trait because the trait evolved twice independently **convergent evolution**
 - **Answer:** Flight, trees, dolphins and icthyosaurs
- An organism may lack a character that its ancestors had **secondary loss**
 - This can be even more confusing
- Similarities that are not homologies (ie., not due to common ancestry) are called **homoplasies**

Parsimony

- Classical cladistic analysis is based on searching for the tree that can explain the observed data most **parsimoniously** with the fewest number of changes necessary.
- How do we address the problem of convergent evolution and homoplasy?
 - **Answer**: Make use of many different characteristics, when possible
 - Answer: It may also help to use many different taxa
- <u>Comment</u>: Modern approaches that use genetic data may use more sophisticated approaches, rather than simple parsimony