### Primate evolution

Patterns of evolution

The evolution of primates

**Apes** 

Learning about the past

### Outline

Patterns of evolution
Context for evolution

The evolution of primates

Apes

Learning about the past

▶ We are an example of a biological species that has evolved

- ▶ We are an example of a biological species that has evolved
  - ► Many of your friends are probably humans

- ▶ We are an example of a biological species that has evolved
  - Many of your friends are probably humans
- ► Humans seem unique:

- ▶ We are an example of a biological species that has evolved
  - Many of your friends are probably humans
- Humans seem unique:
  - ► How do they differ from other evolved organisms?

- ▶ We are an example of a biological species that has evolved
  - Many of your friends are probably humans
- Humans seem unique:
  - How do they differ from other evolved organisms?
  - ► What do they share with other evolved organisms?

- ▶ We are an example of a biological species that has evolved
  - Many of your friends are probably humans
- Humans seem unique:
  - How do they differ from other evolved organisms?
  - What do they share with other evolved organisms?



► What is different about people?

▶ What is different about people?



- ▶ What is different about people?
  - \* Complex thoughts

- ▶ What is different about people?
  - \* Complex thoughts
  - \*

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - **▶** ≯

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - > 1

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- ► What is the same?

- ▶ What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - >

- ► What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - ▶ \* We're here because our ancestors reproduced

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - \* We're here because our ancestors reproduced
  - **>** \*

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .
    - \*

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- ▶ What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .
    - ► \* We're still evolving

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- ▶ What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .
    - ► \* We're still evolving
    - \*

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .
    - ► \* We're still evolving
    - \* In what direction or directions?

- What is different about people?
  - \* Complex thoughts
  - \* Culture
  - \* Language
  - \* Technology
- What is the same?
  - \* We're here because our ancestors reproduced
  - \* If reproductive success depends on heritable variation in traits . . .
    - ► \* We're still evolving
    - \* In what direction or directions?

► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- ► More than 3 billion years ago!

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- ▶ More than 3 billion years ago!
- Some key steps:

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- ▶ More than 3 billion years ago!
- ► Some key steps:
  - Eukaryotes

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - ► Animals

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - Animals
  - Vertebrates

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - Animals
  - Vertebrates
  - Mammals


- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - Animals
  - Vertebrates
  - Mammals
  - Primates

### History

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - Animals
  - Vertebrates
  - Mammals
  - Primates
  - Apes

### History

- ► There are a *lot* of steps (and a lot of divergences) between us and the last universal common ancestor of life
- More than 3 billion years ago!
- Some key steps:
  - Eukaryotes
  - Animals
  - Vertebrates
  - Mammals
  - Primates
  - Apes



► Why not just say how long ago?

- ▶ Why not just say how long ago?
  - ► Periods may be punctuated by major events

- ▶ Why not just say how long ago?
  - ▶ Periods may be punctuated by major events
    - Radiations, mass extinctions

- Why not just say how long ago?
  - Periods may be punctuated by major events
    - Radiations, mass extinctions
  - People started talking about periods before they had good measures of how long ago things happened

- Why not just say how long ago?
  - Periods may be punctuated by major events
    - Radiations, mass extinctions
  - ▶ People started talking about periods before they had good measures of how long ago things happened
  - Periods have cool names

- Why not just say how long ago?
  - Periods may be punctuated by major events
    - Radiations, mass extinctions
  - People started talking about periods before they had good measures of how long ago things happened
  - Periods have cool names
    - > \*

- Why not just say how long ago?
  - Periods may be punctuated by major events
    - Radiations, mass extinctions
  - People started talking about periods before they had good measures of how long ago things happened
  - Periods have cool names
    - \* Connections help people think clearly

- Why not just say how long ago?
  - Periods may be punctuated by major events
    - Radiations, mass extinctions
  - People started talking about periods before they had good measures of how long ago things happened
  - Periods have cool names
    - \* Connections help people think clearly

### Outline

Patterns of evolution
Context for evolution

The evolution of primates

Apes

Learning about the past

► Adaptations build on existing adaptations – often in unexpected ways

- Adaptations build on existing adaptations often in unexpected ways
- ► Evolution does not know where it's going

- Adaptations build on existing adaptations often in unexpected ways
- Evolution does not know where it's going
- ► In a constant environment, species can only improve with gradual adaptations to the same environment

- Adaptations build on existing adaptations often in unexpected ways
- Evolution does not know where it's going
- ► In a constant environment, species can only improve with gradual adaptations to the same environment
  - ▶ and will be in danger of getting "stuck", e.g. vertebrate eyes

- Adaptations build on existing adaptations often in unexpected ways
- Evolution does not know where it's going
- ► In a constant environment, species can only improve with gradual adaptations to the same environment
  - ▶ and will be in danger of getting "stuck", e.g. vertebrate eyes
- ► A changing environment provides opportunities to try new combinations and build in unexpected directions

- Adaptations build on existing adaptations often in unexpected ways
- Evolution does not know where it's going
- In a constant environment, species can only improve with gradual adaptations to the same environment
  - ▶ and will be in danger of getting "stuck", e.g. vertebrate eyes
- ► A changing environment provides opportunities to try new combinations and build in unexpected directions

► Physical changes often provide species with new adaptive challenges and opportunities:

- Physical changes often provide species with new adaptive challenges and opportunities:
- ► Global climate change

- Physical changes often provide species with new adaptive challenges and opportunities:
- ► Global climate change
- ► Continental drift

- Physical changes often provide species with new adaptive challenges and opportunities:
- ► Global climate change
- Continental drift
- ► Geological changes

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - ► New environments can arise (e.g., mountain ranges, desert basins)

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live


- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live
    - ► Rivers changing course

- Physical changes often provide species with new adaptive challenges and opportunities:
- ► Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live
    - Rivers changing course
    - Mountain ranges separating valley species

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live
    - Rivers changing course
    - Mountain ranges separating valley species
    - > 4

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live
    - Rivers changing course
    - Mountain ranges separating valley species
    - \* Provides opportunities for allopatric speciation

- Physical changes often provide species with new adaptive challenges and opportunities:
- Global climate change
- Continental drift
- Geological changes
  - New environments can arise (e.g., mountain ranges, desert basins)
  - Geology may also change connections between two populations without a large effect on how they live
    - Rivers changing course
    - Mountain ranges separating valley species
    - \* Provides opportunities for allopatric speciation



► Taxa can be dramatically affected by changes in other taxa

- ► Taxa can be dramatically affected by changes in other taxa
  - ▶ Due to evolution or to colonization

- Taxa can be dramatically affected by changes in other taxa
  - ▶ Due to evolution or to colonization
- ► Interactions with other organisms are key to most ecological niches

- Taxa can be dramatically affected by changes in other taxa
  - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
  - ▶ Who do I eat? Who is trying to eat me? How do I reproduce?

- Taxa can be dramatically affected by changes in other taxa
  - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
  - ▶ Who do I eat? Who is trying to eat me? How do I reproduce?
- ► Co-evolution is a key driver of diversity. For example:

- Taxa can be dramatically affected by changes in other taxa
  - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
  - Who do I eat? Who is trying to eat me? How do I reproduce?
- ► Co-evolution is a key driver of diversity. For example:
  - Plants evolve new ways to use insects for sex, or vertebrates for dispersal

# Changing ecosystems

- Taxa can be dramatically affected by changes in other taxa
  - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
  - Who do I eat? Who is trying to eat me? How do I reproduce?
- ► Co-evolution is a key driver of diversity. For example:
  - Plants evolve new ways to use insects for sex, or vertebrates for dispersal
  - ► Animals evolve new ways to benefit from plant resources

# Changing ecosystems

- Taxa can be dramatically affected by changes in other taxa
  - Due to evolution or to colonization
- Interactions with other organisms are key to most ecological niches
  - ▶ Who do I eat? Who is trying to eat me? How do I reproduce?
- ► Co-evolution is a key driver of diversity. For example:
  - Plants evolve new ways to use insects for sex, or vertebrates for dispersal
  - Animals evolve new ways to benefit from plant resources





► Our ancestors, the **therapsids**, radiated and dominated many terrestrial environments *before* dinosaurs did

- Our ancestors, the therapsids, radiated and dominated many terrestrial environments before dinosaurs did
- Therapsids were largely replaced by dinosaurs in the age of dinosaurs

- Our ancestors, the therapsids, radiated and dominated many terrestrial environments before dinosaurs did
- Therapsids were largely replaced by dinosaurs in the age of dinosaurs
  - ▶ But some survived, and one radiated after a mass extinction

- Our ancestors, the therapsids, radiated and dominated many terrestrial environments before dinosaurs did
- Therapsids were largely replaced by dinosaurs in the age of dinosaurs
  - ▶ But some survived, and one radiated after a mass extinction

 Many clades seem to go through periods of radiation and contraction

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:
  - ► Therapsids, apes, hominins (us)

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:
  - Therapsids, apes, hominins (us)
- Radiation gives many chances for adaptation

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:
  - Therapsids, apes, hominins (us)
- Radiation gives many chances for adaptation
  - Things that have had radiations may be more likely to persist

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:
  - Therapsids, apes, hominins (us)
- Radiation gives many chances for adaptation
  - Things that have had radiations may be more likely to persist
  - Even after periods of contraction

- Many clades seem to go through periods of radiation and contraction
  - Gain and then loss of species diversity
- Examples:
  - Therapsids, apes, hominins (us)
- Radiation gives many chances for adaptation
  - ▶ Things that have had radiations may be more likely to persist
  - Even after periods of contraction

▶ Why might a clade diversify and then suffer many extinctions?

Why might a clade diversify and then suffer many extinctions?

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)
    - \*

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)
  - \* Competition from other clades (therapsids vs. dinosaurs)

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)
  - \* Competition from other clades (therapsids vs. dinosaurs)
  - \*

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)
  - \* Competition from other clades (therapsids vs. dinosaurs)
  - \* Competition from a successful member (people vs. other hominins)

- ▶ Why might a clade diversify and then suffer many extinctions?
  - \* Changing conditions (climate change, continents moving)
  - \* Competition from other clades (therapsids vs. dinosaurs)
  - \* Competition from a successful member (people vs. other hominins)

► One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at

One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at

>

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- ► Clades with a history of radiation may be more successful

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - ► They've explored more kinds of environments

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - ► They've explored more kinds of environments
  - ► They're found in more different specific places

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - ► They've explored more kinds of environments
  - ► They're found in more different specific places
    - e.g., marsupials in Australia

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - ► They've explored more kinds of environments
  - They're found in more different specific places
    - e.g., marsupials in Australia
  - They've had more chances to adapt

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - They've explored more kinds of environments
  - They're found in more different specific places
    - e.g., marsupials in Australia
  - They've had more chances to adapt
    - May have a few very successful species (like us)

- One reason we see a lot of clades with a history of radiations may be that those clades are the ones we're looking at
  - \* More successful now
- Clades with a history of radiation may be more successful
  - ► They've explored more kinds of environments
  - ► They're found in more different specific places
    - e.g., marsupials in Australia
  - They've had more chances to adapt
    - May have a few very successful species (like us)

# Mammals



# **Mammals**

▶ \* Produce milk

- ► \* Produce milk
- **\***

- ▶ \* Produce milk
- ▶ \* Diaphragm enhances respiration

- ▶ \* Produce milk
- ▶ \* Diaphragm enhances respiration
- **\***

- ▶ \* Produce milk
- ▶ \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation

- ▶ \* Produce milk
- ▶ \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation
- \*

- ▶ \* Produce milk
- ▶ \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation
- ► \* Hard palate to breathe efficiently while eating

- ▶ \* Produce milk
- ► \* Diaphragm enhances respiration
- \* Hair (fur) for insulation
- \* Hard palate to breathe efficiently while eating
- ▶ What might these have in common?

- ▶ \* Produce milk
- ► \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation
- \* Hard palate to breathe efficiently while eating
- ▶ What might these have in common?
  - **\***

- ▶ \* Produce milk
- ► \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation
- \* Hard palate to breathe efficiently while eating
- ▶ What might these have in common?
  - ► \* High metabolism (warm-blooded)

- ▶ \* Produce milk
- ► \* Diaphragm enhances respiration
- ► \* Hair (fur) for insulation
- \* Hard palate to breathe efficiently while eating
- ▶ What might these have in common?
  - ► \* High metabolism (warm-blooded)

## Outline

Patterns of evolution

Context for evolution

The evolution of primates

Apes

Learning about the past

► Humans are **primates**, an "order" characterized by

- ▶ Humans are **primates**, an "order" characterized by
  - ► Highly developed **stereroscopic** vision

- ▶ Humans are **primates**, an "order" characterized by
  - Highly developed stereroscopic vision
    - ► Eyes are close together, face forward, and are used together

- Humans are primates, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - ► Allows 3-d visualization


- Humans are primates, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - Allows 3-d visualization
  - Versatile limbs

- Humans are primates, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - Allows 3-d visualization
  - Versatile limbs
    - Grasping hands and feet

- ▶ Humans are **primates**, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - ► Allows 3-d visualization
  - Versatile limbs
    - Grasping hands and feet
    - ► Nails and fingertips (instead of claws)

- ▶ Humans are **primates**, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - ► Allows 3-d visualization
  - Versatile limbs
    - Grasping hands and feet
    - Nails and fingertips (instead of claws)
  - ► Large brains

- ▶ Humans are **primates**, an "order" characterized by
  - Highly developed stereroscopic vision
    - Eyes are close together, face forward, and are used together
    - Allows 3-d visualization
  - Versatile limbs
    - Grasping hands and feet
    - Nails and fingertips (instead of claws)
  - Large brains



▶ What sort of traits do biologists use to characterize a group?

▶ What sort of traits do biologists use to characterize a group?



- ▶ What sort of traits do biologists use to characterize a group?
  - \* Derived traits

- What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- ► How would you interpret the fact that humans don't have grasping feet?

- ▶ What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- ► How would you interpret the fact that humans don't have grasping feet?
  - \*

- What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- ► How would you interpret the fact that humans don't have grasping feet?
  - \* Our ancestors lost the trait

- What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- ► How would you interpret the fact that humans don't have grasping feet?
  - \* Our ancestors lost the trait
  - \*

- What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- How would you interpret the fact that humans don't have grasping feet?
  - \* Our ancestors lost the trait
  - ▶ \* It takes many traits to make an accurate phylogeny

- What sort of traits do biologists use to characterize a group?
  - \* Derived traits
- How would you interpret the fact that humans don't have grasping feet?
  - \* Our ancestors lost the trait
  - ▶ \* It takes many traits to make an accurate phylogeny

# The angiosperm explosion

► Flowering plants diversified very rapidly around 100 mya – million years ago

# The angiosperm explosion

- ► Flowering plants diversified very rapidly around 100 mya million years ago
- ► This radically changed the ecology of the world, and opened up many new niches, apparently including space for primates

# The angiosperm explosion

- ► Flowering plants diversified very rapidly around 100 mya million years ago
- ► This radically changed the ecology of the world, and opened up many new niches, apparently including space for primates





# Primate adaptations

► There are a variety of theories for how characteristic primate adaptations evolved

- ► There are a variety of theories for how characteristic primate adaptations evolved
- Each step was likely favored adaptively

- ► There are a variety of theories for how characteristic primate adaptations evolved
- Each step was likely favored adaptively
- Likely something to do with processing and handling angiosperm fruit and flowers

- ► There are a variety of theories for how characteristic primate adaptations evolved
- Each step was likely favored adaptively
- Likely something to do with processing and handling angiosperm fruit and flowers
  - ► Or else the insects that fed on these fruit and flowers

- ► There are a variety of theories for how characteristic primate adaptations evolved
- Each step was likely favored adaptively
- Likely something to do with processing and handling angiosperm fruit and flowers
  - Or else the insects that fed on these fruit and flowers

► There are many theories for why primate traits might have been adaptively favored in our ancestors

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - ► Leaping from branch to branch

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - Leaping from branch to branch
  - Climbing and balancing on trees

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - Leaping from branch to branch
  - Climbing and balancing on trees
  - Exploiting new plant resources

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - Leaping from branch to branch
  - Climbing and balancing on trees
  - Exploiting new plant resources
  - Catching insects

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - Leaping from branch to branch
  - Climbing and balancing on trees
  - Exploiting new plant resources
  - Catching insects
  - ► Adaptive foraging: the ability to switch between types of food, and to learn to use new types of food

- ► There are many theories for why primate traits might have been adaptively favored in our ancestors
  - Leaping from branch to branch
  - Climbing and balancing on trees
  - Exploiting new plant resources
  - Catching insects
  - Adaptive foraging: the ability to switch between types of food, and to learn to use new types of food


► These strategies may have evolved sequentially

- ► These strategies may have evolved sequentially
  - ► Maybe exploiting tree resources came first, but similar traits helped some species later catch insects

- ► These strategies may have evolved sequentially
  - Maybe exploiting tree resources came first, but similar traits helped some species later catch insects
  - Maybe traits which evolved for one specific purpose later became useful for adaptive foraging


- ► These strategies may have evolved sequentially
  - Maybe exploiting tree resources came first, but similar traits helped some species later catch insects
  - Maybe traits which evolved for one specific purpose later became useful for adaptive foraging

 Anthropoids is the sub-group of primates including apes and monkeys




 Anthropoids is the sub-group of primates including apes and monkeys


**▶** \*




- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!



- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!




- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!
  - \* Old-world primates (book) is not a good name for the clade containing Old-world monkeys




- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!
  - \* Old-world primates (book) is not a good name for the clade containing Old-world monkeys


, ×



- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!
  - \* Old-world primates (book) is not a good name for the clade containing Old-world monkeys
  - \* Another good name for anthropoids might be simians



- Anthropoids is the sub-group of primates including apes and monkeys
  - \* Monkeys are not a clade!
  - \* Old-world primates (book) is not a good name for the clade containing Old-world monkeys
  - \* Another good name for anthropoids might be simians



#### Outline

Patterns of evolution

Context for evolution

The evolution of primates

Apes

Learning about the past

► Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping

- ► Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- ► More upright

- ► Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- ► More upright
- ▶ Better at hanging, and worse at sitting

- Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- ► More upright
- Better at hanging, and worse at sitting
- ► Lots of missing pieces of the puzzle

- Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- More upright
- Better at hanging, and worse at sitting
- Lots of missing pieces of the puzzle
  - ► There may be a lot of convergent evolution and secondary loss going on

- ► Apes are more adapted for swinging through trees, whereas monkeys are more adapted for climbing and leaping
- ► More upright
- Better at hanging, and worse at sitting
- Lots of missing pieces of the puzzle
  - ► There may be a lot of convergent evolution and secondary loss going on

► Apes "radiated" into many habitats before monkeys did

- ► Apes "radiated" into many habitats before monkeys did
  - ► Many ape species were apparently later replaced by monkeys

- Apes "radiated" into many habitats before monkeys did
  - ► Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?

- Apes "radiated" into many habitats before monkeys did
  - ► Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \*

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \*

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \*

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- ► What if the ape radiation had never happened?

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- ▶ What if the ape radiation had never happened?
  - **▶** \*

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- What if the ape radiation had never happened?
  - \* Less diversity between surviving apes

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- What if the ape radiation had never happened?
  - \* Less diversity between surviving apes
  - \*

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- What if the ape radiation had never happened?
  - \* Less diversity between surviving apes
  - \* Probably no people

- Apes "radiated" into many habitats before monkeys did
  - Many ape species were apparently later replaced by monkeys
- ► Why might apes have diversified, and later been replaced by monkeys?
  - \* Changing climactic conditions
  - \* Changes in plants or insects
  - \* Unpredictable adaptive innovations
- What if the ape radiation had never happened?
  - \* Less diversity between surviving apes
  - \* Probably no people

### Outline

Patterns of evolution

Context for evolution

The evolution of primates

Apes

Learning about the past

► A major factor in adaptation is food source.

- ► A major factor in adaptation is food source.
- ► The most important strategies for early primates were:

- ▶ A major factor in adaptation is food source.
- ▶ The most important strategies for early primates were:
  - ► Frugivory: eating fruits (and sometimes flowers)

- ▶ A major factor in adaptation is food source.
- ▶ The most important strategies for early primates were:
  - **Frugivory**: eating fruits (and sometimes flowers)
  - ► Folivory: eating leaves

- ▶ A major factor in adaptation is food source.
- ▶ The most important strategies for early primates were:
  - Frugivory: eating fruits (and sometimes flowers)
  - ► Folivory: eating leaves
  - ► **Insectivory**: eating insects

- ▶ A major factor in adaptation is food source.
- ▶ The most important strategies for early primates were:
  - Frugivory: eating fruits (and sometimes flowers)
  - ► Folivory: eating leaves
  - ► **Insectivory**: eating insects

► Teeth are very important for processing food

- ► Teeth are very important for processing food
- ► Why do we have wisdom teeth?

- ► Teeth are very important for processing food
- Why do we have wisdom teeth?
  - **▶** \*

- ► Teeth are very important for processing food
- ▶ Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age

- ► Teeth are very important for processing food
- ▶ Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age
  - \*

- Teeth are very important for processing food
- Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age
  - ▶ \* This is probably also why we have two sets of teeth


- ► Teeth are very important for processing food
- Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age
  - ▶ \* This is probably also why we have two sets of teeth
- ► Teeth help scientists understand what extinct animals ate

- ► Teeth are very important for processing food
- Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age
  - ▶ \* This is probably also why we have two sets of teeth
- Teeth help scientists understand what extinct animals ate
  - Well preserved, highly adapted

- ► Teeth are very important for processing food
- Why do we have wisdom teeth?
  - ► \* An adaptation to make it more likely we will have functional teeth in middle age
  - ▶ \* This is probably also why we have two sets of teeth
- Teeth help scientists understand what extinct animals ate
  - Well preserved, highly adapted







► Eye **orbits** are the skeletal cavities where eyes are

- ► Eye **orbits** are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals

- ► Eye **orbits** are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - >

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \*

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - ► \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - ► \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - **▶** ≯

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision


- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision
  - \*

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision
  - ► \* More costly? Harder to protect?

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision
  - ► \* More costly? Harder to protect?
  - \*

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision
  - ► \* More costly? Harder to protect?
  - ► \* Are small (or deep) eyes better for day vision?

- Eye orbits are the skeletal cavities where eyes are
- Orbits tell us size, shape and position of eyes from fossil animals
- What are the advantages and disadvantages of more forward-facing eyes?
  - ▶ \* Better for precise tasks, three-dimensional visualization
  - \* Not as good for looking around, being alert
- What are the advantages and disadvantages of larger eyes?
  - \* Better for night vision
  - ► \* More costly? Harder to protect?
  - ► \* Are small (or deep) eyes better for day vision?







► Information about differences between males and females has implications about social structure and mating patterns

- ► Information about differences between males and females has implications about social structure and mating patterns
  - ► In species where there is more variation in male success (less bonding in pairs), we expect:

- ► Information about differences between males and females has implications about social structure and mating patterns
  - ▶ In species where there is more variation in male success (less bonding in pairs), we expect:
    - **>** 3

- ► Information about differences between males and females has implications about social structure and mating patterns
  - ► In species where there is more variation in male success (less bonding in pairs), we expect:
    - \* More sexual dimorphism

- ► Information about differences between males and females has implications about social structure and mating patterns
  - ► In species where there is more variation in male success (less bonding in pairs), we expect:
    - \* More sexual dimorphism
      - ,

- ► Information about differences between males and females has implications about social structure and mating patterns
  - In species where there is more variation in male success (less bonding in pairs), we expect:
    - ▶ \* More sexual dimorphism
    - ▶ \* More competition between males for females

- ► Information about differences between males and females has implications about social structure and mating patterns
  - In species where there is more variation in male success (less bonding in pairs), we expect:
    - ▶ \* More sexual dimorphism
    - ▶ \* More competition between males for females





◆ロト ◆母 ト ◆ 差 ト ◆ 差 ・ 多 へ ②

► Gorillas live in male-centered groups (one adult male, several adult females)

- Gorillas live in male-centered groups (one adult male, several adult females)
- ► Chimpanzees live in large, well-mixed groups with lots of interactions between males and females

- Gorillas live in male-centered groups (one adult male, several adult females)
- ► Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- ▶ Which species should have more sexual dimorphism overall?

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- ▶ Which species should have more sexual dimorphism overall?
  - \*

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- ▶ Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- ▶ Which species should have more sexual dimorphism overall?
  - ► \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- ► Which species should have larger male genitals?

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- Which species should have larger male genitals?
  - \*

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- Which species should have larger male genitals?
  - ▶ \* Chimpanzees have much larger genitals.

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- Which species should have larger male genitals?
  - ▶ \* Chimpanzees have much larger genitals.
  - \*

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- Which species should have larger male genitals?
  - \* Chimpanzees have much larger genitals.
  - ▶ \* Gorillas don't use genitals as part of sexual competition

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- ▶ Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- ▶ Which species should have larger male genitals?
  - ▶ \* Chimpanzees have much larger genitals.
  - ▶ \* Gorillas don't use genitals as part of sexual competition
- ► What about humans?

- Gorillas live in male-centered groups (one adult male, several adult females)
- Chimpanzees live in large, well-mixed groups with lots of interactions between males and females
- Which species should have more sexual dimorphism overall?
  - \* Gorillas. Males are huge and strong and compete for females by displaying and fighting. A dominant male has exclusive access to a group of females
- ▶ Which species should have larger male genitals?
  - ▶ \* Chimpanzees have much larger genitals.
  - \* Gorillas don't use genitals as part of sexual competition
- ▶ What about humans?

► Understanding the course of evolution is an important part of understanding how things work now

- Understanding the course of evolution is an important part of understanding how things work now
  - ► How organisms work, and how ecosystems work

- Understanding the course of evolution is an important part of understanding how things work now
  - ► How organisms work, and how ecosystems work
- ► There are many challenges:

- Understanding the course of evolution is an important part of understanding how things work now
  - ► How organisms work, and how ecosystems work
- There are many challenges:
  - ► Timelines, identification, convergent evolution

- Understanding the course of evolution is an important part of understanding how things work now
  - ► How organisms work, and how ecosystems work
- There are many challenges:
  - ► Timelines, identification, convergent evolution

▶ People have important differences from other organisms

- ▶ People have important differences from other organisms
- ► We got here using the same rules of natural selection as everyone else

- People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - ▶ Things may be different *now*, but even that is not so clear

- People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - ▶ Things may be different *now*, but even that is not so clear
- Adaptation does not move in a straight line

- ▶ People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - ▶ Things may be different *now*, but even that is not so clear
- Adaptation does not move in a straight line
  - Changing conditions lead to opportunities for new adaptations

- People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - Things may be different now, but even that is not so clear
- Adaptation does not move in a straight line
  - Changing conditions lead to opportunities for new adaptations
  - New adaptations themselves can be an important cause of changing conditions

- People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - Things may be different now, but even that is not so clear
- Adaptation does not move in a straight line
  - Changing conditions lead to opportunities for new adaptations
  - New adaptations themselves can be an important cause of changing conditions
    - Innovations, or co-evolution with other taxa

- People have important differences from other organisms
- We got here using the same rules of natural selection as everyone else
  - Things may be different now, but even that is not so clear
- Adaptation does not move in a straight line
  - Changing conditions lead to opportunities for new adaptations
  - New adaptations themselves can be an important cause of changing conditions
    - Innovations, or co-evolution with other taxa