# Evolution by natural selection

**Evolution** 

Natural selection

The nature of adaptation

# Outline

#### **Evolution**

Change through time Relationships between species

Natural selection

The nature of adaptation

► The theory of **evolution** has replaced the theory of **special creation** in science.

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- ▶ Does this mean that scientists don't believe in God?

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - **▶** \*

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God
  - **\***

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God
  - \* Scientists learn about the world through experiment and observation

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God
  - \* Scientists learn about the world through experiment and observation
  - \*

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God
  - \* Scientists learn about the world through experiment and observation
  - ▶ \* Scientists don't treat religious texts as *literally* true

- ► The theory of **evolution** has replaced the theory of **special creation** in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
  - \* Many scientists do believe in God
  - \* Scientists learn about the world through experiment and observation
  - ▶ \* Scientists don't treat religious texts as *literally* true

## Outline


#### **Evolution**

Change through time

Relationships between species

Natural selection

The nature of adaptation



► A **fossil** is a physical trace of an organism that lived in the past

- ► A **fossil** is a physical trace of an organism that lived in the past
- ► Fossils can be dated using (complicated) radiometric and geological techniques

- ▶ A fossil is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- ► Fossils provide information about the history of life

- A fossil is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life
  - ► (see Chapter 25 (2ndEd 27))

- A fossil is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life
  - ► (see Chapter 25 (2ndEd 27))
- ▶ The **fossil record** refers to the collection of all known fossils

- A fossil is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life
  - (see Chapter 25 (2ndEd 27))
- ▶ The **fossil record** refers to the collection of all known fossils


► Many fossils have been left by organisms that are no longer around

- Many fossils have been left by organisms that are no longer around
  - ► We say such organisms are **extinct**


- Many fossils have been left by organisms that are no longer around
  - ▶ We say such organisms are **extinct**
- ► Extinction is one piece of evidence that species are changing

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are extinct
- Extinction is one piece of evidence that species are changing
  - But not very convincing evidence!


- Many fossils have been left by organisms that are no longer around
  - ▶ We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing
  - But not very convincing evidence!




► When a species disappears from the fossil record, a similar species often appears



- ► When a species disappears from the fossil record, a similar species often appears
  - ► This often happens in the same geographic area



- When a species disappears from the fossil record, a similar species often appears
  - ► This often happens in the same geographic area
- ► Consistent with species evolving: changing through time



- When a species disappears from the fossil record, a similar species often appears
  - ► This often happens in the same geographic area
- Consistent with species evolving: changing through time

# Vestigial traits

► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species

# Vestigial traits

- ► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- ► Examples?

# Vestigial traits

- ► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- Examples?

# Directly observed evolution

► Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales

# Directly observed evolution

- ► Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - ► Tuberculosis


# Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - Tuberculosis
  - ► Ground finches

# Directly observed evolution

- ► Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - Tuberculosis
  - Ground finches

#### **Tuberculosis**



@ 2014 Pearson Education, Inc.

#### Outline

#### **Evolution**

Change through time Relationships between species

Natural selection

The nature of adaptation

► If species evolved from a common ancestor, we expect to see evidence that they are related to each other


- ▶ If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups

- ▶ If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - ► : e.g., mammals, flowering plants


- ▶ If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - ► : e.g., mammals, flowering plants
  - ► Geographic patterns of relatedness

- ▶ If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - ► : e.g., mammals, flowering plants
  - Geographic patterns of relatedness
  - ► Homology


- ▶ If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - ► : e.g., mammals, flowering plants
  - Geographic patterns of relatedness
  - Homology




► Species in the same geographic area (e.g., nearby islands) often seem to be closely related



- ► Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region



- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution



- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution

► In nature we observe many, often surprising, similarities between organisms

- ► In nature we observe many, often surprising, similarities between organisms
  - ► Almost identical developmental genes in fruit flies and people

- ► In nature we observe many, often surprising, similarities between organisms
  - ▶ Almost identical developmental genes in fruit flies and people
  - ► Similar limb bone structure in turtles and people

- ► In nature we observe many, often surprising, similarities between organisms
  - ▶ Almost identical developmental genes in fruit flies and people
  - Similar limb bone structure in turtles and people
- ► The theory of evolution explains these similarities as **homologies**

- ► In nature we observe many, often surprising, similarities between organisms
  - ▶ Almost identical developmental genes in fruit flies and people
  - Similar limb bone structure in turtles and people
- ► The theory of evolution explains these similarities as **homologies**

# Homology

► A **homology** is a similarity that is due to common ancestry

# Homology

- ▶ A **homology** is a similarity that is due to common ancestry
  - ► Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.

# Homology

- ▶ A **homology** is a similarity that is due to common ancestry
  - ► Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.


► **Genetic homology** is homology at the level of genetic coding.

- ► **Genetic homology** is homology at the level of genetic coding.
- ► Examples:


- ▶ **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - ► The genetic code itself is shared (with rare, minor exceptions) by all living organisms

- ► **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - ► The genetic code itself is shared (with rare, minor exceptions) by all living organisms
  - ► Some genes involved in development are very similar all the way from insects to mammals

- ▶ **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - ► The genetic code itself is shared (with rare, minor exceptions) by all living organisms
  - Some genes involved in development are very similar all the way from insects to mammals




► An eye-promoter gene from mice promote eye growth in flies!




► An eye-promoter gene from mice promote eye growth in flies!

### Developmental homology




► Developmental homology is homology in the traits of embryos (developing organisms)

# Developmental homology




- Developmental homology is homology in the traits of embryos (developing organisms)
  - Embryos of all vertebrates show striking similarities

# Developmental homology




- Developmental homology is homology in the traits of embryos (developing organisms)
  - Embryos of all vertebrates show striking similarities

# Structural homology




Structural homology is homology at the level of developed organisms.

# Structural homology




- Structural homology is homology at the level of developed organisms.
  - ► Tetrapod limbs

# Structural homology



- Structural homology is homology at the level of developed organisms.
  - ► Tetrapod limbs

# Tetrapod limbs



# Identifying homologies

How do we know whether similarities are due to common evolution?

- How do we know whether similarities are due to common evolution?
  - ► Homologies assume evolution; how can they be used as evidence for evolution?

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns
  - ► Organisms fall naturally into groups

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - ► Genetic evidence and morphological evidence often agree

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - ► Genetic evidence and morphological evidence often agree
    - ► We get consistent stories from different lines of evidence, e.g., whale example

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - ► Genetic evidence and morphological evidence often agree
    - ► We get consistent stories from different lines of evidence, e.g., whale example

### Outline

#### **Evolution**

Change through time
Relationships between species

#### Natural selection

The nature of adaptation

► Darwin's big idea was not evolution, but natural selection

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck
  - ► More famous for being wrong about how evolution occurs

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs
  - ► He thought acquired characteristics were inherited

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs
  - ► He thought acquired characteristics were inherited

► Darwin's theory of natural selection can be explained using four logical steps:

- Darwin's theory of natural selection can be explained using four logical steps:
  - ► Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.

- Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - ► Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.

- ▶ Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - ► Differential reproductive success: In each generation, some organisms leave more offspring than others

- Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - Differential reproductive success: In each generation, some organisms leave more offspring than others
  - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits

- Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - Differential reproductive success: In each generation, some organisms leave more offspring than others
  - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:

- Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - Differential reproductive success: In each generation, some organisms leave more offspring than others
  - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:
  - Traits associated with good reproductive success will become more common



- Darwin's theory of natural selection can be explained using four logical steps:
  - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
  - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - Differential reproductive success: In each generation, some organisms leave more offspring than others
  - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:
  - Traits associated with good reproductive success will become more common



► Evolution by natural selection will occur if there is:

- Evolution by natural selection will occur if there is:
  - ► Heritable variation in traits

- Evolution by natural selection will occur if there is:
  - ▶ Heritable **variation** in traits
  - ► Selection (i.e., differential reproductive success) based on these traits

- Evolution by natural selection will occur if there is:
  - ▶ Heritable **variation** in traits
  - Selection (i.e., differential reproductive success) based on these traits
- ► Traits associated with good reproductive success will become more common

- Evolution by natural selection will occur if there is:
  - ▶ Heritable **variation** in traits
  - Selection (i.e., differential reproductive success) based on these traits
- ► Traits associated with good reproductive success will become more common

"Survival of the fittest" is not a very good name for this process

- "Survival of the fittest" is not a very good name for this process
- ► Fitness in biology, or Darwinian fitness, means simply an ability to do well under natural selection


- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- ► Fitness is thus defined as average reproductive success, given a suite of heritable traits

- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:

- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:
  - survival, growth, reproduction

- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:
  - survival, growth, reproduction

### **Tuberculosis**



@ 2014 Pearson Education, Inc.

► What if there were no variation?

- What if there were no variation?
  - ▶ Where does variation come from?

- ▶ What if there were no variation?
  - ▶ Where does variation come from?
- ▶ What if variation were not heritable?

- What if there were no variation?
  - ▶ Where does variation come from?
- ▶ What if variation were not heritable?
- ▶ What if there were no selection?

### Example: Tuberculosis

- What if there were no variation?
  - ▶ Where does variation come from?
- ▶ What if variation were not heritable?
- What if there were no selection?

### Other examples

► Galapagos finches' beak sizes evolve as availability of seed resources changes.

### Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- ► Squirrels!

### Other examples


- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- Squirrels!

# Squirrels





#### Finch beaks



© 2014 Pearson Education, Inc.



► How would you design an experiment to tell if beak depth is heritable?

► How would you design an experiment to tell if beak depth is heritable?

**\*** 

- ► How would you design an experiment to tell if beak depth is heritable?
  - ► \* Raise offspring from different combinations of mothers and fathers, and compare their beaks

- ► How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - **\***

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - \* You might also want to try raising them in different conditions (wet or dry, more or less food available)

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - \* You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - \*

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - \* Control. Make all factors except for the beak depths of mothers and fathers as similar as possible

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - \* Control. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - >

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - \* You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - ▶ \* Control. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - ▶ \* Replicate. Use many offspring (from different mothers and fathers).

- How would you design an experiment to tell if beak depth is heritable?
  - \* Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - \* You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - ▶ \* Control. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - ▶ \* Replicate. Use many offspring (from different mothers and fathers).

### Outline

#### **Evolution**

Change through time
Relationships between species

Natural selection

The nature of adaptation

► Natural selection is not the only possible model for how evolution could occur

- Natural selection is not the only possible model for how evolution could occur
  - ► Inheritance of acquired characteristics (Lamarck)

- Natural selection is not the only possible model for how evolution could occur
  - Inheritance of acquired characteristics (Lamarck)
  - ► Goal-directed evolution

- Natural selection is not the only possible model for how evolution could occur
  - Inheritance of acquired characteristics (Lamarck)
  - Goal-directed evolution

► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring

- ► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - ► Example: giraffes reaching for food

- ► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food
- ▶ It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

- ► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food
- ▶ It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

► This is the idea that organisms evolve towards specific goals

- ▶ This is the idea that organisms evolve towards specific goals
  - ► Complex, multicellular organisms

- ▶ This is the idea that organisms evolve towards specific goals
  - ► Complex, multicellular organisms
  - ► Big-brained humans

- ▶ This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms
  - ► Big-brained humans
- ► If the organism is moving toward a goal, it should move more or less in that direction all the time

- ▶ This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms
  - Big-brained humans
- ▶ If the organism is moving toward a goal, it should move more or less in that direction all the time

## Evaluating competing hypotheses

► We challenge hypotheses with experiments and observation

### Evaluating competing hypotheses

▶ We challenge hypotheses with experiments and observation

► Raise a population of mice in the lab

- Raise a population of mice in the lab
- ► Every generation stretch (or chop off) their poor little tails

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- ► Measure natural tail length at the beginning of the experiment, and after 100 generations.

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - **\***

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \*

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)
    - \*

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)
    - ▶ \* Or three "choppy" and three "stretchy" populations

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)
    - ▶ \* Or three "choppy" and three "stretchy" populations
    - .

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)
    - ▶ \* Or three "choppy" and three "stretchy" populations
    - \* Randomize which groups get which treatment

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - \* Add a control group
  - \* Use replicate populations (e.g., three control and three experimental populations)
    - ▶ \* Or three "choppy" and three "stretchy" populations
    - \* Randomize which groups get which treatment

► What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?

▶ What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?

**\*** 

- ▶ What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - ► \* In each generation, allow mice with longer (or shorter) tails more chances to breed

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - ► \* In each generation, allow mice with longer (or shorter) tails more chances to breed
    - ,

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.
    - **\***

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.
    - ▶ \* Let them breed how they want?

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.
    - ▶ \* Let them breed how they want?
    - \*

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.
    - ▶ \* Let them breed how they want?
    - ▶ \* Make couples, and choose 2 offspring from each?

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - \* In each generation, allow mice with longer (or shorter) tails more chances to breed
  - ▶ \* Compare results with a control population.
    - ▶ \* Let them breed how they want?
    - ▶ \* Make couples, and choose 2 offspring from each?

► There is a great deal of observational evidence against goal-directed evolution:

- ► There is a great deal of observational evidence against goal-directed evolution:
  - ► Vestigial traits

- ► There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - ► Bidirectional evolution

- ► There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - ► Finch beaks get larger, then smaller

- ► There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - Finch beaks get larger, then smaller
    - ▶ Birds gain, then lose, flying ability

- ► There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - ► Finch beaks get larger, then smaller
    - Birds gain, then lose, flying ability
    - Things that become parasites may become much smaller and simpler

- ► There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - ▶ Bidirectional evolution
    - Finch beaks get larger, then smaller
    - Birds gain, then lose, flying ability
    - Things that become parasites may become much smaller and simpler

► **Acclimation** is the ability of organisms to respond directly to their environment

- ► **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring

- ► **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms

- Acclimation is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment

- Acclimation is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - ► Adaptation is usually very slow

- ► **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - Adaptation is usually very slow
  - Adaptations are passed on to offspring, and form the basis of evolutionary change

- ► **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - Adaptation is usually very slow
  - Adaptations are passed on to offspring, and form the basis of evolutionary change

# Adaptation and acclimation



### **Examples**

► If you exercise every day, you will be stronger, but this will not make your children stronger.

### **Examples**

▶ If you exercise every day, you will be stronger, but this will not make your children stronger.

- ▶ If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - **▶** ∤

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- ► Polar bears have thick fur, and thick layers of fat under their skin.

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - ▶ \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \*

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \* adaptation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \* adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \* adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - \*

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \* adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - \* acclimation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - \* acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - \* adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - \* adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - \* acclimation

► Why do we acclimate?

Why do we acclimate?

• \*

- ▶ Why do we acclimate?
  - ▶ \* It has probably evolved because acclimation is beneficial

- ▶ Why do we acclimate?
  - ▶ \* It has probably evolved because acclimation is beneficial
- ► Are responses to changed conditions always good?

- ▶ Why do we acclimate?
  - ▶ \* It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - Digging holes

- Why do we acclimate?
  - ▶ \* It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - Digging holes

► Selection operates on individuals; individuals are not adapted to act for the good of the species

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
  - ► If 'cheating' strategies can evolve, they will

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
  - If 'cheating' strategies can evolve, they will
  - ► A **cheater** benefits from co-operation, but does not participate

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
  - If 'cheating' strategies can evolve, they will
  - ▶ A **cheater** benefits from co-operation, but does not participate
- ► Do lemmings commit suicide?

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
  - If 'cheating' strategies can evolve, they will
  - ▶ A **cheater** benefits from co-operation, but does not participate
- Do lemmings commit suicide?

# A lemming not committing suicide



► Much of adaptation is the result of compromise between conflicting goals

- Much of adaptation is the result of compromise between conflicting goals
  - ► Brightly colored individuals are more attractive to mates, and to predators

- Much of adaptation is the result of compromise between conflicting goals
  - Brightly colored individuals are more attractive to mates, and to predators
  - ► Larger individuals compete more effectively, but are less efficient at reproducing

- Much of adaptation is the result of compromise between conflicting goals
  - Brightly colored individuals are more attractive to mates, and to predators
  - ► Larger individuals compete more effectively, but are less efficient at reproducing

► Evolution proceeds by small steps

- Evolution proceeds by small steps
  - ► What is possible is guided by what has gone before

- Evolution proceeds by small steps
  - ▶ What is possible is guided by what has gone before
- Examples


- Evolution proceeds by small steps
  - ▶ What is possible is guided by what has gone before
- Examples
  - Vestigial traits

- Evolution proceeds by small steps
  - ▶ What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - ► Blind spot in the vertebrate eye

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - ▶ Blind spot in the vertebrate eye
  - ► Humans are not well designed to be upright

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - ▶ Blind spot in the vertebrate eye
  - Humans are not well designed to be upright

# Vertebrate blind spot



► There is strong evidence that species have evolved through time

- There is strong evidence that species have evolved through time
  - ► Fossil record, patterns of relatedness, homologies

- There is strong evidence that species have evolved through time
  - ▶ Fossil record, patterns of relatedness, homologies
- ► There is strong evidence that this change is driven by natural selection

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits

- ► There is strong evidence that species have evolved through time
  - ▶ Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - ► Direct observations of natural selection (TB, finches, moths)

- There is strong evidence that species have evolved through time
  - ► Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints

- There is strong evidence that species have evolved through time
  - ► Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
  - Species are not perfectly adapted

- There is strong evidence that species have evolved through time
  - ► Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
  - Species are not perfectly adapted