

Evolutionary processes

Analyzing genotype frequencies

Types of natural selection

Other evolutionary mechanisms

Mating patterns

Evolution by natural selection

- What is *missing* from the story I told last chapter?

Evolution by natural selection

- ▶ What is *missing* from the story I told last chapter?
 - ▶ Heritable **variation** in traits

Evolution by natural selection

- ▶ What is *missing* from the story I told last chapter?
 - ▶ Heritable **variation** in traits
 - ▶ **Selection** (i.e., differential reproductive success) *based on* these traits

Evolution by natural selection

- ▶ What is *missing* from the story I told last chapter?
 - ▶ Heritable **variation** in traits
 - ▶ **Selection** (i.e., differential reproductive success) *based on* these traits
 - ▶ *

Evolution by natural selection

- ▶ What is *missing* from the story I told last chapter?
 - ▶ Heritable **variation** in traits
 - ▶ **Selection** (i.e., differential reproductive success) *based on* these traits
 - ▶ * Where does heritable variation in traits come from?

Evolution by natural selection

- ▶ What is *missing* from the story I told last chapter?
 - ▶ Heritable **variation** in traits
 - ▶ **Selection** (i.e., differential reproductive success) *based on* these traits
 - ▶ * Where does heritable variation in traits come from?

Some genetics

- Our basic traits are determined by **genes**

Some genetics

- ▶ Our basic traits are determined by **genes**
- ▶ A location where a gene can occur is called a **locus** (pl. **loci**)

Some genetics

- ▶ Our basic traits are determined by **genes**
- ▶ A location where a gene can occur is called a **locus** (pl. **loci**)
- ▶ A particular version of a gene is called an **allele**

Some genetics

- ▶ Our basic traits are determined by **genes**
- ▶ A location where a gene can occur is called a **locus** (pl. **loci**)
- ▶ A particular version of a gene is called an **allele**
- ▶ Complex organisms usually have two alleles at each locus

Some genetics

- ▶ Our basic traits are determined by **genes**
- ▶ A location where a gene can occur is called a **locus** (pl. **loci**)
- ▶ A particular version of a gene is called an **allele**
- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different

Some genetics

- ▶ Our basic traits are determined by **genes**
- ▶ A location where a gene can occur is called a **locus** (pl. **loci**)
- ▶ A particular version of a gene is called an **allele**
- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different

Loci

- Complex organisms usually have two alleles at each locus

Loci

- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different

Loci

- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different
- ▶ An organism with different alleles at a particular locus is referred to as **heterozygous** (adj., n. form heterozygote)

Loci

- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different
- ▶ An organism with different alleles at a particular locus is referred to as **heterozygous** (adj., n. form heterozygote)
- ▶ An organism with two copies of the same allele at a particular locus is referred to as **homozygous** (adj., n. form homozygote)

Loci

- ▶ Complex organisms usually have two alleles at each locus
 - ▶ These can be the same, or different
- ▶ An organism with different alleles at a particular locus is referred to as **heterozygous** (adj., n. form heterozygote)
- ▶ An organism with two copies of the same allele at a particular locus is referred to as **homozygous** (adj., n. form homozygote)

Evolution

- ▶ Heritable changes in species traits over time

Evolution

- ▶ Heritable changes in species traits over time
- ▶ Driven by changes in allele frequencies

Evolution

- ▶ Heritable changes in species traits over time
- ▶ Driven by changes in allele frequencies
- ▶ What processes *cause* evolution?

Evolution

- ▶ Heritable changes in species traits over time
- ▶ Driven by changes in allele frequencies
- ▶ What processes *cause* evolution?
 - ▶ *

Evolution

- ▶ Heritable changes in species traits over time
- ▶ Driven by changes in allele frequencies
- ▶ What processes *cause* evolution?
 - ▶ *

Evolution

- ▶ Heritable changes in species traits over time
- ▶ Driven by changes in allele frequencies
- ▶ What processes *cause* evolution?
 - ▶ *

Outline

Analyzing genotype frequencies

Types of natural selection

- Trait level

- Allele level

Other evolutionary mechanisms

- Genetic drift

- Gene flow

- Mutation

Mating patterns

- Inbreeding

- Sexual selection

Genotypes and phenotypes

- A **genotype** is the collection of an individual's genes

Genotypes and phenotypes

- ▶ A **genotype** is the collection of an individual's genes
- ▶ A **phenotype** is the collection of an individual's physiological and physical traits

Genotypes and phenotypes

- ▶ A **genotype** is the collection of an individual's genes
- ▶ A **phenotype** is the collection of an individual's physiological and physical traits
 - ▶ What we can observe about an individual

Genotypes and phenotypes

- ▶ A **genotype** is the collection of an individual's genes
- ▶ A **phenotype** is the collection of an individual's physiological and physical traits
 - ▶ What we can observe about an individual
 - ▶ Phenotype is largely (but by no means entirely) determined by genotype

Genotypes and phenotypes

- ▶ A **genotype** is the collection of an individual's genes
- ▶ A **phenotype** is the collection of an individual's physiological and physical traits
 - ▶ What we can observe about an individual
 - ▶ Phenotype is largely (but by no means entirely) determined by genotype

Example: peppered moths





Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.
 - ▶ Individuals with A_1A_2 genotype ???

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.
 - ▶ Individuals with A_1A_2 genotype ???
- ▶ If individuals with genotype XY have the same phenotype (on average) as those with XX , we say that X is a **dominant** allele and Y is a **recessive** allele.

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.
 - ▶ Individuals with A_1A_2 genotype ???
- ▶ If individuals with genotype XY have the same phenotype (on average) as those with XX , we say that X is a **dominant** allele and Y is a **recessive** allele.
 - ▶ We will call this **simple dominance**

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.
 - ▶ Individuals with A_1A_2 genotype ???
- ▶ If individuals with genotype XY have the same phenotype (on average) as those with XX , we say that X is a **dominant** allele and Y is a **recessive** allele.
 - ▶ We will call this **simple dominance**
 - ▶ This is rarely *exactly* true, but often close enough to true.

Example: peppered moths

- ▶ Two different alleles possible at the wing color gene: A_1 and A_2 .
 - ▶ Individuals with A_1A_1 genotype have light-winged phenotype
 - ▶ Individuals with A_2A_2 genotype have dark-winged phenotype.
 - ▶ Individuals with A_1A_2 genotype ???
- ▶ If individuals with genotype XY have the same phenotype (on average) as those with XX , we say that X is a **dominant** allele and Y is a **recessive** allele.
 - ▶ We will call this **simple dominance**
 - ▶ This is rarely *exactly* true, but often close enough to true.

Allele interactions

- When neither allele dominates, a variety of complicated things can happen.

Allele interactions

- ▶ When neither allele dominates, a variety of complicated things can happen.
- ▶ People also tell complicated stories about naming these things. We're also not going to worry about that:

Allele interactions

- ▶ When neither allele dominates, a variety of complicated things can happen.
- ▶ People also tell complicated stories about naming these things. We're also not going to worry about that:
 - ▶ Co-dominance

Allele interactions

- ▶ When neither allele dominates, a variety of complicated things can happen.
- ▶ People also tell complicated stories about naming these things. We're also not going to worry about that:
 - ▶ Co-dominance
 - ▶ Incomplete dominance

Allele interactions

- ▶ When neither allele dominates, a variety of complicated things can happen.
- ▶ People also tell complicated stories about naming these things. We're also not going to worry about that:
 - ▶ Co-dominance
 - ▶ Incomplete dominance
 - ▶ We will use **complex dominance** for anything that's not very close to simple dominance

Allele interactions

- ▶ When neither allele dominates, a variety of complicated things can happen.
- ▶ People also tell complicated stories about naming these things. We're also not going to worry about that:
 - ▶ Co-dominance
 - ▶ Incomplete dominance
 - ▶ We will use **complex dominance** for anything that's not very close to simple dominance

Example: ABO Blood groups have simple dominance

TABLE 20.1 The ABO Blood Group.

PHENOTYPE	GENOTYPE
A	<i>AA</i> or <i>AO</i>
B	<i>BB</i> or <i>BO</i>
AB	<i>AB</i>
O	<i>OO</i>

Table 20.1

Biology: How Life Works
© Macmillan Learning

Example: flower color



There can be borderline cases



- The plant in the middle is a hybrid

There can be borderline cases



- ▶ The plant in the middle is a hybrid
▶ *

There can be borderline cases



- ▶ The plant in the middle is a hybrid
 - ▶ * Does this count as simple dominance?

There can be borderline cases



- ▶ The plant in the middle is a hybrid
 - ▶ * Does this count as simple dominance?

Analyzing genotype frequencies

- We analyze genotype frequencies as follows:

Analyzing genotype frequencies

- ▶ We analyze genotype frequencies as follows:
 - ▶ Make simple assumptions about how frequencies work

Analyzing genotype frequencies

- ▶ We analyze genotype frequencies as follows:
 - ▶ Make simple assumptions about how frequencies work
 - ▶ Calculate **expected frequencies** under our assumptions

Analyzing genotype frequencies

- ▶ We analyze genotype frequencies as follows:
 - ▶ Make simple assumptions about how frequencies work
 - ▶ Calculate **expected frequencies** under our assumptions
 - ▶ Measure **observed frequencies** in the population

Analyzing genotype frequencies

- ▶ We analyze genotype frequencies as follows:
 - ▶ Make simple assumptions about how frequencies work
 - ▶ Calculate **expected frequencies** under our assumptions
 - ▶ Measure **observed frequencies** in the population
 - ▶ Look for evidence of systematic (not random) difference between expected and observed frequencies

Analyzing genotype frequencies

- ▶ We analyze genotype frequencies as follows:
 - ▶ Make simple assumptions about how frequencies work
 - ▶ Calculate **expected frequencies** under our assumptions
 - ▶ Measure **observed frequencies** in the population
 - ▶ Look for evidence of systematic (not random) difference between expected and observed frequencies

Making simple assumptions

- ▶ Expected frequencies are usually calculated by assuming that alleles assort randomly and independently, like flipping two coins, or rolling two dice

Making simple assumptions

- ▶ Expected frequencies are usually calculated by assuming that alleles assort randomly and independently, like flipping two coins, or rolling two dice

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ *

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ * $1/4, 1/4, 1/2$.

Activity: Coin flipping

- ▶ I flip two fair coins (ie., each coin will land heads with probability $1/2$).
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ * $1/4, 1/4, 1/2$.

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ *

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ * 0.49, 0.09, 0.42

Activity: Professional coin flipping

- ▶ A professional gambler can flip a coin so that it lands heads 70% of the time. She flips two coins.
- ▶ What is the probability of:
 - ▶ Two heads
 - ▶ Two tails?
 - ▶ One of each?
- ▶ * 0.49, 0.09, 0.42

Hardy-Weinberg distribution

- The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .
 - ▶ Frequency of genotype A_1A_2 is $2pq$.

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .
 - ▶ Frequency of genotype A_1A_2 is $2pq$.
- ▶ Why the 2?

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .
 - ▶ Frequency of genotype A_1A_2 is $2pq$.
- ▶ Why the 2?
 - ▶ *


Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .
 - ▶ Frequency of genotype A_1A_2 is $2pq$.
- ▶ Why the 2?
 - ▶ * Because you could get A_1 from Mom and A_2 from Dad, or A_1 from Dad and A_2 from Mom . . . two ways to do it

Hardy-Weinberg distribution

- ▶ The Hardy-Weinberg distribution is the distribution expected if alleles work like coins (random and independent).
- ▶ If p is frequency of allele A_1 and q is frequency of allele A_2 , then:
 - ▶ Frequency of genotype A_1A_1 is p^2 .
 - ▶ Frequency of genotype A_2A_2 is q^2 .
 - ▶ Frequency of genotype A_1A_2 is $2pq$.
- ▶ Why the 2?
 - ▶ * Because you could get A_1 from Mom and A_2 from Dad, or A_1 from Dad and A_2 from Mom . . . two ways to do it

Hardy-Weinberg distribution



Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ *

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ *

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes
 - ▶ *

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes
 - ▶ * if allele frequency is right

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes
 - ▶ * if allele frequency is right
 - ▶ *

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes
 - ▶ * if allele frequency is right
 - ▶ * But is this reliable evidence? That's a question for statistics.

Example: calculating allele frequencies

- ▶ I collect 20 peppered moths from a particular place, and find that 4 have genotype A_1A_1 , 8 have genotype A_1A_2 , and 8 have genotype A_2A_2 .
- ▶ What is the observed frequency of each allele?
- ▶ What is the expected frequency of each genotype under the Hardy-Weinberg assumptions?
- ▶ Is this population in Hardy-Weinberg equilibrium?
 - ▶ * We see more homozygotes than expected
 - ▶ * We can always summarize as more or less homozygotes
 - ▶ * if allele frequency is right
 - ▶ * But is this reliable evidence? That's a question for statistics.

What do we mean by expected?

- If we flip a fair coin 100 times, what is the expected number of heads?

What do we mean by expected?

- ▶ If we flip a fair coin 100 times, what is the expected number of heads?
 - ▶ What if we flip it 25 times?

What do we mean by expected?

- ▶ If we flip a fair coin 100 times, what is the expected number of heads?
 - ▶ What if we flip it 25 times?
- ▶ We don't expect to get exactly the expected value.

What do we mean by expected?

- ▶ If we flip a fair coin 100 times, what is the expected number of heads?
 - ▶ What if we flip it 25 times?
- ▶ We don't expect to get exactly the expected value.
- ▶ The 'expected value' is an average of what is expected under our assumptions

What do we mean by expected?

- ▶ If we flip a fair coin 100 times, what is the expected number of heads?
 - ▶ What if we flip it 25 times?
- ▶ We don't expect to get exactly the expected value.
- ▶ The 'expected value' is an average of what is expected under our assumptions
 - ▶ The idea is a conceptual average over what would happen if we did the same experiment many times

What do we mean by expected?

- ▶ If we flip a fair coin 100 times, what is the expected number of heads?
 - ▶ What if we flip it 25 times?
- ▶ We don't expect to get exactly the expected value.
- ▶ The 'expected value' is an average of what is expected under our assumptions
 - ▶ The idea is a conceptual average over what would happen if we did the same experiment many times

How do you know a coin is perfectly fair?

- You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
- ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
- ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium
- ▶ We can only evaluate our evidence that it is far from (or close to) equilibrium

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
- ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium
- ▶ We can only evaluate our evidence that it is far from (or close to) equilibrium
- ▶ What's another way to think about the evidence?

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
- ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium
- ▶ We can only evaluate our evidence that it is far from (or close to) equilibrium
- ▶ What's another way to think about the evidence?
 - ▶ *

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
 - ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium
 - ▶ We can only evaluate our evidence that it is far from (or close to) equilibrium
 - ▶ What's another way to think about the evidence?
 - ▶ * How clear is it that we really have more (or less) homozygotes than expected?

How do you know a coin is perfectly fair?

- ▶ You can never be sure that a coin is perfectly fair, you can only evaluate your evidence that it's more or less close to fair.
 - ▶ Similarly, we never have evidence that a population is exactly in Hardy-Weinberg equilibrium
 - ▶ We can only evaluate our evidence that it is far from (or close to) equilibrium
 - ▶ What's another way to think about the evidence?
 - ▶ * How clear is it that we really have more (or less) homozygotes than expected?

Hardy-Weinberg equilibrium

- When do we expect genotype frequencies to behave like coins?

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ *

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ *

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ *

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)
- ▶ If these assumptions hold exactly, we expect
Hardy-Weinberg equilibrium

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)
- ▶ If these assumptions hold exactly, we expect
Hardy-Weinberg equilibrium
 - ▶ Hardy-Weinberg distribution, with no change in allele frequencies from generation to generation.

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)
- ▶ If these assumptions hold exactly, we expect
Hardy-Weinberg equilibrium
 - ▶ Hardy-Weinberg distribution, with no change in allele frequencies from generation to generation.
- ▶ *DO these assumptions hold exactly?*

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)
- ▶ If these assumptions hold exactly, we expect
Hardy-Weinberg equilibrium
 - ▶ Hardy-Weinberg distribution, with no change in allele frequencies from generation to generation.
- ▶ *DO* these assumptions hold exactly?
 - ▶ No!

Hardy-Weinberg equilibrium

- ▶ When do we expect genotype frequencies to behave like coins?
- ▶ Alleles selected at random from the previous generation:
 - ▶ * Random mating within a closed population
 - ▶ * No differences in fitness between genotypes
 - ▶ * No mutation, no drift (see below)
- ▶ If these assumptions hold exactly, we expect
Hardy-Weinberg equilibrium
 - ▶ Hardy-Weinberg distribution, with no change in allele frequencies from generation to generation.
- ▶ *DO* these assumptions hold exactly?
 - ▶ No!

Differences from equilibrium

- If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating

Differences from equilibrium

- ▶ If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating
- ▶ The analysis tells us that something is going on, but not what

Differences from equilibrium

- ▶ If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating
- ▶ The analysis tells us that something is going on, but not what
- ▶ Hardy-Weinberg is a **null model**: it tells us what to expect if complicating effects are absent

Differences from equilibrium

- ▶ If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating
- ▶ The analysis tells us that something is going on, but not what
- ▶ Hardy-Weinberg is a **null model**: it tells us what to expect if complicating effects are absent
- ▶ Without a null model, we couldn't ask *how* do observations differ from expectations

Differences from equilibrium

- ▶ If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating
- ▶ The analysis tells us that something is going on, but not what
- ▶ Hardy-Weinberg is a **null model**: it tells us what to expect if complicating effects are absent
- ▶ Without a null model, we couldn't ask *how* do observations differ from expectations
- ▶ The *direction* of the difference is key to interpreting

Differences from equilibrium

- ▶ If we observe large differences from the Hardy-Weinberg equilibrium, this is usually a sign that mating is not random, or that natural selection is operating
- ▶ The analysis tells us that something is going on, but not what
- ▶ Hardy-Weinberg is a **null model**: it tells us what to expect if complicating effects are absent
- ▶ Without a null model, we couldn't ask *how* do observations differ from expectations
- ▶ The *direction* of the difference is key to interpreting

Example: Human blood groups

- MN blood groups in different human populations are very close to Hardy-Weinberg equilibrium

Example: Human blood groups

- ▶ MN blood groups in different human populations are very close to Hardy-Weinberg equilibrium
 - ▶ No evidence for non-random mating, or for fitness differences.

Example: Human blood groups

- ▶ MN blood groups in different human populations are very close to Hardy-Weinberg equilibrium
 - ▶ No evidence for non-random mating, or for fitness differences.
 - ▶ *This does not mean it's not happening, but probably means that it's small*

Example: Human blood groups

- ▶ MN blood groups in different human populations are very close to Hardy-Weinberg equilibrium
 - ▶ No evidence for non-random mating, or for fitness differences.
 - ▶ This *does not* mean it's not happening, but *probably* means that it's small
 - ▶ Especially when we observe the same thing many times

Example: Human blood groups

- ▶ MN blood groups in different human populations are very close to Hardy-Weinberg equilibrium
 - ▶ No evidence for non-random mating, or for fitness differences.
 - ▶ This *does not* mean it's not happening, but *probably* means that it's small
 - ▶ Especially when we observe the same thing many times

Activity: Human blood groups at the global level

- At the *global* level, how do you expect MN blood groups compare to HW expectations?

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?
 - ▶ * Mostly because mating is not random

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?
 - ▶ * Mostly because mating is not random
 - ▶ *

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?
 - ▶ * Mostly because mating is not random
 - ▶ * These data are telling us different (reasonable) stories at different scales

Activity: Human blood groups at the global level

- ▶ At the *global* level, how do you expect MN blood groups compare to HW expectations?
 - ▶ * What are the choices?
 - ▶ * Simulate by averaging across the groups in the spreadsheet
 - ▶ * What do we think will happen?
- ▶ What did we find?
 - ▶ * More homozygotes
- ▶ Why?
 - ▶ * Mostly because mating is not random
 - ▶ * These data are telling us different (reasonable) stories at different scales

Example: Human HLA genes

Table 3

Observed and Expected Numbers of Heterozygotes and Homozygotes for Individuals Born Before 1954 and Those Born in 1954 or Later, for Males and Females

	Heterozygotes	Homozygotes
HLA-A:		
Born before 1954:		
Females	22	8
Males	22	7
Born 1954 or later:		
Females	22	12
Males	18	11
Total:		
Observed	84	38 ^a
Expected	73.57	48.43 ^a
HLA-B:		
Born before 1954:		
Females	25	5
Males	22	7
Born 1954 or later:		
Females	31	3
Males	23	6
Total:		
Observed	101	21 ^b
Expected	92.44	29.56 ^b

^a P = .0317.

Example: Human HLA genes

- ▶ HLA genes are used by the immune system to recognize disease-causing organisms

Example: Human HLA genes

- ▶ HLA genes are used by the immune system to recognize disease-causing organisms
- ▶ Researchers hypothesized that heterozygous individuals may recognize more bacteria and viruses

Example: Human HLA genes

- ▶ HLA genes are used by the immune system to recognize disease-causing organisms
- ▶ Researchers hypothesized that heterozygous individuals may recognize more bacteria and viruses
- ▶ Data shows that more people are heterozygous for HLA genes than would be expected under the Hardy-Weinberg assumption

Example: Human HLA genes

- ▶ HLA genes are used by the immune system to recognize disease-causing organisms
- ▶ Researchers hypothesized that heterozygous individuals may recognize more bacteria and viruses
- ▶ Data shows that more people are heterozygous for HLA genes than would be expected under the Hardy-Weinberg assumption

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?

▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring
 - ▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring
 - ▶ * People might be more attracted to people with different HLA types

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring
 - ▶ * People might be more attracted to people with different HLA types
 - ▶ *

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring
 - ▶ * People might be more attracted to people with different HLA types
 - ▶ * Maybe evolved this way because of reasons above

Heterozygous HLA genes

- ▶ Why might more people be heterozygous for HLA genes than predicted by Hardy-Weinberg?
 - ▶ * Heterozygous people might be more likely to survive
 - ▶ * Heterozygous people may have more offspring
 - ▶ * Effects of this one are more complicated
 - ▶ * Heterozygotes don't necessarily have heterozygous offspring
 - ▶ * People might be more attracted to people with different HLA types
 - ▶ * Maybe evolved this way because of reasons above

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Directional selection

- Directional selection tends to move a population in a particular direction




Figure 20.4B
Biology: How Life Works
© Macmillan Learning

Directional selection

- ▶ **Directional selection** tends to move a population in a particular direction
 - ▶ Giraffe necks




Figure 20.4B
Biology: How Life Works
© Macmillan Learning

Directional selection

- ▶ **Directional selection** tends to move a population in a particular direction
 - ▶ Giraffe necks
 - ▶ Human brains





Figure 20.4B
Biology: How Life Works
© Macmillan Learning

Directional selection

- ▶ **Directional selection** tends to move a population in a particular direction
 - ▶ Giraffe necks
 - ▶ Human brains



Multi-directional selection

- Directional selection can change through time with the environment

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ *

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds
 - ▶ *

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds
 - ▶ * Can use the resources for something else

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds
 - ▶ * Can use the resources for something else
 - ▶ *

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds
 - ▶ * Can use the resources for something else
 - ▶ * Faster growth, more fat storage

Multi-directional selection

- ▶ Directional selection can change through time with the environment
 - ▶ Swallows may get larger during extreme cold spells, smaller again during normal weather
 - ▶ But we need to know whether the changes we saw were heritable
 - ▶ Finch beaks get thicker when food is scarce, and smaller when food is abundant
- ▶ Why might small-beaked finches have advantages?
 - ▶ * May be faster at processing small seeds
 - ▶ * Can use the resources for something else
 - ▶ * Faster growth, more fat storage

Stabilizing selection

- **Stabilizing selection** tends to keep the population where it is





Figure 20.7b
Biology: Alive Life Works
© Macmillan Learning

Stabilizing selection

- ▶ **Stabilizing selection** tends to keep the population where it is



C. W. U. (www.uw.edu) / L. J. G. (www.ljg.net) / M. B. (www.marcusblomberg.se) / S. (www.silvano.it)

Stabilizing selection

- ▶ **Stabilizing selection** tends to keep the population where it is
 - ▶ * Usually because population is already adapted




Figure 23.7b
Biology: Life Sciences
© Macmillan Learning

Stabilizing selection

- ▶ **Stabilizing selection** tends to keep the population where it is
 - ▶ * Usually because population is already adapted




Figure 23.7b
Biology: Life Sciences
© Macmillan Learning

Connections between selection types

- What happens if the target of directional selection stays the same for a long time?

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see
 - ▶ * Things often develop by directional selection, but at any given time, most of what we see is under stabilizing selection

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see
 - ▶ * Things often develop by directional selection, but at any given time, most of what we see is under stabilizing selection
 - ▶ *

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see
 - ▶ * Things often develop by directional selection, but at any given time, most of what we see is under stabilizing selection
 - ▶ * Because most organisms are highly adapted

Connections between selection types

- ▶ What happens if the target of directional selection stays the same for a long time?
 - ▶ * The population arrives at the target, and directional selection becomes stabilizing selection
- ▶ Examples?
 - ▶ * Giraffe necks
 - ▶ * Human brains
 - ▶ * Almost everything we see
 - ▶ * Things often develop by directional selection, but at any given time, most of what we see is under stabilizing selection
 - ▶ * Because most organisms are highly adapted

Disruptive selection

- Disruptive selection favors phenotypes *different* from the average value

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small
 - ▶ There may not be a lot of medium seeds in many forests

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small
 - ▶ There may not *be* a lot of medium seeds in many forests
 - ▶ Animals that get eaten a lot (**prey**) may want to look different from their peers so that the **predators** that eat them don't find them as easily

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small
 - ▶ There may not *be* a lot of medium seeds in many forests
 - ▶ Animals that get eaten a lot (**prey**) may want to look different from their peers so that the **predators** that eat them don't find them as easily
- ▶ Disruptive selection can lead to **speciation** – the formation of new species.

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small
 - ▶ There may not *be* a lot of medium seeds in many forests
 - ▶ Animals that get eaten a lot (**prey**) may want to look different from their peers so that the **predators** that eat them don't find them as easily
- ▶ Disruptive selection can lead to **speciation** – the formation of new species.
- ▶ See also F20.9

Disruptive selection

- ▶ Disruptive selection favors phenotypes *different* from the average value
 - ▶ Black-bellied seedcrackers have different types with different bill sizes.
 - ▶ Big bills may be good for big seeds and small for small
 - ▶ There may not *be* a lot of medium seeds in many forests
 - ▶ Animals that get eaten a lot (**prey**) may want to look different from their peers so that the **predators** that eat them don't find them as easily
- ▶ Disruptive selection can lead to **speciation** – the formation of new species.
- ▶ See also F20.9

Frequency dependence

- Disruptive selection is closely related to **frequency dependence**

Frequency dependence

- ▶ Disruptive selection is closely related to **frequency dependence**
- ▶ Frequency dependence is the idea that some trait types do relatively better if they are rare.

Frequency dependence

- ▶ Disruptive selection is closely related to **frequency dependence**
- ▶ Frequency dependence is the idea that some trait types do relatively better if they are rare.

Seedcrackers



Disruptive selection




Figure 20.9b
Biology: How Life Works
© Macmillan Learning

Data from Filchak et al. 2000 *Nature* 407:739–742.

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .
 - ▶ *

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .
 - ▶ * When other alleles change

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .
 - ▶ * When other alleles change
 - ▶ *

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .
 - ▶ * When other alleles change
 - ▶ * We call this the **genetic context**

Positive/negative selection

- ▶ An allele that has greater fitness than others *in a particular context* is called **advantageous**
 - ▶ It will tend to increase due to **positive** (natural) selection
- ▶ An allele that has less fitness than others *in a particular context* is called **deleterious**
 - ▶ It will tend to decrease due to **negative** (natural) selection
- ▶ The context can change when the environment changes, or . . .
 - ▶ * When other alleles change
 - ▶ * We call this the **genetic context**

Balancing selection

- Balancing selection tends to maintain allele diversity

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ *

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ *

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ * e.g., some seedcrackers with big-bill alleles and some with small-bill alleles

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ * e.g., some seedcrackers with big-bill alleles and some with small-bill alleles
- ▶ Balancing selection can also be caused by **heterozygote advantage**: when heterozygotes have higher fitness

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ * e.g., some seedcrackers with big-bill alleles and some with small-bill alleles
- ▶ Balancing selection can also be caused by **heterozygote advantage**: when heterozygotes have higher fitness
 - ▶ *

Balancing selection


- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ * e.g., some seedcrackers with big-bill alleles and some with small-bill alleles
- ▶ Balancing selection can also be caused by **heterozygote advantage**: when heterozygotes have higher fitness
 - ▶ * The only way to get a heterozygote is by having different alleles combine

Balancing selection

- ▶ Balancing selection tends to maintain allele diversity
 - ▶ When there is no single best allele
- ▶ Disruptive selection at the trait level tends to cause balancing selection at the allele level
 - ▶ * Different alleles correspond to the different selected phenotypes
 - ▶ * e.g., some seedcrackers with big-bill alleles and some with small-bill alleles
- ▶ Balancing selection can also be caused by **heterozygote advantage**: when heterozygotes have higher fitness
 - ▶ * The only way to get a heterozygote is by having different alleles combine

Example: The sickle cell phenotype

- Blood cells that can lose their shape and squash malaria parasites!



Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria




Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria
 - ▶ People homozygous for this trait have too much instability and severe anemia




Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria
 - ▶ People homozygous for this trait have too much instability and severe anemia
- ▶ This is an example of:




Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria
 - ▶ People homozygous for this trait have too much instability and severe anemia
- ▶ This is an example of:
 - ▶ *




Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria
 - ▶ People homozygous for this trait have too much instability and severe anemia
- ▶ This is an example of:
 - ▶ * heterozygote advantage



Example: The sickle cell phenotype

- ▶ Blood cells that can lose their shape and squash malaria parasites!
 - ▶ People heterozygous for this trait get less sick with malaria
 - ▶ People homozygous for this trait have too much instability and severe anemia
- ▶ This is an example of:
 - ▶ * heterozygote advantage



Example: seedcrackers

- What would happen if almost all of the seedcrackers had large bills?



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?

▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of
...



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring
 - ▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring
 - ▶ * Can lead to selection for less heritability



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection

- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring
 - ▶ * Can lead to selection for less heritability
 - ▶ *



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring
 - ▶ * Can lead to selection for less heritability
 - ▶ * or selection on mate choice



Example: seedcrackers

- ▶ What would happen if almost all of the seedcrackers had large bills?
 - ▶ * More small seeds available, small bills become an advantage, an example of ...
 - ▶ * frequency dependence
 - ▶ * disruptive selection
- ▶ What happens when large-billed and small-billed individuals breed?
 - ▶ * They could have low-fitness offspring
 - ▶ * Can lead to selection for less heritability
 - ▶ * or selection on mate choice



Alleles and traits

- Most traits that we measure depend on many alleles from many different loci

Alleles and traits

- ▶ Most traits that we measure depend on many alleles from many different loci
- ▶ We *learn* a lot from simple traits that depend on a single locus

Alleles and traits

- ▶ Most traits that we measure depend on many alleles from many different loci
- ▶ We *learn* a lot from simple traits that depend on a single locus
 - ▶ Simple to study

Alleles and traits

- ▶ Most traits that we measure depend on many alleles from many different loci
- ▶ We *learn* a lot from simple traits that depend on a single locus
 - ▶ Simple to study
 - ▶ Simple to explain

Alleles and traits

- ▶ Most traits that we measure depend on many alleles from many different loci
- ▶ We *learn* a lot from simple traits that depend on a single locus
 - ▶ Simple to study
 - ▶ Simple to explain
- ▶ Changes at one locus can affect the selection environment at another locus

Alleles and traits

- ▶ Most traits that we measure depend on many alleles from many different loci
- ▶ We *learn* a lot from simple traits that depend on a single locus
 - ▶ Simple to study
 - ▶ Simple to explain
- ▶ Changes at one locus can affect the selection environment at another locus

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Genetic drift

- **Genetic drift** is change in allele frequencies due to random sampling:

Genetic drift

- ▶ **Genetic drift** is change in allele frequencies due to random sampling:
 - ▶ Some individuals have more offspring than others due to chance events

Genetic drift

- ▶ **Genetic drift** is change in allele frequencies due to random sampling:
 - ▶ Some individuals have more offspring than others due to chance events
 - ▶ Offspring receive certain parental alleles, and not others

Genetic drift

- ▶ **Genetic drift** is change in allele frequencies due to random sampling:
 - ▶ Some individuals have more offspring than others due to chance events
 - ▶ Offspring receive certain parental alleles, and not others
- ▶ These factors will lead to an accumulation of random changes in allele frequencies

Genetic drift

- ▶ **Genetic drift** is change in allele frequencies due to random sampling:
 - ▶ Some individuals have more offspring than others due to chance events
 - ▶ Offspring receive certain parental alleles, and not others
- ▶ These factors will lead to an accumulation of random changes in allele frequencies
- ▶ Drift is a likely reason why different human populations have different MN allele frequencies

Genetic drift

- ▶ **Genetic drift** is change in allele frequencies due to random sampling:
 - ▶ Some individuals have more offspring than others due to chance events
 - ▶ Offspring receive certain parental alleles, and not others
- ▶ These factors will lead to an accumulation of random changes in allele frequencies
- ▶ Drift is a likely reason why different human populations have different MN allele frequencies

Thought experiment

- ▶ Imagine flipping a fair coin 100 times

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ *

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time
- ▶ Now imagine choosing 100 alleles at random (with replacement) from a population of 50 A and 50 B alleles

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time
- ▶ Now imagine choosing 100 alleles at random (with replacement) from a population of 50 A and 50 B alleles
 - ▶ Repeat, using new population as a starting point

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time
- ▶ Now imagine choosing 100 alleles at random (with replacement) from a population of 50 A and 50 B alleles
 - ▶ Repeat, using new population as a starting point
 - ▶ *

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time
- ▶ Now imagine choosing 100 alleles at random (with replacement) from a population of 50 A and 50 B alleles
 - ▶ Repeat, using new population as a starting point
 - ▶ * 50 plus-or-minus a few, then something-else plus-or-minus a few; drifts around in random directions

Thought experiment

- ▶ Imagine flipping a fair coin 100 times
 - ▶ Repeat
 - ▶ * 50 plus-or-minus a few each time
- ▶ Now imagine choosing 100 alleles at random (with replacement) from a population of 50 A and 50 B alleles
 - ▶ Repeat, using new population as a starting point
 - ▶ * 50 plus-or-minus a few, then something-else plus-or-minus a few; drifts around in random directions

Genetic drift

Population size = 4




Figure 20.13b
Biology: How Life Works
© Macmillan Learning

Genetic drift

Population size = 40




Figure 20.13c
Biology: How Life Works
© Macmillan Learning

Genetic drift

Population size = 400




Figure 20.13d
Biology: How Life Works
© Macmillan Learning

Small populations

- Drift is much stronger in small populations than in large ones (law of averages).

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population
 - ▶ *

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population
 - ▶ * variation will be lost at that locus because the new gene is better

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population
 - ▶ * variation will be lost at that locus because the new gene is better
 - ▶ *

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population
 - ▶ * variation will be lost at that locus because the new gene is better
 - ▶ * but it can also be lost at other loci at random, because the whole future population is descended from individuals with the new mutation

Small populations

- ▶ Drift is much stronger in small populations than in large ones (law of averages).
- ▶ Even if a population is big now, it may have been small in the past
 - ▶ **Founder effects** occur when a new population is started by a small number of individuals
 - ▶ **Bottlenecks** occur when a population becomes small, then large again
 - ▶ ... or, when a beneficial genetic mutation takes over a population
 - ▶ * variation will be lost at that locus because the new gene is better
 - ▶ * but it can also be lost at other loci at random, because the whole future population is descended from individuals with the new mutation

Fixation and loss

- An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ *

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ *

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ * Negative selection

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ * Negative selection
- ▶ Alleles with **neutral** differences (no selective difference) will be fixed or lost at random

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ * Negative selection
- ▶ Alleles with **neutral** differences (no selective difference) will be fixed or lost at random
 - ▶ This is also true for alleles with small effects!

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ * Negative selection
- ▶ Alleles with **neutral** differences (no selective difference) will be fixed or lost at random
 - ▶ This is also true for alleles with small effects!
- ▶ Drift tends to reduce genetic variation

Fixation and loss

- ▶ An allele may drift to a frequency of 0 (it's **lost**) or of 1 (it's **fixed**)
- ▶ Advantageous alleles are often (not always) fixed
 - ▶ * Positive selection
- ▶ Disadvantageous alleles are usually (not always) lost
 - ▶ * Negative selection
- ▶ Alleles with **neutral** differences (no selective difference) will be fixed or lost at random
 - ▶ This is also true for alleles with small effects!
- ▶ Drift tends to reduce genetic variation

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Gene flow

- **Gene flow** is the movement of alleles from one population to another

Gene flow

- ▶ **Gene flow** is the movement of alleles from one population to another
 - ▶ This happens when individuals move from one population to another and breed

Gene flow

- ▶ **Gene flow** is the movement of alleles from one population to another
 - ▶ This happens when individuals move from one population to another and breed
- ▶ How we think about gene flow depends on how we choose to define a 'population'

Gene flow

- ▶ **Gene flow** is the movement of alleles from one population to another
 - ▶ This happens when individuals move from one population to another and breed
- ▶ How we think about gene flow depends on how we choose to define a 'population'
- ▶ Gene flow can be an obstacle to speciation; it helps keep populations similar

Gene flow

- ▶ **Gene flow** is the movement of alleles from one population to another
 - ▶ This happens when individuals move from one population to another and breed
- ▶ How we think about gene flow depends on how we choose to define a 'population'
- ▶ Gene flow can be an obstacle to speciation; it helps keep populations similar

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Mutation

- ▶ **Mutations** are heritable errors in copying DNA

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:
 - ▶ *

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:
 - ▶ * Mutations provide the variation on which natural selection acts

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:
 - ▶ * Mutations provide the variation on which natural selection acts
 - ▶ *

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:
 - ▶ * Mutations provide the variation on which natural selection acts
 - ▶ * Mutation is the only source of new alleles

Mutation

- ▶ **Mutations** are heritable errors in copying DNA
- ▶ Mutations are rare; *by themselves* they don't cause much evolution
- ▶ Mutations are extremely important to evolution, however:
 - ▶ * Mutations provide the variation on which natural selection acts
 - ▶ * Mutation is the only source of new alleles

Types of mutations

- ▶ Mutations can occur at many scales:

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted
 - ▶ whole genes (or whole chromosomes) can be duplicated

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted
 - ▶ whole genes (or whole chromosomes) can be duplicated
- ▶ New genetic sequence can come from:

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted
 - ▶ whole genes (or whole chromosomes) can be duplicated
- ▶ New genetic sequence can come from:
 - ▶ copying errors

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted
 - ▶ whole genes (or whole chromosomes) can be duplicated
- ▶ New genetic sequence can come from:
 - ▶ copying errors
 - ▶ other organisms! **lateral gene transfer**

Types of mutations

- ▶ Mutations can occur at many scales:
 - ▶ a single DNA base might change
 - ▶ chunks of DNA can be added or subtracted
 - ▶ whole genes (or whole chromosomes) can be duplicated
- ▶ New genetic sequence can come from:
 - ▶ copying errors
 - ▶ other organisms! **lateral gene transfer**

Mutations are random

- ▶ Most mutations are **deleterious** – bad for fitness

Mutations are random

- ▶ Most mutations are **deleterious** – bad for fitness
- ▶ Very rarely mutations are **beneficial** – good for fitness

Mutations are random

- ▶ Most mutations are **deleterious** – bad for fitness
- ▶ Very rarely mutations are **beneficial** – good for fitness
 - ▶ Such mutations are favored by natural selection

Mutations are random

- ▶ Most mutations are **deleterious** – bad for fitness
- ▶ Very rarely mutations are **beneficial** – good for fitness
 - ▶ Such mutations are favored by natural selection

Complex organisms

- Can complex organisms arise through random mutations?

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually
 - ▶ Much evidence of intermediate forms (see video in notes)

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually
 - ▶ Much evidence of intermediate forms (see video in notes)
- ▶ *My personal perspective*

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually
 - ▶ Much evidence of intermediate forms (see video in notes)
- ▶ *My personal perspective*
 - ▶ *We don't know enough theory to say that it could or could not have happened based on mechanistic understanding*

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually
 - ▶ Much evidence of intermediate forms (see video in notes)
- ▶ *My personal perspective*
 - ▶ *We don't know enough theory to say that it could or could not have happened based on mechanistic understanding*
 - ▶ *But it definitely looks like it did , so that implies that it's possible*

Complex organisms

- ▶ Can complex organisms arise through random mutations?
 - ▶ A central question of biology
 - ▶ Large-scale evolution takes a *long* time
 - ▶ Beneficial changes can accumulate gradually
 - ▶ Much evidence of intermediate forms (see video in notes)
- ▶ *My personal perspective*
 - ▶ *We don't know enough theory to say that it could or could not have happened based on mechanistic understanding*
 - ▶ *But it definitely looks like it did , so that implies that it's possible*

What about sex?

- Sex does not *directly* change allele frequencies

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**
- ▶ Sex is not a source of new mutations

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**
- ▶ Sex is not a source of new mutations
 - ▶ *

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**
- ▶ Sex is not a source of new mutations
 - ▶ * But it is a source of new combinations

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**
- ▶ Sex is not a source of new mutations
 - ▶ * But it is a source of new combinations
- ▶ There is still active debate on the advantages and disadvantages of sex in evolution

What about sex?

- ▶ Sex does not *directly* change allele frequencies
- ▶ It does act to bring alleles together (and to split them apart), this is called **recombination**
- ▶ Sex is not a source of new mutations
 - ▶ * But it is a source of new combinations
- ▶ There is still active debate on the advantages and disadvantages of sex in evolution

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Inbreeding

- **Inbreeding** refers to mating between close relatives

Inbreeding

- ▶ **Inbreeding** refers to mating between close relatives
- ▶ Since relatives will tend to share similar alleles, inbred populations will tend to differ from Hardy-Weinberg equilibrium in what way?

Inbreeding

- ▶ **Inbreeding** refers to mating between close relatives
- ▶ Since relatives will tend to share similar alleles, inbred populations will tend to differ from Hardy-Weinberg equilibrium in what way?

▶ *

Inbreeding

- ▶ **Inbreeding** refers to mating between close relatives
- ▶ Since relatives will tend to share similar alleles, inbred populations will tend to differ from Hardy-Weinberg equilibrium in what way?
 - ▶ * More homozygous loci

Inbreeding

- ▶ **Inbreeding** refers to mating between close relatives
- ▶ Since relatives will tend to share similar alleles, inbred populations will tend to differ from Hardy-Weinberg equilibrium in what way?
 - ▶ * More homozygous loci

Inbreeding depression

- In many populations, it is observed that inbred individuals have lower fitness:

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes
- ▶ Inbreeding depression is a serious concern for conservation

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes
- ▶ Inbreeding depression is a serious concern for conservation
 - ▶ As populations get smaller, inbreeding becomes more common

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes
- ▶ Inbreeding depression is a serious concern for conservation
 - ▶ As populations get smaller, inbreeding becomes more common
- ▶ Wildlife studies show that panthers with both parents from Florida (small population) do not survive well

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes
- ▶ Inbreeding depression is a serious concern for conservation
 - ▶ As populations get smaller, inbreeding becomes more common
- ▶ Wildlife studies show that panthers with both parents from Florida (small population) do not survive well
- ▶ Human demographic studies show strikingly lower survival for children of first cousins

Inbreeding depression

- ▶ In many populations, it is observed that inbred individuals have lower fitness:
 - ▶ They are more likely to be homozygous for rare genetic defects
 - ▶ They are less likely to be heterozygous for immune-system genes
- ▶ Inbreeding depression is a serious concern for conservation
 - ▶ As populations get smaller, inbreeding becomes more common
- ▶ Wildlife studies show that panthers with both parents from Florida (small population) do not survive well
- ▶ Human demographic studies show strikingly lower survival for children of first cousins

Florida panthers



DenGuy/Getty Images

Figure 20.14
Biology: How Life Works
© Macmillan Learning

Outline

Analyzing genotype frequencies

Types of natural selection

Trait level

Allele level

Other evolutionary mechanisms

Genetic drift

Gene flow

Mutation

Mating patterns

Inbreeding

Sexual selection

Sexual selection

- **Sexual selection** is a form of natural selection

Sexual selection

- ▶ **Sexual selection** is a form of natural selection
- ▶ Occurs when there is heritable variation in traits related to success in obtaining mates

Sexual selection

- ▶ **Sexual selection** is a form of natural selection
- ▶ Occurs when there is heritable variation in traits related to success in obtaining mates

Example: Pukeko

- ▶ Studied by Quinn lab here at Mac



Example: Pukeko

- ▶ Studied by Quinn lab here at Mac
- ▶ Hypothesis: Bright crests make males more attractive to females



Example: Pukeko

- ▶ Studied by Quinn lab here at Mac
- ▶ Hypothesis: Bright crests make males more attractive to females



Activity: Pukeko experiments

- ▶ How would you test this hypothesis?

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ *

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests
 - ▶ *

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests
 - ▶ * Paint, cardboard, dietary supplement

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests
 - ▶ * Paint, cardboard, dietary supplement
 - ▶ *

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests
 - ▶ * Paint, cardboard, dietary supplement
 - ▶ * Test whether they are preferred by females

Activity: Pukeko experiments

- ▶ How would you test this hypothesis?
 - ▶ * Give some males bigger or brighter crests
 - ▶ * Paint, cardboard, dietary supplement
 - ▶ * Test whether they are preferred by females

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ *

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways
(bigger, healthier, etc.)

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways
(bigger, healthier, etc.)
 - ▶ *

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?
 - ▶ *

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?
 - ▶ * Whatever we do to improve the crests may have other effects

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?
 - ▶ * Whatever we do to improve the crests may have other effects
 - ▶ *

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?
 - ▶ * Whatever we do to improve the crests may have other effects
 - ▶ * Try to compensate and make treatment and control as similar as possible

Pukeko analysis

- ▶ Why not simply find and use birds with naturally better crests?
 - ▶ * The crests may be better because they differ in other ways (bigger, healthier, etc.)
 - ▶ * We always want to make groups as similar as we can
- ▶ What is a concern with the methods proposed? What could you do about it?
 - ▶ * Whatever we do to improve the crests may have other effects
 - ▶ * Try to compensate and make treatment and control as similar as possible

Why the males?

- Males often have striking traits that females lack, used in courtship, or in battles for mates

Why the males?

- ▶ Males often have striking traits that females lack, used in courtship, or in battles for mates
 - ▶ Sexual **dimorphism** refers to trait differences between males and females

Why the males?

- ▶ Males often have striking traits that females lack, used in courtship, or in battles for mates
 - ▶ Sexual **dimorphism** refers to trait differences between males and females
- ▶ Why do males more often have these traits than females?

Why the males?

- ▶ Males often have striking traits that females lack, used in courtship, or in battles for mates
 - ▶ Sexual **dimorphism** refers to trait differences between males and females
- ▶ Why do males more often have these traits than females?
 - ▶ Investment in reproduction

Why the males?

- ▶ Males often have striking traits that females lack, used in courtship, or in battles for mates
 - ▶ Sexual **dimorphism** refers to trait differences between males and females
- ▶ Why do males more often have these traits than females?
 - ▶ Investment in reproduction
 - ▶ Variation in reproductive success

Why the males?

- ▶ Males often have striking traits that females lack, used in courtship, or in battles for mates
 - ▶ Sexual **dimorphism** refers to trait differences between males and females
- ▶ Why do males more often have these traits than females?
 - ▶ Investment in reproduction
 - ▶ Variation in reproductive success

Investment in reproduction

- In many species, females invest much more in each offspring than males do

Investment in reproduction

- ▶ In many species, females invest much more in each offspring than males do
 - ▶ Eggs are expensive, sperm are cheap

Investment in reproduction

- ▶ In many species, females invest much more in each offspring than males do
 - ▶ Eggs are expensive, sperm are cheap
 - ▶ Females are often more involved in caring for offspring

Investment in reproduction

- ▶ In many species, females invest much more in each offspring than males do
 - ▶ Eggs are expensive, sperm are cheap
 - ▶ Females are often more involved in caring for offspring
- ▶ If females invest a lot in each offspring, they can maximize fitness by *being choosy about mates*

Investment in reproduction

- ▶ In many species, females invest much more in each offspring than males do
 - ▶ Eggs are expensive, sperm are cheap
 - ▶ Females are often more involved in caring for offspring
- ▶ If females invest a lot in each offspring, they can maximize fitness by *being choosy about mates*
- ▶ If males invest little in each offspring, they can maximize fitness by *mating as much as possible*

Investment in reproduction

- ▶ In many species, females invest much more in each offspring than males do
 - ▶ Eggs are expensive, sperm are cheap
 - ▶ Females are often more involved in caring for offspring
- ▶ If females invest a lot in each offspring, they can maximize fitness by *being choosy about mates*
- ▶ If males invest little in each offspring, they can maximize fitness by *mating as much as possible*

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ *

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ *

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females
 - ▶ *

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females
 - ▶ * In these species, do females compete for males?

Testing the theory


- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females
 - ▶ * In these species, do females compete for males?
 - ▶ *

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females
 - ▶ * In these species, do females compete for males?
 - ▶ * Yes, females are larger than males, and develop bright colors at courtship time

Testing the theory

- ▶ How might we test the theory that males compete more sexually because females invest more in offspring?
 - ▶ * Are there any species where these roles seem to be reversed?
 - ▶ * Yes, in some species of pipefish (related to seahorses) the males spend more time and energy caring for young than females
 - ▶ * In these species, do females compete for males?
 - ▶ * Yes, females are larger than males, and develop bright colors at courtship time



Variation in reproductive success

- Males often have greater variation in reproductive success than females do

Variation in reproductive success

- ▶ Males often have greater variation in reproductive success than females do
- ▶ This is a side-effect of the fact that females usually invest a lot in each offspring

Variation in reproductive success

- ▶ Males often have greater variation in reproductive success than females do
- ▶ This is a side-effect of the fact that females usually invest a lot in each offspring
 - ▶ Reduces potential total number of offspring

Variation in reproductive success

- ▶ Males often have greater variation in reproductive success than females do
- ▶ This is a side-effect of the fact that females usually invest a lot in each offspring
 - ▶ Reduces potential total number of offspring
 - ▶ Makes females desirable to males

Variation in reproductive success

- ▶ Males often have greater variation in reproductive success than females do
- ▶ This is a side-effect of the fact that females usually invest a lot in each offspring
 - ▶ Reduces potential total number of offspring
 - ▶ Makes females desirable to males
- ▶ Greater variation in reproductive success means that winning contests is more important to male than female fitness

Variation in reproductive success

- ▶ Males often have greater variation in reproductive success than females do
- ▶ This is a side-effect of the fact that females usually invest a lot in each offspring
 - ▶ Reduces potential total number of offspring
 - ▶ Makes females desirable to males
- ▶ Greater variation in reproductive success means that winning contests is more important to male than female fitness

Example: elephant seals

- ▶ Male elephant seals compete for control of breeding beaches

Example: elephant seals

- ▶ Male elephant seals compete for control of breeding beaches
- ▶ Huge variation in reproductive success

Example: elephant seals

- ▶ Male elephant seals compete for control of breeding beaches
- ▶ Huge variation in reproductive success
- ▶ Huge size difference between males and females (strong sexual dimorphism)

Example: elephant seals

- ▶ Male elephant seals compete for control of breeding beaches
- ▶ Huge variation in reproductive success
- ▶ Huge size difference between males and females (strong sexual dimorphism)





Conclusions

- **Mutation** (mistakes!) is the source of new variation

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings
- ▶ **Sex** facilitates new combinations, but **sexual selection** can work against adaptation to the environment

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings
- ▶ **Sex** facilitates new combinations, but **sexual selection** can work against adaptation to the environment
- ▶ **Genetic drift** and **gene flow** are also non-adaptive drivers of evolution

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings
- ▶ **Sex** facilitates new combinations, but **sexual selection** can work against adaptation to the environment
- ▶ **Genetic drift** and **gene flow** are also non-adaptive drivers of evolution
- ▶ The organisms we see are the result of all of these processes:

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings
- ▶ **Sex** facilitates new combinations, but **sexual selection** can work against adaptation to the environment
- ▶ **Genetic drift** and **gene flow** are also non-adaptive drivers of evolution
- ▶ The organisms we see are the result of all of these processes:
 - ▶ adaptive, non-adaptive, previously adaptive

Conclusions

- ▶ **Mutation** (mistakes!) is the source of new variation
- ▶ **Natural selection** drives adaptation: selects variation that allows organisms to thrive in diverse settings
- ▶ **Sex** facilitates new combinations, but **sexual selection** can work against adaptation to the environment
- ▶ **Genetic drift** and **gene flow** are also non-adaptive drivers of evolution
- ▶ The organisms we see are the result of all of these processes:
 - ▶ adaptive, non-adaptive, previously adaptive