Evolution by natural selection

Evolution

Natural selection

The nature of adaptation

Outline

Evolution

Change through time Relationships between species

Natural selection

The nature of adaptation

► The theory of **evolution** has replaced the theory of **special creation** in science.

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- ▶ Does this mean that scientists don't believe in God?

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - *****

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God
 - *****

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God
 - * Scientists learn about the world through experiment and observation

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God
 - * Scientists learn about the world through experiment and observation
 - *

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God
 - * Scientists learn about the world through experiment and observation
 - ▶ * Scientists don't treat religious texts as *literally* true

- ► The theory of evolution has replaced the theory of special creation in science.
- ► The theory of special creation asserts that each species is a unique "type", created by God.
- ► The theory of evolution asserts that species have changed through time (evolved).
- Does this mean that scientists don't believe in God?
 - * Many scientists do believe in God
 - * Scientists learn about the world through experiment and observation
 - ▶ * Scientists don't treat religious texts as *literally* true

Outline


Evolution

Change through time

Relationships between species

Natural selection

The nature of adaptation



► A **fossil** is a physical trace of an organism that lived in the past

- ► A **fossil** is a physical trace of an organism that lived in the past
- ► Fossils can be dated using (complicated) radiometric and geological techniques

- ► A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- ► Fossils provide information about the history of life (see Chapter XX (2ndEd 27))

- ► A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life (see Chapter XX (2ndEd 27))
- ▶ The **fossil record** refers to the collection of all known fossils

- A fossil is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life (see Chapter XX (2ndEd 27))
- ▶ The **fossil record** refers to the collection of all known fossils


► Many fossils have been left by organisms that are no longer around

- Many fossils have been left by organisms that are no longer around
 - ► We say such organisms are **extinct**


- Many fossils have been left by organisms that are no longer around
 - ► We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing

- Many fossils have been left by organisms that are no longer around
 - We say such organisms are extinct
- Extinction is one piece of evidence that species are changing
 - But not very convincing evidence!


- Many fossils have been left by organisms that are no longer around
 - We say such organisms are extinct
- Extinction is one piece of evidence that species are changing
 - But not very convincing evidence!




► When a species disappears from the fossil record, a similar species often appears



- When a species disappears from the fossil record, a similar species often appears
 - ► This often happens in the same geographic area



- When a species disappears from the fossil record, a similar species often appears
 - This often happens in the same geographic area
- Consistent with species evolving: changing through time



- When a species disappears from the fossil record, a similar species often appears
 - This often happens in the same geographic area
- Consistent with species evolving: changing through time

Vestigial traits

► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species

Vestigial traits

- ► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- ► Examples?

Vestigial traits

- ► A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- ► Examples?


► Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
 - ► Tuberculosis

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
 - Tuberculosis
 - Ground finches

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
 - Tuberculosis
 - Ground finches

Tuberculosis



@ 2014 Pearson Education, Inc.

Outline

Evolution

Change through time Relationships between species

Natural selection

The nature of adaptation

► If species evolved from a common ancestor, we expect to see evidence that they are related to each other


- ► If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups

- ► If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups
 - : e.g., mammals, flowering plants


- ► If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups
 - : e.g., mammals, flowering plants
 - Geographic patterns of relatedness

- ► If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups
 - : e.g., mammals, flowering plants
 - Geographic patterns of relatedness
 - ► Homology


- ► If species evolved from a common ancestor, we expect to see evidence that they are related to each other
 - Species fall naturally into groups
 - : e.g., mammals, flowering plants
 - Geographic patterns of relatedness
 - Homology




► Species in the same geographic area (e.g., nearby islands) often seem to be closely related



- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region



- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution



- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution

► In nature we observe many, often surprising, similarities between organisms

- ► In nature we observe many, often surprising, similarities between organisms
 - ► Almost identical developmental genes in fruit flies and people

- ► In nature we observe many, often surprising, similarities between organisms
 - ► Almost identical developmental genes in fruit flies and people
 - ► Similar limb bone structure in turtles and people

- ► In nature we observe many, often surprising, similarities between organisms
 - ► Almost identical developmental genes in fruit flies and people
 - Similar limb bone structure in turtles and people
- ► The theory of evolution explains these similarities as **homologies**

- ► In nature we observe many, often surprising, similarities between organisms
 - ▶ Almost identical developmental genes in fruit flies and people
 - ► Similar limb bone structure in turtles and people
- ➤ The theory of evolution explains these similarities as homologies

Homology

► A **homology** is a similarity that is due to common ancestry

Homology

- ▶ A **homology** is a similarity that is due to common ancestry
 - ► Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.

Homology

- ▶ A **homology** is a similarity that is due to common ancestry
 - ► Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.


► **Genetic homology** is homology at the level of genetic coding.

- ▶ **Genetic homology** is homology at the level of genetic coding.
- **Examples**:


- ▶ **Genetic homology** is homology at the level of genetic coding.
- **Examples**:
 - ► The genetic code itself is shared (with rare, minor exceptions) by all living organisms

- ▶ **Genetic homology** is homology at the level of genetic coding.
- Examples:
 - The genetic code itself is shared (with rare, minor exceptions) by all living organisms
 - ► Some genes involved in development are very similar all the way from insects to mammals

- Genetic homology is homology at the level of genetic coding.
- Examples:
 - ► The genetic code itself is shared (with rare, minor exceptions) by all living organisms
 - Some genes involved in development are very similar all the way from insects to mammals




► An eye-promoter gene from mice promote eye growth in flies!




► An eye-promoter gene from mice promote eye growth in flies!

Developmental homology




► Developmental homology is homology in the traits of embryos (developing organisms)

Developmental homology




- Developmental homology is homology in the traits of embryos (developing organisms)
 - ► Embryos of all vertebrates show striking similarities

Developmental homology




- Developmental homology is homology in the traits of embryos (developing organisms)
 - Embryos of all vertebrates show striking similarities

Structural homology




► Structural homology is homology at the level of developed organisms.

Structural homology




- Structural homology is homology at the level of developed organisms.
 - ► Tetrapod limbs

Structural homology



- Structural homology is homology at the level of developed organisms.
 - ► Tetrapod limbs

Tetrapod limbs



Identifying homologies

How do we know whether similarities are due to common evolution?

Identifying homologies

- How do we know whether similarities are due to common evolution?
 - ► Homologies assume evolution; how can they be used as evidence for evolution?

- How do we know whether similarities are due to common evolution?
 - ► Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns

- How do we know whether similarities are due to common evolution?
 - ► Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns
 - Organisms fall naturally into groups

- How do we know whether similarities are due to common evolution?
 - ► Homologies assume evolution; how can they be used as evidence for evolution?
- ► The idea that many similarities are due to homology seems to explain many observed patterns
 - Organisms fall naturally into groups
 - ► Genetic evidence and morphological evidence often agree

- How do we know whether similarities are due to common evolution?
 - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
 - Organisms fall naturally into groups
 - Genetic evidence and morphological evidence often agree
 - ► We get consistent stories from different lines of evidence, e.g., whale example

- How do we know whether similarities are due to common evolution?
 - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
 - Organisms fall naturally into groups
 - Genetic evidence and morphological evidence often agree
 - We get consistent stories from different lines of evidence, e.g., whale example

Outline

Evolution

Change through time Relationships between species

Natural selection

The nature of adaptation

▶ Darwin's big idea was not evolution, but natural selection

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck

- ▶ Darwin's big idea was not evolution, but natural selection
- ► The first real theory of evolution was developed by Lamarck
 - ► More famous for being wrong about how evolution occurs

- ▶ Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
 - More famous for being wrong about how evolution occurs
 - ► He thought acquired characteristics were inherited

- ▶ Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
 - More famous for being wrong about how evolution occurs
 - ► He thought acquired characteristics were inherited

► Darwin's theory of natural selection can be explained using four logical steps:

- Darwin's theory of natural selection can be explained using four logical steps:
 - ► Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.

- Darwin's theory of natural selection can be explained using four logical steps:
 - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.

- Darwin's theory of natural selection can be explained using four logical steps:
 - ► Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - ► Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - ▶ **Differential reproductive success:** In each generation, some organisms leave more offspring than others

- Darwin's theory of natural selection can be explained using four logical steps:
 - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - ▶ **Differential reproductive success:** In each generation, some organisms leave more offspring than others
 - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits

- Darwin's theory of natural selection can be explained using four logical steps:
 - ▶ Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - ▶ Differential reproductive success: In each generation, some organisms leave more offspring than others
 - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- ► If all four of these assumptions hold, we expect evolution to occur:

- Darwin's theory of natural selection can be explained using four logical steps:
 - ► Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - ▶ Differential reproductive success: In each generation, some organisms leave more offspring than others
 - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- ▶ If all four of these assumptions hold, we expect evolution to occur:
 - ► Traits associated with good reproductive success will become more common

- Darwin's theory of natural selection can be explained using four logical steps:
 - ► Variation: The individuals that make a population vary in the traits they possess, like size, shape, physiological details.
 - Heritability: Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
 - Differential reproductive success: In each generation, some organisms leave more offspring than others
 - ► **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:
 - ► Traits associated with good reproductive success will become more common

► Evolution by natural selection will occur if there is:

- Evolution by natural selection will occur if there is:
 - ► Heritable variation in traits

- Evolution by natural selection will occur if there is:
 - ► Heritable **variation** in traits
 - ► **Selection** (i.e., differential reproductive success) based on these traits

- Evolution by natural selection will occur if there is:
 - Heritable variation in traits
 - Selection (i.e., differential reproductive success) based on these traits
- ► Traits associated with good reproductive success will become more common

- Evolution by natural selection will occur if there is:
 - Heritable variation in traits
 - Selection (i.e., differential reproductive success) based on these traits
- ► Traits associated with good reproductive success will become more common

"Survival of the fittest" is not a very good name for this process

- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection


- "Survival of the fittest" is not a very good name for this process
- ► **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- ► Fitness is thus defined as average reproductive success, given a suite of heritable traits

- "Survival of the fittest" is not a very good name for this process
- ► Fitness in biology, or Darwinian fitness, means simply an ability to do well under natural selection
- ► Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:

- "Survival of the fittest" is not a very good name for this process
- ► Fitness in biology, or Darwinian fitness, means simply an ability to do well under natural selection
- ► Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:
 - survival, growth, reproduction

- "Survival of the fittest" is not a very good name for this process
- ► Fitness in biology, or Darwinian fitness, means simply an ability to do well under natural selection
- ► Fitness is thus defined as average reproductive success, given a suite of heritable traits
- Components of fitness:
 - survival, growth, reproduction

Tuberculosis



@ 2014 Pearson Education, Inc.

► What if there were no variation?

- What if there were no variation?
 - ► Where does variation come from?

- ▶ What if there were no variation?
 - Where does variation come from?
- ► What if variation were not heritable?

- ▶ What if there were no variation?
 - Where does variation come from?
- What if variation were not heritable?
- ▶ What if there were no selection?

- ▶ What if there were no variation?
 - ▶ Where does variation come from?
- What if variation were not heritable?
- What if there were no selection?

Other examples

► Galapagos finches' beak sizes evolve as availability of seed resources changes.

Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- ► Squirrels!

Other examples


- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- ► Squirrels!

Squirrels





Finch beaks



© 2014 Pearson Education, Inc.

► How would you design an experiment to tell if beak depth is heritable?

► How would you design an experiment to tell if beak depth is heritable?



- ► How would you design an experiment to tell if beak depth is heritable?
 - ► * Raise offspring from different combinations of mothers and fathers, and compare their beaks

- ► How would you design an experiment to tell if beak depth is heritable?
 - ► * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - *

- How would you design an experiment to tell if beak depth is heritable?
 - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - * You might also want to try raising them in different conditions (wet or dry, more or less food available)

- How would you design an experiment to tell if beak depth is heritable?
 - ► * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - You might also want to try raising them in different conditions (wet or dry, more or less food available)
 - **>** ×

- How would you design an experiment to tell if beak depth is heritable?
 - ► * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
 - * Replicate. Repeat the experiment with different offspring (using different mothers and fathers).

- How would you design an experiment to tell if beak depth is heritable?
 - ► * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
 - * Replicate. Repeat the experiment with different offspring (using different mothers and fathers).
 - >

- How would you design an experiment to tell if beak depth is heritable?
 - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
 - * Replicate. Repeat the experiment with different offspring (using different mothers and fathers).
 - * Control. Make all factors except for the beak depths of mothers and fathers as similar as possible

- How would you design an experiment to tell if beak depth is heritable?
 - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
 - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
 - * Replicate. Repeat the experiment with different offspring (using different mothers and fathers).
 - * Control. Make all factors except for the beak depths of mothers and fathers as similar as possible

Outline

Evolution

Change through time Relationships between species

Natural selection

The nature of adaptation

► Natural selection is not the only possible model for how evolution could occur

- Natural selection is not the only possible model for how evolution could occur
 - ► Inheritance of acquired characteristics (Lamarck)

- Natural selection is not the only possible model for how evolution could occur
 - Inheritance of acquired characteristics (Lamarck)
 - ► Goal-directed evolution

- Natural selection is not the only possible model for how evolution could occur
 - Inheritance of acquired characteristics (Lamarck)
 - Goal-directed evolution

► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
 - Example: giraffes reaching for food

- ► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
 - Example: giraffes reaching for food
- ► It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

- ► This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
 - Example: giraffes reaching for food
- ▶ It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

► This is the idea that organisms evolve towards specific goals

- ▶ This is the idea that organisms evolve towards specific goals
 - ► Complex, multicellular organisms

- ▶ This is the idea that organisms evolve towards specific goals
 - ► Complex, multicellular organisms
 - ► Big-brained humans

- This is the idea that organisms evolve towards specific goals
 - Complex, multicellular organisms
 - ► Big-brained humans
- ► If the organism is moving toward a goal, it should move more or less in that direction all the time

- This is the idea that organisms evolve towards specific goals
 - Complex, multicellular organisms
 - Big-brained humans
- ▶ If the organism is moving toward a goal, it should move more or less in that direction all the time

Evaluating competing hypotheses

▶ We challenge hypotheses with experiments and observation

Evaluating competing hypotheses

▶ We challenge hypotheses with experiments and observation

► Raise a population of mice in the lab

- ► Raise a population of mice in the lab
- ► Every generation stretch (or chop off) their poor little tails

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- ► Measure natural tail length at the beginning of the experiment, and after 100 generations.

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
 - *****

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?
 - * Add a control group

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
 - * Add a control group
 - *

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ▶ How could this experiment be improved?
 - * Add a control group
 - * Use replicate populations (e.g., three control and three experimental populations)

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?
 - * Add a control group
 - * Use replicate populations (e.g., three control and three experimental populations)

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?
 - * Add a control group
 - * Use replicate populations (e.g., three control and three experimental populations)
 - ▶ * Or three "choppy" and three "stretchy" populations

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- ► How could this experiment be improved?
 - * Add a control group
 - * Use replicate populations (e.g., three control and three experimental populations)
 - ▶ * Or three "choppy" and three "stretchy" populations

► What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?

▶ What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?



- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ► * In each generation, allow mice with longer (or shorter) tails more chances to breed

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ▶ * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - **>** ×

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - ▶ * Compare results with a control population.

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ▶ * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - * Compare results with a control population.
 - *

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ► * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - ▶ * Compare results with a control population.
 - * Let them breed how they want?

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ► * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - * Compare results with a control population.
 - ▶ * Let them breed how they want?
 - *

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ► * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - ▶ * Compare results with a control population.
 - ▶ * Let them breed how they want?
 - ▶ * Make couples, and choose 2 offspring from each?

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
 - ► * In each generation, allow mice with longer (or shorter) tails more chances to breed
 - ▶ * Compare results with a control population.
 - ▶ * Let them breed how they want?
 - ▶ * Make couples, and choose 2 offspring from each?

► There is a great deal of observational evidence against goal-directed evolution:

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - ► Bidirectional evolution

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - Bidirectional evolution
 - Finch beaks get larger, then smaller

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - Bidirectional evolution
 - Finch beaks get larger, then smaller
 - ► Birds gain, then lose, flying ability

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - Bidirectional evolution
 - Finch beaks get larger, then smaller
 - Birds gain, then lose, flying ability
 - Things that become parasites may become much smaller and simpler

- ► There is a great deal of observational evidence against goal-directed evolution:
 - Vestigial traits
 - Bidirectional evolution
 - Finch beaks get larger, then smaller
 - Birds gain, then lose, flying ability
 - Things that become parasites may become much smaller and simpler

► **Acclimation** is the ability of organisms to respond directly to their environment

- Acclimation is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring

- ► **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms

- ► **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
 - Adaptation does not occur as a direct response to the environment

- ► **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
 - Adaptation does not occur as a direct response to the environment
 - ► Adaptation is usually very slow

- ► **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
 - Adaptation does not occur as a direct response to the environment
 - Adaptation is usually very slow
 - Adaptations are passed on to offspring, and form the basis of evolutionary change

- ► **Acclimation** is the ability of organisms to respond directly to their environment
 - When organisms acclimate this does not affect the traits of their offspring
- Adaptation is genetic change that increases the fitness of organisms
 - Adaptation does not occur as a direct response to the environment
 - Adaptation is usually very slow
 - Adaptations are passed on to offspring, and form the basis of evolutionary change

Adaptation and acclimation



► If you exercise every day, you will be stronger, but this will not make your children stronger.

► If you exercise every day, you will be stronger, but this will not make your children stronger.



- ► If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation

- ▶ If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.

- ▶ If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - *

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- ► Polar bears have thick fur, and thick layers of fat under their skin.

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - *

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- ► After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - * adaptation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - * adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - * adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
 - **▶** *

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - * adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
 - * acclimation

- If you exercise every day, you will be stronger, but this will not make your children stronger.
 - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
 - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
 - * adaptation
- ► Humans raised in hot climates have more sweat glands than those raised in cold climates.
 - * acclimation

► Why do we acclimate?

▶ Why do we acclimate?



- ▶ Why do we acclimate?
 - ▶ * It has probably evolved because acclimation is beneficial

- ▶ Why do we acclimate?
 - ▶ * It has probably evolved because acclimation is beneficial
- ► Are responses to changed conditions always good?

- ▶ Why do we acclimate?
 - ▶ * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
 - Digging holes

- ▶ Why do we acclimate?
 - ▶ * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
 - Digging holes

► Selection operates on individuals; individuals are not adapted to act for the good of the species

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual

- Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
 - ► If 'cheating' strategies can evolve, they will

- ► Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
 - If 'cheating' strategies can evolve, they will
 - ► A **cheater** benefits from co-operation, but does not participate

- ► Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
 - If 'cheating' strategies can evolve, they will
 - ▶ A **cheater** benefits from co-operation, but does not participate
- ► Do lemmings commit suicide?

- ► Selection operates on individuals; individuals are not adapted to act for the good of the species
- ► The evolution of co-operation always involves tension between what is good for the group, and what is good for the individual
 - If 'cheating' strategies can evolve, they will
 - ▶ A **cheater** benefits from co-operation, but does not participate
- Do lemmings commit suicide?

A lemming not committing suicide



► Much of adaptation is the result of compromise between conflicting goals

- Much of adaptation is the result of compromise between conflicting goals
 - Brightly colored individuals are more attractive to mates, and to predators

- Much of adaptation is the result of compromise between conflicting goals
 - Brightly colored individuals are more attractive to mates, and to predators
 - ► Larger individuals compete more effectively, but are less efficient at reproducing

- Much of adaptation is the result of compromise between conflicting goals
 - Brightly colored individuals are more attractive to mates, and to predators
 - ► Larger individuals compete more effectively, but are less efficient at reproducing

Evolution proceeds by small steps

- ► Evolution proceeds by small steps
 - ► What is possible is guided by what has gone before

- Evolution proceeds by small steps
 - ▶ What is possible is guided by what has gone before
- Examples


- Evolution proceeds by small steps
 - ▶ What is possible is guided by what has gone before
- Examples
 - Vestigial traits

- Evolution proceeds by small steps
 - ▶ What is possible is guided by what has gone before
- Examples
 - Vestigial traits
 - ▶ Blind spot in the vertebrate eye

- Evolution proceeds by small steps
 - What is possible is guided by what has gone before
- Examples
 - Vestigial traits
 - ▶ Blind spot in the vertebrate eye
 - ► Humans are not well designed to be upright

- Evolution proceeds by small steps
 - What is possible is guided by what has gone before
- Examples
 - Vestigial traits
 - Blind spot in the vertebrate eye
 - Humans are not well designed to be upright

Vertebrate blind spot



► There is strong evidence that species have evolved through time

- ► There is strong evidence that species have evolved through time
 - ► Fossil record, patterns of relatedness, homologies

- ► There is strong evidence that species have evolved through time
 - Fossil record, patterns of relatedness, homologies
- ► There is strong evidence that this change is driven by natural selection

- ► There is strong evidence that species have evolved through time
 - ► Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
 - ► Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits

- ► There is strong evidence that species have evolved through time
 - ► Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
 - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
 - ▶ Direct observations of natural selection (TB, finches, moths)

- ► There is strong evidence that species have evolved through time
 - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
 - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
 - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints

- ► There is strong evidence that species have evolved through time
 - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
 - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
 - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
 - Species are not perfectly adapted

- ► There is strong evidence that species have evolved through time
 - Fossil record, patterns of relatedness, homologies
- ► There is strong evidence that this change is driven by natural selection
 - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
 - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
 - Species are not perfectly adapted