# Evolution by natural selection

Evolution

Natural selection

The nature of adaptation

# Outline

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique “type”, created by God.

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - *

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God
  - *

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God
  - * Scientists learn about the world through experiment and observation

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God
  - * Scientists learn about the world through experiment and observation
  - *

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God
  - * Scientists learn about the world through experiment and observation
  - * Scientists don't treat religious texts as *literally* true

# Evolution

- The theory of **evolution** has replaced the theory of **special creation** in science.
- The theory of special creation asserts that each species is a unique "type", created by God.
- The theory of evolution asserts that species have changed through time (**evolved**).
- Does this mean that scientists don't believe in God?
  - * Many scientists do believe in God
  - * Scientists learn about the world through experiment and observation
  - * Scientists don't treat religious texts as *literally* true

# Outline

# Fossils



# Fossils

- A **fossil** is a physical trace of an organism that lived in the past

# Fossils

- A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques

# Fossils

- A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life

# Fossils

- A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life
- The **fossil record** refers to the collection of all known fossils

# Fossils

- A **fossil** is a physical trace of an organism that lived in the past
- Fossils can be dated using (complicated) radiometric and geological techniques
- Fossils provide information about the history of life
- The **fossil record** refers to the collection of all known fossils

# Extinction

- Many fossils have been left by organisms that are no longer around

# Extinction

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are **extinct**

# Extinction

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing

# Extinction

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing
  - In a very limited way

# Extinction

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing
  - In a very limited way
  - How convincing is it as support for the theory that species got here by gradual evolution?

# Extinction

- Many fossils have been left by organisms that are no longer around
  - We say such organisms are **extinct**
- Extinction is one piece of evidence that species are changing
  - In a very limited way
  - How convincing is it as support for the theory that species got here by gradual evolution?

# Transitional forms






- When a species disappears from the fossil record, a similar species often appears

# Transitional forms






- When a species disappears from the fossil record, a similar species often appears
  - This often happens in the same geographic area

# Transitional forms





- When a species disappears from the fossil record, a similar species often appears
  - This often happens in the same geographic area
- Consistent with species evolving: changing through time

# Transitional forms





- When a species disappears from the fossil record, a similar species often appears
  - This often happens in the same geographic area
- Consistent with species evolving: changing through time

# Vestigial traits

- A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species

# Vestigial traits

- A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- Examples?

# Vestigial traits

- A **vestigial trait** is a structure that has no function, but is similar to functioning structures in related species
- Examples?

# Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales

# Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - Tuberculosis

# Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - Tuberculosis
  - Ground finches

# Directly observed evolution

- Although much evolution occurs very slowly, some kinds of evolution can be, and have been, observed on faster time scales
  - Tuberculosis
  - Ground finches

# Tuberculosis



# Outline

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - e.g., mammals, flowering plants

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - e.g., mammals, flowering plants
  - Geographic patterns of relatedness

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - e.g., mammals, flowering plants
  - Geographic patterns of relatedness
  - Homology

# Relationships between species

- If species evolved from a common ancestor, we expect to see evidence that they are related to each other
  - Species fall naturally into groups
    - e.g., mammals, flowering plants
  - Geographic patterns of relatedness
  - Homology

# Geographic relationships




- Species in the same geographic area (e.g., nearby islands) often seem to be closely related

# Geographic relationships




- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region

# Geographic relationships




- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution

# Geographic relationships




- Species in the same geographic area (e.g., nearby islands) often seem to be closely related
- This is what we would expect if these species evolved independently, starting from a common ancestor in the region
- Support for the theory of evolution

# Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms

# Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms
  - Almost identical developmental genes in fruit flies and people

# Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms
  - Almost identical developmental genes in fruit flies and people
  - Similar limb bone structure in turtles and people

# Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms
  - Almost identical developmental genes in fruit flies and people
  - Similar limb bone structure in turtles and people
- The theory of evolution explains these similarities as **homologies**

# Evolution and similarity

- In nature we observe many, often surprising, similarities between organisms
  - Almost identical developmental genes in fruit flies and people
  - Similar limb bone structure in turtles and people
- The theory of evolution explains these similarities as **homologies**

# Homology

- A **homology** is a similarity that is due to common ancestry

# Homology

- A **homology** is a similarity that is due to common ancestry
  - Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.

# Homology

- A **homology** is a similarity that is due to common ancestry
  - Similarities apparently due to homology are widespread. This is a strength of the theory of evolution.

# Genetic homology

- **Genetic homology** is homology at the level of genetic coding.

# Genetic homology

- **Genetic homology** is homology at the level of genetic coding.
- Examples:

# Genetic homology

- **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - The genetic code itself is shared (with rare, minor exceptions) by all living organisms

# Genetic homology

- **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - The genetic code itself is shared (with rare, minor exceptions) by all living organisms
  - Some genes involved in development are very similar all the way from insects to mammals

# Genetic homology

- **Genetic homology** is homology at the level of genetic coding.
- Examples:
  - The genetic code itself is shared (with rare, minor exceptions) by all living organisms
  - Some genes involved in development are very similar all the way from insects to mammals

# Genetic homology






- An eye-promoter gene from mice promotes eye growth in flies!

# Genetic homology






- An eye-promoter gene from mice promotes eye growth in flies!

# Developmental homology




- **Developmental homology** is homology in the traits of **embryos** (developing organisms)

# Developmental homology




- **Developmental homology** is homology in the traits of **embryos** (developing organisms)
  - Embryos of all vertebrates show striking similarities

# Developmental homology




- **Developmental homology** is homology in the traits of **embryos** (developing organisms)
  - Embryos of all vertebrates show striking similarities



# Structural homology




- **Structural homology** is homology at the level of developed organisms.

# Structural homology




- **Structural homology** is homology at the level of developed organisms.
  - Tetrapod limbs

# Structural homology




- **Structural homology** is homology at the level of developed organisms.
  - Tetrapod limbs

# Tetrapod limbs



# Identifying homologies

- How do we know whether similarities are due to common evolution?

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?

- The idea that many similarities are due to homology seems to explain many observed patterns

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - Genetic evidence and morphological evidence often agree

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - Genetic evidence and morphological evidence often agree
    - We get consistent stories from different lines of evidence, e.g., whale example

# Identifying homologies

- How do we know whether similarities are due to common evolution?
  - Homologies assume evolution; how can they be used as evidence for evolution?
- The idea that many similarities are due to homology seems to explain many observed patterns
  - Organisms fall naturally into groups
  - Genetic evidence and morphological evidence often agree
    - We get consistent stories from different lines of evidence, e.g., whale example

# Outline

# Natural selection

- Darwin's big idea was not evolution, but natural selection

# Natural selection

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck

# Natural selection

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs

# Natural selection

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs
  - *

# Natural selection

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs
  - * He thought *acquired characteristics* were inherited

# Natural selection

- Darwin's big idea was not evolution, but natural selection
- The first real theory of evolution was developed by Lamarck
  - More famous for being wrong about how evolution occurs
  - * He thought *acquired characteristics* were inherited

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - **Differential reproductive success:** In each generation, some organisms leave more offspring than others

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - **Differential reproductive success:** In each generation, some organisms leave more offspring than others
  - **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - **Differential reproductive success:** In each generation, some organisms leave more offspring than others
  - **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - **Differential reproductive success:** In each generation, some organisms leave more offspring than others
  - **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:
  - Traits associated with good reproductive success will become more common

# Natural selection drives evolution

- Darwin's theory of natural selection can be explained using four logical steps:
  - **Variation:** The individuals that make a population vary in the **traits** they possess, like size, shape, physiological details.
  - **Heritability:** Some of these differences can be inherited by offspring. For example, tall people may be more likely to produce tall offspring.
  - **Differential reproductive success:** In each generation, some organisms leave more offspring than others
  - **Selection:** Reproductive success is not random, but is influenced by differences in traits, including heritable traits
- If all four of these assumptions hold, we expect evolution to occur:
  - Traits associated with good reproductive success will become more common

# Natural selection (short version)

- Evolution by natural selection will occur if there is:

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits
  - **Selection** (i.e., differential reproductive success) *based on* these traits

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits
  - **Selection** (i.e., differential reproductive success) *based on* these traits
- Logical consequence?

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits
  - **Selection** (i.e., differential reproductive success) *based on* these traits
- Logical consequence?
  - *

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits
  - **Selection** (i.e., differential reproductive success) *based on* these traits
- Logical consequence?
  - * Traits associated with good reproductive success will become more common

# Natural selection (short version)

- Evolution by natural selection will occur if there is:
  - Heritable **variation** in traits
  - **Selection** (i.e., differential reproductive success) *based on* these traits
- Logical consequence?
  - * Traits associated with good reproductive success will become more common

# Fitness

- "Survival of the fittest" is not a very good name for this process

# Fitness

- "Survival of the fittest" is not a very good name for this process
- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection

# Fitness

- "Survival of the fittest" is not a very good name for this process
- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus *defined* as average reproductive success, given a suite of heritable traits

# Fitness

- "Survival of the fittest" is not a very good name for this process
- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus *defined* as average reproductive success, given a suite of heritable traits
- Components of fitness:

# Fitness

- "Survival of the fittest" is not a very good name for this process
- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus *defined* as average reproductive success, given a suite of heritable traits
- Components of fitness:
  - survival, growth, reproduction

# Fitness

- "Survival of the fittest" is not a very good name for this process
- **Fitness** in biology, or **Darwinian fitness**, means simply an ability to do well under natural selection
- Fitness is thus *defined* as average reproductive success, given a suite of heritable traits
- Components of fitness:
  - survival, growth, reproduction

# Tuberculosis



# Example: Tuberculosis

- What if there were no variation?

# Example: Tuberculosis

- What if there were no variation?
  - Where does variation come from?

# Example: Tuberculosis

- What if there were no variation?
  - Where does variation come from?
- What if variation were not heritable?

# Example: Tuberculosis

- What if there were no variation?
  - Where does variation come from?
- What if variation were not heritable?
- What if there were no selection?

# Example: Tuberculosis

- What if there were no variation?
  - Where does variation come from?
- What if variation were not heritable?
- What if there were no selection?

# Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes.

# Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- Squirrels!

# Other examples

- Galapagos finches' beak sizes evolve as availability of seed resources changes.
- Squirrels!

# Squirrels

# Finch beaks

**RESEARCH**

**QUESTION:** Did natural selection on ground finches occur when the environment changed?

**HYPOTHESIS:** Beak characteristics changed in response to a drought.

**NULL HYPOTHESIS:** No changes in beak characteristics occurred in response to a drought.

**EXPERIMENTAL SETUP:**

Weigh and measure all birds in the population before and after the drought.

**PREDICTION:**

**PREDICTION OF NULL HYPOTHESIS:**

**RESULTS:**




**CONCLUSION:** Natural selection occurred. The characteristics of the population have changed.

# Activity

- How would you design an experiment to tell if beak depth is heritable?

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).
  - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).
  - * **Randomize**. Select individuals to breed at random

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).
  - * **Randomize**. Select individuals to breed at random
    - *

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).
  - * **Randomize**. Select individuals to breed at random
    - * Maybe less important – but if you do it, you don't have to worry about it

# Activity

- How would you design an experiment to tell if beak depth is heritable?
  - * Raise offspring from different combinations of mothers and fathers, and compare their beaks
    - * You might also want to try raising them in different conditions (wet or dry, more or less food available)
  - * **Control**. Make all factors except for the beak depths of mothers and fathers as similar as possible
  - * **Replicate**. Use many offspring (from different mothers and fathers).
  - * **Randomize**. Select individuals to breed at random
    - * Maybe less important – but if you do it, you don't have to worry about it

# Outline

# Other models

- Natural selection is not the only possible model for how evolution could occur

# Other models

- Natural selection is not the only possible model for how evolution could occur
  - Inheritance of acquired characteristics (Lamarck)

# Other models

- Natural selection is not the only possible model for how evolution could occur
  - Inheritance of acquired characteristics (Lamarck)
  - Goal-directed evolution

# Other models

- Natural selection is not the only possible model for how evolution could occur
  - Inheritance of acquired characteristics (Lamarck)
  - Goal-directed evolution

# Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring

# Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food

# Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food
- It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring

# Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food
- It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring
  - *We even more recently know that sometimes this* can *happen, but it's not the main way that evolution proceeds*

# Inheritance of acquired characteristics

- This is the idea that individuals change in response to their environment, and pass those changes on to their offspring
  - Example: giraffes reaching for food
- It is now known that while individuals do often change in response to their environment, such changes are not (usually) passed on to offspring
  - *We even more recently know that sometimes this* can *happen, but it's not the main way that evolution proceeds*

# Goal-directed evolution

- This is the idea that organisms evolve towards specific goals

# Goal-directed evolution

- This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms

# Goal-directed evolution

- This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms
  - Big-brained humans

# Goal-directed evolution

- This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms
  - Big-brained humans
- If the organism is moving toward a goal, it should move more or less in that direction all the time

# Goal-directed evolution

- This is the idea that organisms evolve towards specific goals
  - Complex, multicellular organisms
  - Big-brained humans
- If the organism is moving toward a goal, it should move more or less in that direction all the time

# Evaluating competing hypotheses

- We challenge hypotheses with experiments and observation

# Evaluating competing hypotheses

- We challenge hypotheses with experiments and observation

# Inheritance of acquired characteristics

- Raise a population of mice in the lab

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - *

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - *

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)
    - *

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)
    - * Or three "choppy" and three "stretchy" populations

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)
    - * Or three "choppy" and three "stretchy" populations
    - *

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)
    - * Or three "choppy" and three "stretchy" populations
    - * Randomize which groups get which treatment

# Inheritance of acquired characteristics

- Raise a population of mice in the lab
- Every generation stretch (or chop off) their poor little tails
- Measure natural tail length at the beginning of the experiment, and after 100 generations.
- How could this experiment be improved?
  - * Add a control group
  - * Use replicate populations (e.g., three control and three experimental populations)
    - * Or three "choppy" and three "stretchy" populations
    - * Randomize which groups get which treatment

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - *

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - *

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.
    - *

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.
    - * Let them breed how they want?

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.
    - * Let them breed how they want?
    - *

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.
    - * Let them breed how they want?
    - * Make couples, and choose 2 offspring from each?

# Activity

- What would be the key points of a similar experiment to test whether tail lengths respond to natural (actually, artificial) selection?
  - * In each generation, allow mice with longer (or shorter) tails more chances to breed
  - * Compare results with a control population.
    - * Let them breed how they want?
    - * Make couples, and choose 2 offspring from each?

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - Finch beaks get larger, then smaller

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - Finch beaks get larger, then smaller
    - Birds gain, then lose, flying ability

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - Finch beaks get larger, then smaller
    - Birds gain, then lose, flying ability
    - Things that become parasites may become much smaller and simpler

# Goal-directed evolution

- There is a great deal of observational evidence against goal-directed evolution:
  - Vestigial traits
  - Bidirectional evolution
    - Finch beaks get larger, then smaller
    - Birds gain, then lose, flying ability
    - Things that become parasites may become much smaller and simpler

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring

- **Adaptation** is genetic change that increases the fitness of organisms

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring
- **Adaptation** is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring
- **Adaptation** is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - Adaptation is usually very slow

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring
- **Adaptation** is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - Adaptation is usually very slow
  - Adaptations are passed on to offspring, and form the basis of evolutionary change

# Adaptation vs. acclimation

- **Acclimation** is the ability of organisms to respond directly to their environment
  - When organisms **acclimate** this does not affect the traits of their offspring
- **Adaptation** is genetic change that increases the fitness of organisms
  - Adaptation does not occur as a direct response to the environment
  - Adaptation is usually very slow
  - Adaptations are passed on to offspring, and form the basis of evolutionary change

# Adaptation and acclimation

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - *

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation

- After swinging through trees for millions of years, chimpanzees have very strongly built arms.

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation

- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - *

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - *

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - * adaptation

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - * adaptation
- Humans raised in hot climates have more sweat glands than those raised in cold climates.

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - * adaptation
- Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - *

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - * adaptation
- Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - * acclimation

# Examples

- If you exercise every day, you will be stronger, but this will not make your children stronger.
  - * acclimation
- After swinging through trees for millions of years, chimpanzees have very strongly built arms.
  - * adaptation
- Polar bears have thick fur, and thick layers of fat under their skin.
  - * adaptation
- Humans raised in hot climates have more sweat glands than those raised in cold climates.
  - * acclimation

# Acclimation

- Why do we acclimate?

# Acclimation

- Why do we acclimate?
  - *

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - *

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - * No. Systems respond in ways that have usually been good through evolutionary time

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - * No. Systems respond in ways that have usually been good through evolutionary time
  - *

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - * No. Systems respond in ways that have usually been good through evolutionary time
  - * Some forms of severe altitude sickness are probably due to acclimation systems going off track

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - * No. Systems respond in ways that have usually been good through evolutionary time
  - * Some forms of severe altitude sickness are probably due to acclimation systems going off track
  - *A story about digging holes*

# Acclimation

- Why do we acclimate?
  - * It has probably evolved because acclimation is beneficial
- Are responses to changed conditions always good?
  - * No. Systems respond in ways that have usually been good through evolutionary time
  - * Some forms of severe altitude sickness are probably due to acclimation systems going off track
  - *A story about digging holes*

# Tradeoffs

- Much of adaptation is the result of compromise between conflicting goals

# Tradeoffs

- Much of adaptation is the result of compromise between conflicting goals
  - Brightly colored individuals are more attractive to mates, and to predators

# Tradeoffs

- Much of adaptation is the result of compromise between conflicting goals
  - Brightly colored individuals are more attractive to mates, and to predators
  - Larger individuals compete more effectively, but are less efficient at reproducing

# Tradeoffs

- Much of adaptation is the result of compromise between conflicting goals
  - Brightly colored individuals are more attractive to mates, and to predators
  - Larger individuals compete more effectively, but are less efficient at reproducing

# Historical constraints

- Evolution proceeds by small steps

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - Blind spot in the vertebrate eye

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - Blind spot in the vertebrate eye
  - Humans are not well designed to be upright

# Historical constraints

- Evolution proceeds by small steps
  - What is possible is guided by what has gone before
- Examples
  - Vestigial traits
  - Blind spot in the vertebrate eye
  - Humans are not well designed to be upright

# Vertebrate blind spot






# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
  - Species are not perfectly adapted

# Evolution by natural selection – Summary

- There is strong evidence that species have evolved through time
  - Fossil record, patterns of relatedness, homologies
- There is strong evidence that this change is driven by natural selection
  - Darwin's logical postulates: heritable variation in traits; differential reproductive success based on traits
  - Direct observations of natural selection (TB, finches, moths)
- Natural selection by (gradual) evolution imposes important constraints
  - Species are not perfectly adapted