UNIT 4: Life history

1 Introduction

- **Life history** refers to patterns of how organisms allocate resources to key components underlying reproductive success:
- Give a one-word example of such a component.
  -
  -
  -
  -

Diversity

- Differing life-history **strategies** are part of the reason for the remarkable diversity of life
  - Organisms that are too similar are not expected to co-exist
    - One will out-compete the other
  - But two organisms may be able to exploit the same resources using different life-history strategies

Oaks and dandelions

- We can think of acorns as machines for making more acorns, and dandelion seeds as machines for making more dandelion seeds
- Both have access to very similar biochemical machinery. Both use the same resources.
  -
- What are some differences?
  -
  -
  -
  -
  -

Scales of competition

- Organisms compete with other individuals of the same species
- They also compete with other species
- We think about life history on different scales
  - Evolution within populations

  - Competition between populations

2 Tradeoffs

- Some evolutionary changes simply help organisms function better
  - Hemoglobin is highly evolved to bind and release oxygen
- Most have advantages and disadvantages
  - Building a strong immune system may reduce growth rates
  - A leaf that produces a lot of energy at high light may not be able to produce any at low light
- A **tradeoff** occurs when improvements in one area come at a cost of disadvantages in another area

Optimization frontiers

- We expect tradeoffs because:
  - organisms have limited **resources**
  - organisms are under natural selection in a complex world

Optimization frontiers



Optimization frontiers

- Under natural selection, we expect organisms to be near the frontier of high fitness
- While they're near this frontier, it will be hard to improve one quality without a tradeoff that hurts another quality

Evolution and optimization

- We often think of organisms as making "choices" that maximize their evolutionary fitness.
- What is really happening here?

—

–

Programmed optimization

- Organisms pursue very sophisticated strategies to optimize fitness
- But they don't know they're doing this
  - Plants sensing water environments
  - Moths circling light bulbs
  - People pursuing sexual opportunities

Tradeoff: Quick maturation vs. large final size

- A key component of a life history is how quickly an organism matures
- Organisms that mature quickly can reproduce quickly
- Organisms that mature slowly have more time to get large, or build lasting structures, before they reproduce
  - they typically reproduce more (or for a longer time period) in the long run
  - or allocate more energy to each offspring, giving the offspring a better chance to be successful

Tradeoff: large reproductive output vs. longevity

- Survival-reproduction balance: at a given time, organisms face a tradeoff between:
  - energy spent on producing offspring
    - produce more offspring, or give more resources to helping each get started in life
  - energy reserved for survival and future offspring
    - spend less energy reproducing this year, but live for longer

Semelparity

- The extreme case of this balance is called **semelparity**: the life-history strategy of reproducing only once
- Many organisms are semelparous
  - We can imagine that converting all your resources to reproduction once you start could be very efficient
- Many organisms are **iteroparous**: they reproduce many times

Cole's paradox

- Why are many organisms iteroparous?
- If $\lambda = f + p$, surely it is easier to increase f by spending on reproduction, than to increase p, which can never be larger than 1.
- Raising p from 0 to 1 becoming *immortal* instead of annual, is only as good as increasing f by 1

Responses to Cole

- What are some reasons why it makes evolutionary sense for organisms to be iteroparous, in light of Cole's arguments?
  - –
  - –
  - –

Tradeoff example: many offspring vs. high-quality offspring

- Apart from how much energy to put into offspring now vs. later, organisms can make many or few offspring, using a given amount of energy

- What is a vivid example of ecologically similar organisms that produce wildly different numbers of offspring?

  –

  –

- What are potential advantages of producing fewer offspring with the same amount of energy?

  –

  –

Tradeoff: direct investment vs. dispersal investment

- Investment in reproduction may not go directly to the offspring, but instead to mechanisms to help the offspring disperse.

- Why is this particularly important in plants?

  –

- What are some example mechanisms?

  –

  –

  –

3 The r vs. K metaphor

- Regulated growth provides a powerful metaphor for life-history tradeoffs involving growth vs. competitive ability
- Recall r and K from our regulated population models.
  -
    - *
  -
    - *

r vs. K strategies

- We call organisms that tend to out-perform other species at low densities "r-strategists"
  - They do well in recently disturbed, uncrowded environments
- We call organisms that tend to out-perform other species at high densities "K-strategists"
  - They do well in stable, crowded environments

r-strategists

- All organisms tend to do well in uncrowded environments, but r-strategists are selected to do better than other species
- They are selected for a high rate of exponential growth during the relatively short time that the environment is uncrowded
- Why do we call them r-strategists, and not $\mathcal{R}$-strategists?
  –
  –

K-strategists

- K-strategists are selected to do well in crowded environments
- K measures the maximum density at which a species can "make a living" – by keeping $\mathcal{R} = 1$
- Comparing K between species can be tricky

Measuring K

- Which is the K strategist: maple trees or marigolds?
  –
  –

- Which has a higher value of $r_{\max}$?
  - –
- Which has a higher value of K?
  - In [indiv/ha]?
  - In [kg/ha]?
- To compare species, we attempt to measure K in units that reflect the effect of crowding on the competitive environment
  - biomass; area covered; resource consumed

Example: trees

- Assuming there is a tradeoff between $r_{\max}$ and K, would you expect individuals with high $r_{\max}$, or high K, to do well:
  - In an empty, suitable habitat after a fire, flood or other major **disturbance**?
    - *
  - In a crowded, stable old-growth forest?
    - *

r vs. K strategists

- All species are selected for characteristics relating to both $r_{\max}$ and K
- But it is often useful to compare species based on which they emphasize more heavily
  - There will often be tradeoffs between $r_{\max}$ and K
- Species that specialize in colonizing disturbed environments are thought of as r strategists
  - Apple trees are often the first to reproduce in abandoned fields
- Species that specialize in stable environments are thought of as K strategists
  - Hemlock trees do best in stable, closed forests

Life-history characteristics

- Compared to K strategists, r strategists should:
  - Have relatively fast life cycles
    - Reach maturity earlier

    - Allocate more resources to reproduction (and thus reproduce more and survive less)
  - Produce more offspring, with less resources for each
    - This allows high growth rates in the absence of competition
    - In crowded conditions, these "quick" offspring may be out-competed by offspring with more resources
  - Be more aggressive about dispersal.
    -

Biology is complicated

- The r-K dichotomy is useful for thinking about strategies, but organisms don't always fit it perfectly
- Some species live long, but don't invest a lot in each offspring
  - Sea turtles, pine trees
- Some species mature slowly but reproduce only once
  - 17-year locusts, century plants
- Every species life history has specific, important *details*
  - But general principles are very important to guide our understanding

Changing conditions

- Recall, λ is usually between 1 and $\mathcal{R}$, gets closer to 1 when the life cycle is

  –

- When conditions are good ($\mathcal{R} > 1$), should organisms be fast or slow to maximize λ?

  –

- When conditions are bad ($\mathcal{R} < 1$), should organisms be fast or slow, to maximize λ?

  –

Changing life history

- Some organisms have evolved to change their life history patterns in response to good or bad conditions

  –

- What are some examples?

  –

  –

  –

Applications

- How would r and K strategists differ in their response to human activities/disturbance?

  –

- What are advantages of r or K strategists for human production (eg. biofuels, agriculture, drug production etc..)?

- What are some advantages of r strategists?

  –

- What are some advantages of K strategists?

  –

4 Bet hedging

- In a risky world, you never want to put all your eggs in the same basket

  – If all your offspring are born into similar conditions, they can all do well together – or they can all die together

- Strategies that *usually* do well aren't good enough

  - The species we see now have survived for billions of years (if we include ancestral species, who also had to survive)
    * Floods, fires, ice ages, disease outbreaks

- All "successful" organisms have strategies for spreading risk
  -

Averaging

- Mathematically, we can think about bet-hedging strategies in terms of averages
- Arithmetic means are means with respect to addition:
  - $x + y + z = m + m + m$
- Geometric means are means with respect to multiplication:
  - $x * y * z = m * m * m$

Averaging

- A population has a different growth rate (λ) each year. The long term growth rate would be the same if it grew by what constant amount each year?
  -

- A farmer harvests dandelion seeds from 5 different fields. Each field produces a different number of seeds. The harvest would be the same if each field produced what constant amount?

  –

Example: plant Q

- Plant Q is an annual plant.
- Each successful adult produces 30 offspring on average
- In a good year, 20% of these offspring survive to reproduce; in a normal year 2% of the offspring survive to reproduce; in a bad year 0.2% of the offspring survive to reproduce
- The three kinds of year are equally likely
- What is the long term average growth rate of plant Q?

  –

Plant D

- Plant D is similar to plant Q, except that it produces seeds that disperse over great distances
- Because it has to invest in dispersal mechanisms, it only produces half as many seeds.

- The seeds of the new variety do just as well as those of plant Q, but they disperse so far (in this hypothetical example) that 1/3 of them experience good, normal and bad conditions every year.
- What is the average growth rate of plant D?
  - –
  - –

Averaging

- Variation between organism generations is multiplicative; we understand its effect using the geometric mean
  - –
- Variation within a generation is additive; we understand its effect using the arithmetic mean
  - –
- The arithmetic mean is greater than the geometric mean. When variation is high, it can be much greater
  - Therefore, organisms benefit from averaging within generations, rather than between generations

Comparing averages



Dispersal, spreading risk over space

- As an organism, do I want my offspring to grow up where I grew up, or to disperse?
- Advantages of staying home
  -
  -
    - *
- Advantages of dispersal
  -
  -

Spreading risk over time

- Organisms that disperse spread their risk across space
- But some disturbances (bad weather, disease outbreaks) may cover very large areas
- Many organisms also have mechanisms for spreading risk over time
  - Iteroparity
  - Delayed development: many semelparous organisms have mechanisms that allow a fraction of their offspring to remain **dormant** (ie., wait) before developing

Why is it called bet hedging?

- Bet hedging means reducing your risk, or not betting everything you have on any one choice, even if it's a good choice.
  -

5 Sex ratios

- Should organisms allocate more resources to producing males or females?

  –

  –

  –

The balance argument

- In a sexual population, half of all the alleles in each generation come from males, and half from females
- Therefore, the total fitness of males and the total fitness of females in the population is equal
- Therefore, individuals should allocate resources equally to offspring of each type

  –

Example: elephant seals

- Male elephant seals can control large territories and mate with very large numbers of females

- Females produce at most 12 offspring over the course of their lives
  - And do all of the work of raising them
- To maximize their fitness, should female elephant seals produce more male offspring, or more female offspring?

Elephant seal details

- Imagine a population where 90% of elephant seals born are males. A certain "generation" of 400 elephant seals produces 600 successful offspring (counting in a reasonable, closed-loop way).
- What is the average fitness of the males and the females in this generation?
  -
  -

Sex ratio and balance

- Imagine a population where organisms use the same amount of resources to produce male or female offspring
- Thus, the *number* of offspring I can make does not depend on sex

- If everyone else is making more males than females, what should I do?
  - –
- How will this population evolve in the long term?
  - –

Allocation and balance

- The balance argument is based on the idea that organisms have resources that they control and use for growth and reproduction
- What if organisms invest more resources in producing one sex than the other?
  - What balances is the amount of *resources* spent on each sex
- Example: what if elephant seal mothers invest twice as much per males as per female, so their male offspring can compete?
  - –
  - –
  - –

Example: Fig wasps

- Many species of fig wasps have sex inside figs
  - Most sex is between brothers and sisters
  - How can the mother maximize fitness in this case?
    *

Fig wasp details

- Why does the balance argument not work in this case?
- Males have higher mean fitness than females in this population
- Would a mother benefit by producing more males than others do?
  –
  –

Female-biased sex ratios

- In most organisms (not all) females contribute more direct resources to producing offspring than males
- Such organisms should invest more in females than in males whenever sex with kin is likely

  - The kin group produces more offspring overall

- If organisms invest more per individual male, this could also bias the sex ratio in the same direction

Variation in reproductive success

- You should recall that in many animals males have very large variation in reproductive success

- Variation in reproductive success does not affect the balance argument:

  - We expect equal total resources to be used for females and males

- Instead it affects allocation per individual

  -

  -

Sexual roles

- What do you expect to happen in a population where males contributing more to raising offspring than females do?

  -

    *

    *
    *

- Can you think of any examples?
    –
    –

Equids

- Horses and zebras have harem males who compete for access to females
- Successful stallions can have very high fitness
- Females produce offspring at similar rates through their adult lives
- Healthy, middle-aged mares produce a greater fraction of males
    – Presumably they are allocating more resources to these males (because they have more resources available)
- It is not clear from studies whether they produce fewer males than females over their lifespan to compensate (balance would predict that they should)

- These animals *do* show female-biased sex ratios of adults
- What is another possible, related reason?
  - –
  - –

Kakapos

- Researchers tried to save the endangered kakapos by providing food to females.
- Females responded to these "good years" by producing too many males making population crisis worse