UNIT 5: Competition

Outline

Introduction

Population model with competition Balanced competition Unbalanced competition

Population-level interactions
Invasion theory

Niches and coexistence
The competitive exclusion principle

 Competition: interaction hurts the growth rate of both species

- Competition: interaction hurts the growth rate of both species
- Exploitation: interaction is good for one species but bad for the other

- Competition: interaction hurts the growth rate of both species
- Exploitation: interaction is good for one species but bad for the other
- Mutualism: interaction is good for both species

- Competition: interaction hurts the growth rate of both species
- Exploitation: interaction is good for one species but bad for the other
- Mutualism: interaction is good for both species
- Commensalism: interaction is good for one species, and close to neutral for the other

- Competition: interaction hurts the growth rate of both species
- Exploitation: interaction is good for one species but bad for the other
- Mutualism: interaction is good for both species
- Commensalism: interaction is good for one species, and close to neutral for the other

► Competition occurs when two species both depend on the same resource, or resources

- Competition occurs when two species both depend on the same resource, or resources
- ► Each species ability to reproduce successfully is reduced by the presence of the other

- Competition occurs when two species both depend on the same resource, or resources
- ► Each species ability to reproduce successfully is reduced by the presence of the other

•

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different

•

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light
 - •

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light
 - * Ants and mammals competing for leaves

- Competition occurs when two species both depend on the same resource, or resources
- ► Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light
 - * Ants and mammals competing for leaves
 - •

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light
 - * Ants and mammals competing for leaves
 - * Mussels and algae competing for space in the intertidal zone

- Competition occurs when two species both depend on the same resource, or resources
- Each species ability to reproduce successfully is reduced by the presence of the other
 - * Survival, growth, producing offspring
- Species may be very similar, or very different
 - * Oaks and maples competing for light
 - * Ants and mammals competing for leaves
 - * Mussels and algae competing for space in the intertidal zone









What factors determine which species survive in which habitats?

- What factors determine which species survive in which habitats?
- What factors determine how many similar species can co-exist?

- What factors determine which species survive in which habitats?
- What factors determine how many similar species can co-exist?
- Why do similar species coexist at all?

- What factors determine which species survive in which habitats?
- What factors determine how many similar species can co-exist?
- Why do similar species coexist at all?

 There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?

, ·

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - *

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - * The species could both survive together

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - * The species could both survive together

4 D > 4 同 > 4 目 > 4 目 > 4 回 >

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - ▶ * The species could both survive together
 - * Sometimes one survives, and sometimes the other

Flour beetles

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - * The species could both survive together
 - * Sometimes one survives, and sometimes the other



Flour beetles

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - * The species could both survive together
 - * Sometimes one survives, and sometimes the other
 - ▶ * Whichever species got a "head start" would survive

Flour beetles

- There is a series of experiments where researchers allow two species of flour beetles to compete in different laboratory environments
- The larger species survives better in drier conditions, and the smaller species reproduces faster in moister conditions
- Poll: What outcomes do you expect under wet vs dry conditions?
 - * Each species wins when conditions are better for it
- Poll: What if I "tune" the conditions to something in between?
 - * The species could both survive together
 - * Sometimes one survives, and sometimes the other
 - ▶ * Whichever species got a "head start" would survive



The confused flour beetle

► In a given stable environment, we generally expect the competitive interaction between two species to have one of the following results

- In a given stable environment, we generally expect the competitive interaction between two species to have one of the following results
 - ► **Dominance**: one species wins every time

- In a given stable environment, we generally expect the competitive interaction between two species to have one of the following results
 - ▶ **Dominance**: one species wins every time
 - Co-existence: if both species are present, they will both persist

- In a given stable environment, we generally expect the competitive interaction between two species to have one of the following results
 - Dominance: one species wins every time
 - Co-existence: if both species are present, they will both persist
 - ► Founder control: whichever species gets established first will exclude the other

- In a given stable environment, we generally expect the competitive interaction between two species to have one of the following results
 - Dominance: one species wins every time
 - Co-existence: if both species are present, they will both persist
 - ► Founder control: whichever species gets established first will exclude the other

Outline

Introduction

Population model with competition Balanced competition Unbalanced competition

Population-level interactions
Invasion theory
Colonization and co-existence

Niches and coexistence
The competitive exclusion principle

► We modeled a single species using the equation:

We modeled a single species using the equation:

We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

We modeled a single species using the equation:

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

► The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21}N_2$

We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

- ► The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21}N_2$
- How should our equation change?

We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

► The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21}N_2$



We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

- ► The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21}N_2$
- How should our equation change?

$$* \frac{dN_1}{dt} = (b_1(\tilde{N}_1) - d_1(\tilde{N}_1))N_1$$

We modeled a single species using the equation:

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

► The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21}N_2$

• *
$$\frac{dN_1}{dt} = (b_1(\tilde{N}_1) - d_1(\tilde{N}_1))N_1$$



We modeled a single species using the equation:

$$b \frac{dN}{dt} = (b(N) - d(N))N$$

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21} N_2$

$$* \frac{dN_1}{dt} = (b_1(\tilde{N}_1) - d_1(\tilde{N}_1))N_1$$

$$* \frac{dN_2}{dt} = (b_2(\tilde{N}_2) - d_2(\tilde{N}_2))N_2$$

• *
$$\frac{dN_2}{dt} = (b_2(\tilde{N}_2) - d_2(\tilde{N}_2))N_2$$

We modeled a single species using the equation:

We want to modify this for a species which is competing with another species

$$\frac{dN_1}{dt} = ?$$

The amount of competition seen by species 1 is $\tilde{N}_1 = N_1 + \alpha_{21} N_2$

$$* \frac{dN_1}{dt} = (b_1(\tilde{N}_1) - d_1(\tilde{N}_1))N_1$$

$$* \frac{dN_2}{dt} = (b_2(\tilde{N}_2) - d_2(\tilde{N}_2))N_2$$

• *
$$\frac{dN_2}{dt} = (b_2(\tilde{N}_2) - d_2(\tilde{N}_2))N_2$$

► For this unit, we will mostly ignore Allee effects

- ► For this unit, we will mostly ignore Allee effects
- ► Therefore, we expect each species to converge to its carrying capacity *K* (or *K*₁ and *K*₂) when it is alone

- For this unit, we will mostly ignore Allee effects
- ► Therefore, we expect each species to converge to its carrying capacity *K* (or *K*₁ and *K*₂) when it is alone
- How do we define carrying capacity in this system?

- For this unit, we will mostly ignore Allee effects
- ► Therefore, we expect each species to converge to its carrying capacity *K* (or *K*₁ and *K*₂) when it is alone
- How do we define carrying capacity in this system?

- For this unit, we will mostly ignore Allee effects
- ► Therefore, we expect each species to converge to its carrying capacity K (or K₁ and K₂) when it is alone
- How do we define carrying capacity in this system?
 - ▶ * The birth rate equals the death rate: b(K) = d(K)

- For this unit, we will mostly ignore Allee effects
- ► Therefore, we expect each species to converge to its carrying capacity K (or K₁ and K₂) when it is alone
- How do we define carrying capacity in this system?
 - ▶ * The birth rate equals the death rate: b(K) = d(K)

How can this population be at equilibrium?

How can this population be at equilibrium?

- How can this population be at equilibrium?
 - * $\tilde{N}_1 = K_1$: the species has the right amount of competitive pressure to make $\mathcal{R}=1$

- ▶ How can this population be at equilibrium?
 - * $\tilde{N}_1 = K_1$: the species has the right amount of competitive pressure to make $\mathcal{R}=1$
 - .

- How can this population be at equilibrium?
 - * $\tilde{N}_1 = K_1$: the species has the right amount of competitive pressure to make $\mathcal{R} = 1$
 - * $N_1 = 0$: the species is not present

- How can this population be at equilibrium?
 - * $\tilde{N}_1 = K_1$: the species has the right amount of competitive pressure to make $\mathcal{R} = 1$
 - * $N_1 = 0$: the species is not present

Logistic model

You've probably learned about the logistic model, if not you may learn about it later

Logistic model

- You've probably learned about the logistic model, if not you may learn about it later
- ► This model is similar to the logistic model, except:

- You've probably learned about the logistic model, if not you may learn about it later
- ► This model is similar to the logistic model, except:
 - Birth and death are tracked separately

- You've probably learned about the logistic model, if not you may learn about it later
- ▶ This model is similar to the logistic model, except:
 - Birth and death are tracked separately
 - We don't assume functions are straight lines

- You've probably learned about the logistic model, if not you may learn about it later
- ► This model is similar to the logistic model, except:
 - Birth and death are tracked separately
 - We don't assume functions are straight lines
- Everything we say about this model also applies to the logistic model

- You've probably learned about the logistic model, if not you may learn about it later
- ► This model is similar to the logistic model, except:
 - Birth and death are tracked separately
 - We don't assume functions are straight lines
- Everything we say about this model also applies to the logistic model

Subsection 1

Balanced competition

If the αs are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.

- If the αs are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- ▶ If $\bar{N} = N_1 + N_2$, then:

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1
\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1
\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

► What happens in this case?

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1
\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

What happens in this case?

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\overline{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\overline{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1
\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .
 - * Whichever species has a higher value of K can survive at a density where the other one can't

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .
 - * Whichever species has a higher value of K can survive at a density where the other one can't

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:

$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .
 - * Whichever species has a higher value of K can survive at a density where the other one can't
 - * Dominance!

- If the α s are both equal to one, we have equal competition. This means that the competitive effect of an individual from either species is the same.
- If $\bar{N} = N_1 + N_2$, then:


$$\frac{dN_1}{dt} = (b_1(\bar{N}) - d_1(\bar{N}))N_1$$

$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$


$$\frac{dN_2}{dt} = (b_2(\bar{N}) - d_2(\bar{N}))N_2$$

- What happens in this case?
 - \triangleright * Competition is mediated by only one quantity, \bar{N} .
 - * Whichever species has a higher value of K can survive at a density where the other one can't
 - * Dominance!


Dominance time plot




Dominance phase plot



Dominance



Dominance



► *Time plots* have time on one axis and show population quantities on another

- Time plots have time on one axis and show population quantities on another
 - ► Fixed parameters (usually)

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes
 - Fixed parameters (usually)

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes
 - Fixed parameters (usually)
 - Multiple starting points (usually)

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes
 - Fixed parameters (usually)
 - Multiple starting points (usually)
 - Better for seeing overall pattern of results

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes
 - Fixed parameters (usually)
 - Multiple starting points (usually)
 - Better for seeing overall pattern of results
 - Worse for seeing rates (how quickly things change)

- Time plots have time on one axis and show population quantities on another
 - Fixed parameters (usually)
 - Single starting points
- Phase plots have population quantities on both axes
 - Fixed parameters (usually)
 - Multiple starting points (usually)
 - Better for seeing overall pattern of results
 - Worse for seeing rates (how quickly things change)

► Log or linear (per capita vs. total perspective)


- Log or linear (per capita vs. total perspective)
- Open circles are starting points

- Log or linear (per capita vs. total perspective)
- Open circles are starting points
- Closed circles are ending points

- Log or linear (per capita vs. total perspective)
- Open circles are starting points
- Closed circles are ending points
- Arrows show direction of time

- Log or linear (per capita vs. total perspective)
- Open circles are starting points
- Closed circles are ending points
- Arrows show direction of time

Dominance reversed



 We will look at population quantities on either a log or linear scale

- We will look at population quantities on either a log or linear scale
- ► Log plots show *proportional* differences

- We will look at population quantities on either a log or linear scale
- Log plots show proportional differences
- ► Linear plots show absolute differences

- We will look at population quantities on either a log or linear scale
- Log plots show proportional differences
- Linear plots show absolute differences

$$\tilde{N}_1 = N_1 + \alpha_{21}N_2; \tilde{N}_2 = N_2 + \alpha_{12}N_1$$

- $\tilde{N}_1 = N_1 + \alpha_{21}N_2; \, \tilde{N}_2 = N_2 + \alpha_{12}N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?
 - * indiv₁/indiv₂

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?
 - * indiv₁ / indiv₂
- ▶ Since α has units, we don't expect there to be anything special about $\alpha = 1$

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?
 - * indiv₁ / indiv₂
- ▶ Since α has units, we don't expect there to be anything special about $\alpha = 1$
- Equal competition (both species have the same effect on each other) is a special case of balanced competition (both species have the same *relative* effect on each other)

- $\tilde{N}_1 = N_1 + \alpha_{21} N_2; \, \tilde{N}_2 = N_2 + \alpha_{12} N_1$
- α₂₁ measures the strength of the competitive effect of individuals of species 2 on the growth rate of species 1.
- ▶ What are the units of α_{21} ?
 - * indiv₁ / indiv₂
- ▶ Since α has units, we don't expect there to be anything special about $\alpha = 1$
- Equal competition (both species have the same effect on each other) is a special case of balanced competition (both species have the same *relative* effect on each other)

► Two plants compete with each other for water. The value of α_{21} is 4 indiv₁ / indiv₂

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁/ indiv₂
- ▶ Poll: Which species is bigger?

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁/ indiv₂
- ▶ Poll: Which species is bigger?

- Two plants compete with each other for water. The value of α₂₁ is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁/ indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?

- Two plants compete with each other for water. The value of α₂₁ is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?

4 D > 4 B > 4 B > 4 B > 9 Q P

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?
 - * $\alpha_{12} = 1 \text{ indiv}_2/4 \text{ indiv}_1$

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?
 - * $\alpha_{12} = 1 \text{ indiv}_2/4 \text{ indiv}_1$
 - •

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?
 - * $\alpha_{12} = 1 \text{ indiv}_2/4 \text{ indiv}_1$
 - * In some sense this means the same thing: the larger plant has four times as much impact as the smaller one

- ▶ Two plants compete with each other for water. The value of α_{21} is 4 indiv₁ / indiv₂
- Poll: Which species is bigger?
 - * Species 2 individuals use as much water as 4 species 1 individuals
- ▶ If they're only competing for water, what's the value of α_{12} ?
 - * $\alpha_{12} = 1 \text{ indiv}_2/4 \text{ indiv}_1$
 - * In some sense this means the same thing: the larger plant has four times as much impact as the smaller one



Poll: What results do we expect from balanced competition?

Poll: What results do we expect from balanced competition?

•

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - •

- Poll: What results do we expect from balanced competition?
 - ▶ * It seems like the bigger species should win
 - * But that's not always the case

- Poll: What results do we expect from balanced competition?
 - ▶ * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition

- Poll: What results do we expect from balanced competition?
 - ▶ * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition
 - * Both species experience total density in the same way

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition
 - * Both species experience total density in the same way
 - ,

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition
 - * Both species experience total density in the same way
 - * So the species with the higher carrying capacity (compared using the same units) will dominate

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition
 - * Both species experience total density in the same way
 - * So the species with the higher carrying capacity (compared using the same units) will dominate
- Balanced competition means (exactly) no tendency for founder control or for coexistence

- Poll: What results do we expect from balanced competition?
 - * It seems like the bigger species should win
 - * But that's not always the case
- Balanced competition works just like equal competition
 - * Both species experience total density in the same way
 - * So the species with the higher carrying capacity (compared using the same units) will dominate
- Balanced competition means (exactly) no tendency for founder control or for coexistence

Measuring competitive effects

► It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?

• *
$$C = \alpha_{21}\alpha_{12}$$

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?
 - * $C = \alpha_{21}\alpha_{12}$
- C measures the relative effect of between-species and within-species competition

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?
 - * $C = \alpha_{21}\alpha_{12}$
- C measures the relative effect of between-species and within-species competition
 - ightharpoonup C = 1 means competition is balanced

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?
 - * $C = \alpha_{21}\alpha_{12}$
- C measures the relative effect of between-species and within-species competition
 - ightharpoonup C = 1 means competition is balanced
 - C < 1 means there is more competition within species (tendency for coexistence)

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?
 - * $C = \alpha_{21}\alpha_{12}$
- C measures the relative effect of between-species and within-species competition
 - C = 1 means competition is balanced
 - C < 1 means there is more competition within species (tendency for coexistence)
 - ► C > 1 means there is more competition between species (tendency for founder control)

- It makes sense that we have a range of parameters that give us balanced competition, because we know qualitative changes in dynamics are explained by unitless parameters
- What's the unitless parameter here?
 - * $C = \alpha_{21}\alpha_{12}$
- C measures the relative effect of between-species and within-species competition
 - ightharpoonup C = 1 means competition is balanced
 - C < 1 means there is more competition within species (tendency for coexistence)
 - C > 1 means there is more competition between species (tendency for founder control)

Subsection 2

 If two species are competing by using a simple resource, we expect competition to be balanced



- If two species are competing by using a simple resource, we expect competition to be balanced
 - Both αs measure the relative effect of the two species on the resource



- If two species are competing by using a simple resource, we expect competition to be balanced
 - Both αs measure the relative effect of the two species on the resource
- In more realistic situations, competition may not be balanced



- If two species are competing by using a simple resource, we expect competition to be balanced
 - Both αs measure the relative effect of the two species on the resource
- In more realistic situations, competition may not be balanced



► Coexistence *may* occur when *C* < 1

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?

- Coexistence may occur when C < 1
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - **▶** '

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences
 - •

- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences
 - * Organisms may use resources in different ways


- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences
 - * Organisms may use resources in different ways


- Coexistence may occur when C < 1</p>
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences
 - * Organisms may use resources in different ways
 - * Trees may produce leaves at different times

- Coexistence may occur when C < 1
- Poll: Why might individuals have relatively weaker competitive interactions with members of the other species?
 - * They may compete for mates or mating sites
 - * Example: birds with different nesting preferences
 - * Organisms may use resources in different ways
 - * Trees may produce leaves at different times












Coexistence phase plot



Coexistence phase plot (log scale)



Coexistence phase plots



► Founder control *may* occur when *C* > 1

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - ▶ *

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards

•

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards
 - * Organisms might change the environment in a way that favors their own species

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards
 - * Organisms might change the environment in a way that favors their own species
 - •

- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards
 - * Organisms might change the environment in a way that favors their own species
 - * Example: trees and grasses


- Founder control may occur when C > 1
- Poll: Why might individuals have relatively stronger competitive interactions with members of the other species?
 - * Conspecifics might co-operate to defend resources
 - * Example: dogs and leopards
 - * Organisms might change the environment in a way that favors their own species
 - * Example: trees and grasses





Co-operation




Changing the environment









Founder control phase plot




Founder control phase plot (log scale)



Founder control phase plots




Founder control can be complicated



► Founder control really means each species can win with a big enough head start



Founder control can be complicated



Founder control really means each species can win with a big enough head start

► C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition

- ➤ C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition
- C may stay (about) the same, even as we switch conditions so that one or the other species dominates

- ➤ C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition
- C may stay (about) the same, even as we switch conditions so that one or the other species dominates
- ▶ Poll: C tells us what will happen if neither species is dominating.

- ➤ C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition
- C may stay (about) the same, even as we switch conditions so that one or the other species dominates
- ▶ Poll: C tells us what will happen if neither species is dominating.

•

- C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition
- C may stay (about) the same, even as we switch conditions so that one or the other species dominates
- Poll: C tells us what will happen if neither species is dominating.
 - * Founder effects, neutrality or coexistence

- C measures the relative effect of each species on each other, but it doesn't reflect growth rates or how strongly each species is affected by competition
- C may stay (about) the same, even as we switch conditions so that one or the other species dominates
- Poll: C tells us what will happen if neither species is dominating.
 - * Founder effects, neutrality or coexistence

Outline

Introduction

Population model with competition Balanced competition Unbalanced competition

Population-level interactions
Invasion theory
Colonization and co-existence

Niches and coexistence
The competitive exclusion principle

Subsection 1

► The competitive relationship between two species can be investigated by studying two **invasion** scenarios:

- ➤ The competitive relationship between two species can be investigated by studying two **invasion** scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?

- The competitive relationship between two species can be investigated by studying two invasion scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?

→ 3

- The competitive relationship between two species can be investigated by studying two invasion scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - * Dominance occurs when one species can invade the other

- The competitive relationship between two species can be investigated by studying two invasion scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - ▶ * Dominance occurs when one species can invade the other
 - •

- The competitive relationship between two species can be investigated by studying two invasion scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - * Dominance occurs when one species can invade the other
 - * Coexistence occurs when each species can invade the other

- The competitive relationship between two species can be investigated by studying two invasion scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - * Dominance occurs when one species can invade the other
 - * Coexistence occurs when each species can invade the other
 - *

- ➤ The competitive relationship between two species can be investigated by studying two **invasion** scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - * Dominance occurs when one species can invade the other
 - * Coexistence occurs when each species can invade the other
 - * Founder control occurs when neither species can invade the other

- ➤ The competitive relationship between two species can be investigated by studying two **invasion** scenarios:
- What happens if one species is established, and the other one tries to invade (ie., some individuals are introduced)?
 - * Dominance occurs when one species can invade the other
 - * Coexistence occurs when each species can invade the other
 - * Founder control occurs when neither species can invade the other

Allee effects

► This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment

Allee effects

- This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment
- ► That is, it neglects Allee effects

Allee effects

- This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment
- ► That is, it neglects Allee effects
- Would this assumption work with Allee effects?

Allee effects

- This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment
- ► That is, it neglects Allee effects
- Would this assumption work with Allee effects?



Allee effects

- This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment
- ► That is, it neglects Allee effects
- Would this assumption work with Allee effects?
 - * No. With Allee effects a species may be able to do well if established, but not be able to "invade" if it's rare

Allee effects

- This analysis assumes that species that can be successful under a certain competitive environment can also invade that environment
- ► That is, it neglects Allee effects
- Would this assumption work with Allee effects?
 - * No. With Allee effects a species may be able to do well if established, but not be able to "invade" if it's rare

▶ The competitive effect felt by species 1 is measured by \tilde{N}_1

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

•

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:
 - $\blacktriangleright * \tilde{N}_1 = K_1$

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

$$\blacktriangleright * \tilde{N}_1 = K_1$$

► The amount of competition species 1 feels when trying to invade a population of species 2 is:

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

$$\blacktriangleright$$
 * $\tilde{N}_1 = K_1$

► The amount of competition species 1 feels when trying to invade a population of species 2 is:

• '

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

$$\blacktriangleright * \tilde{N}_1 = K_1$$

► The amount of competition species 1 feels when trying to invade a population of species 2 is:

• *
$$\tilde{N}_1 = \alpha_{21} N_2$$

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:

• *
$$\tilde{N}_1 = K_1$$

► The amount of competition species 1 feels when trying to invade a population of species 2 is:

```
\bullet \ ^*\tilde{N}_1 = \alpha_{21}N_2
```

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:
 - \blacktriangleright * $\tilde{N}_1 = K_1$
- ► The amount of competition species 1 feels when trying to invade a population of species 2 is:
 - * $\tilde{N}_1 = \alpha_{21} N_2$
 - * = $\alpha_{21}K_2$, if species 2 is at equilibrium

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:
 - \blacktriangleright * $\tilde{N}_1 = K_1$
- ► The amount of competition species 1 feels when trying to invade a population of species 2 is:
 - * $\tilde{N}_1 = \alpha_{21} N_2$
 - * = $\alpha_{21}K_2$, if species 2 is at equilibrium
- If species 1 feels more competition from invading species two than it feels at its own equilibrium, it cannot invade. And conversely.

- ▶ The competitive effect felt by species 1 is measured by \tilde{N}_1
- ► The *amount* of competition needed for species 1 to be at equilibrium is:
 - \blacktriangleright * $\tilde{N}_1 = K_1$
- ► The amount of competition species 1 feels when trying to invade a population of species 2 is:
 - * $\tilde{N}_1 = \alpha_{21} N_2$
 - * = $\alpha_{21}K_2$, if species 2 is at equilibrium
- If species 1 feels more competition from invading species two than it feels at its own equilibrium, it cannot invade. And conversely.

► The population-level competitive effect of species 2 on species one is $E_{21} \equiv \alpha_{21} K_2 / K_1$

- ► The population-level competitive effect of species 2 on species one is $E_{21} \equiv \alpha_{21} K_2 / K_1$
- ► This is the unitless ratio of the two measures of effect on species 1 from the previous slide.

- ► The population-level competitive effect of species 2 on species one is $E_{21} \equiv \alpha_{21} K_2 / K_1$
- This is the unitless ratio of the two measures of effect on species 1 from the previous slide.
- ► The two values of *E* determine the competitive dynamics between the two species.

- ► The population-level competitive effect of species 2 on species one is $E_{21} \equiv \alpha_{21} K_2 / K_1$
- This is the unitless ratio of the two measures of effect on species 1 from the previous slide.
- ► The two values of *E* determine the competitive dynamics between the two species.
- If E₂₁ > 1 species 2 can exclude species 1 (species 1 cannot invade). And conversely.

- ► The population-level competitive effect of species 2 on species one is $E_{21} \equiv \alpha_{21} K_2 / K_1$
- This is the unitless ratio of the two measures of effect on species 1 from the previous slide.
- ► The two values of *E* determine the competitive dynamics between the two species.
- If E₂₁ > 1 species 2 can exclude species 1 (species 1 cannot invade). And conversely.

▶ If both Es are < 1, neither can exclude the other

▶ If both Es are < 1, neither can exclude the other

- ▶ If both Es are < 1, neither can exclude the other
 - ▶ * We expect coexistence

- ▶ If both Es are < 1, neither can exclude the other
 - ▶ * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other

- If both Es are < 1, neither can exclude the other
 * We expect coexistence
- If both Es are > 1, they both exclude each other
 - *

- ▶ If both Es are < 1, neither can exclude the other
 - ▶ * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control

- ▶ If both Es are < 1, neither can exclude the other
 - ▶ * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control
- ▶ If one E is > 1, the large-E species can exclude the other

- ▶ If both Es are < 1, neither can exclude the other
 - * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control
- ▶ If one E is > 1, the large-E species can exclude the other

•

- ▶ If both Es are < 1, neither can exclude the other</p>
 - * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control
- ▶ If one E is > 1, the large-E species can exclude the other
 - * We expect that species to always win: dominance

- ▶ If both Es are < 1, neither can exclude the other</p>
 - ▶ * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control
- ▶ If one E is > 1, the large-E species can exclude the other
 - * We expect that species to always win: dominance
- DIAGRAM

- ▶ If both Es are < 1, neither can exclude the other</p>
 - ▶ * We expect coexistence
- ▶ If both Es are > 1, they both exclude each other
 - * which species wins will depend on starting conditions: founder control
- ▶ If one E is > 1, the large-E species can exclude the other
 - * We expect that species to always win: dominance
- DIAGRAM

lacktriangledown α measures competitive effects at the individual level

- lacktriangleright lpha measures competitive effects at the individual level
 - has units (ratios of types of individuals)

- lacktriangleright lpha measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- E measures competitive effects at the population level, using equilibrium populations

- ightharpoonup α measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- E measures competitive effects at the population level, using equilibrium populations
 - unitless

- ightharpoonup α measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- ► E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$

- ightharpoonup α measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- ► E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $ightharpoonup C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$
 - C tells us: do the species have a tendency for founder control or coexistence?

- ightharpoonup measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- ► E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$
 - C tells us: do the species have a tendency for founder control or coexistence?
- For specific conditions, we would need to also know values of E

- ightharpoonup α measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $ightharpoonup C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$
 - C tells us: do the species have a tendency for founder control or coexistence?
- For specific conditions, we would need to also know values of E
 - Each species may dominate when conditions are good for it

- ightharpoonup measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- ► E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$
 - C tells us: do the species have a tendency for founder control or coexistence?
- For specific conditions, we would need to also know values of E
 - Each species may dominate when conditions are good for it
 - We see the tendency for founder control or coexistence in intermediate conditions

- ightharpoonup α measures competitive effects at the individual level
 - has units (ratios of types of individuals)
- E measures competitive effects at the population level, using equilibrium populations
 - unitless
- $C = \alpha_{21}\alpha_{12} = E_{21}E_{12}$
 - C tells us: do the species have a tendency for founder control or coexistence?
- For specific conditions, we would need to also know values of E
 - Each species may dominate when conditions are good for it
 - We see the tendency for founder control or coexistence in intermediate conditions

► If competition is balanced, and neither species dominates, this is called neutral competition

- ► If competition is balanced, and neither species dominates, this is called neutral competition
- No tendency for either species to win

- If competition is balanced, and neither species dominates, this is called neutral competition
- No tendency for either species to win
- ▶ No tendency for founder control or for coexistence

- ► If competition is balanced, and neither species dominates, this is called neutral competition
- No tendency for either species to win
- No tendency for founder control or for coexistence
- If there's any small difference between the species, one may dominate

- If competition is balanced, and neither species dominates, this is called neutral competition
- No tendency for either species to win
- No tendency for founder control or for coexistence
- If there's any small difference between the species, one may dominate
- Even if there's no difference, one should win eventually, by random "drift"

- If competition is balanced, and neither species dominates, this is called neutral competition
- No tendency for either species to win
- No tendency for founder control or for coexistence
- If there's any small difference between the species, one may dominate
- Even if there's no difference, one should win eventually, by random "drift"

► Up until now, we've thought of founder control as a single outcome

- Up until now, we've thought of founder control as a single outcome
- ► But from the point of view of the competing species, it's pretty important which one of them gets control

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- ▶ Poll: What factors determine who gets control?

▶ '

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first
 - •


- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first
 - * Initial maximum growth rate

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first
 - * Initial maximum growth rate
 - •


- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first
 - * Initial maximum growth rate
 - * How strongly they affect each other

- Up until now, we've thought of founder control as a single outcome
- But from the point of view of the competing species, it's pretty important which one of them gets control
- Poll: What factors determine who gets control?
 - * Who gets there first
 - * Initial maximum growth rate
 - * How strongly they affect each other


Growth rate and founder control



Growth rate and founder control



Growth rate and founder control



Subsection 2

► Up until now, we've thought about the question of which species controls a particular area in the long term

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- ► rK tradeoff

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- rK tradeoff
 - r strategists do better in the short term; K strategists do better do better in the long term

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- rK tradeoff
 - r strategists do better in the short term; K strategists do better do better in the long term
- Poll: When can you survive by doing better in the short term?

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- rK tradeoff
 - r strategists do better in the short term; K strategists do better do better in the long term
- Poll: When can you survive by doing better in the short term?



- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- rK tradeoff
 - r strategists do better in the short term; K strategists do better do better in the long term
- Poll: When can you survive by doing better in the short term?
 - * When new opportunities (empty habitat) keep coming available

- Up until now, we've thought about the question of which species controls a particular area in the long term
- But if available habitat is changing, it also matters what happens in the short term
- rK tradeoff
 - r strategists do better in the short term; K strategists do better do better in the long term
- Poll: When can you survive by doing better in the short term?
 - * When new opportunities (empty habitat) keep coming available

► The maximum growth rate (for each species) is $r_0 = (b(0) - d(0))$:

► The maximum growth rate (for each species) is $r_0 = (b(0) - d(0))$:

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better *r*₀ should do better in the short run

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better *r*₀ should do better in the short run
 - ► Faster exponential growth


- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better r₀ should do better in the short run
 - Faster exponential growth
- ▶ If patches are very stable, then *K* species wins

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better r₀ should do better in the short run
 - Faster exponential growth
- ▶ If patches are very stable, then *K* species wins
- ▶ If they are very unstable, then *r* species wins

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better r₀ should do better in the short run
 - Faster exponential growth
- ▶ If patches are very stable, then *K* species wins
- If they are very unstable, then r species wins
- In between, we get coexistence at the level of multiple populations

- ► The maximum growth rate (for each species) is $r_0 = (b(0) d(0))$:
 - * The net growth rate when crowding pressure is very low
- ► The species with the better r₀ should do better in the short run
 - Faster exponential growth
- ▶ If patches are very stable, then K species wins
- ▶ If they are very unstable, then *r* species wins
- In between, we get coexistence at the level of multiple populations

rK tradeoff



Outline

Introduction

Population model with competition Balanced competition Unbalanced competition

Population-level interactions
Invasion theory
Colonization and co-existence

Niches and coexistence
The competitive exclusion principle

An ecological niche refers to the way an organism makes a living:

- An ecological niche refers to the way an organism makes a living:
 - What resources does it need?

- An ecological niche refers to the way an organism makes a living:
 - What resources does it need?
 - What sort of environmental conditions does it need?

- An ecological niche refers to the way an organism makes a living:
 - What resources does it need?
 - What sort of environmental conditions does it need?

▶ A **fundamental** niche is defined as the conditions under which an organism could make a living (in other words, survive with $\mathcal{R} > 1$) in the absence of competition.

- ▶ A fundamental niche is defined as the conditions under which an organism could make a living (in other words, survive with R > 1) in the absence of competition.
- ► Many plants have very large fundamental niches

- ▶ A fundamental niche is defined as the conditions under which an organism could make a living (in other words, survive with R > 1) in the absence of competition.
- Many plants have very large fundamental niches
 - ► The reason spruce trees don't grow in Cootes Paradise is not that they can't grow there

- A fundamental niche is defined as the conditions under which an organism could make a living (in other words, survive with R > 1) in the absence of competition.
- Many plants have very large fundamental niches
 - ► The reason spruce trees don't grow in Cootes Paradise is not that they can't grow there
 - •

- ▶ A fundamental niche is defined as the conditions under which an organism could make a living (in other words, survive with R > 1) in the absence of competition.
- Many plants have very large fundamental niches
 - ► The reason spruce trees don't grow in Cootes Paradise is not that they can't grow there
 - * They can't compete with the other trees that grow there

- ▶ A fundamental niche is defined as the conditions under which an organism could make a living (in other words, survive with R > 1) in the absence of competition.
- Many plants have very large fundamental niches
 - ► The reason spruce trees don't grow in Cootes Paradise is not that they can't grow there
 - * They can't compete with the other trees that grow there

Realized niche

► The realized niche is defined as the conditions under which an organism can make a living, including the effects of competing species



Realized niche

- The realized niche is defined as the conditions under which an organism can make a living, including the effects of competing species
 - The realized niche of spruce trees does not include Cootes Paradise



Realized niche

- The realized niche is defined as the conditions under which an organism can make a living, including the effects of competing species
 - The realized niche of spruce trees does not include Cootes Paradise





 There are several species of chipmunks in the Sierra Nevada mountains

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?

▶ 4

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?
 - * The aggressive species has the same fundamental and realized niches: the places where rainfall is good

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?
 - * The aggressive species has the same fundamental and realized niches: the places where rainfall is good
 - •

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?
 - * The aggressive species has the same fundamental and realized niches: the places where rainfall is good
 - * The mild-mannered species has a large fundamental niche, but its realized niche is the area that's too dry for the other species

- There are several species of chipmunks in the Sierra Nevada mountains
 - ► The most aggressive can only survive where the rainfall is good, and it out-competes all the other species
 - ► The least aggressive can survive anywhere in the mountain range, but it cannot co-exist with any of the other species
- What are the fundamental and realized niches of these species?
 - * The aggressive species has the same fundamental and realized niches: the places where rainfall is good
 - * The mild-mannered species has a large fundamental niche, but its realized niche is the area that's too dry for the other species

Subsection 1

► If two species use resources in the same way, we expect that C = 1.

- If two species use resources in the same way, we expect that C = 1.
 - ► The effect of an individual of each species can be measured by its impact on resources. If individuals of species one have (e.g.) twice the impact, this should be seen by both species equally.

- If two species use resources in the same way, we expect that C = 1.
 - The effect of an individual of each species can be measured by its impact on resources. If individuals of species one have (e.g.) twice the impact, this should be seen by both species equally.
- If two species use resources in the same way, we do not expect them to co-exist

- If two species use resources in the same way, we expect that C = 1.
 - The effect of an individual of each species can be measured by its impact on resources. If individuals of species one have (e.g.) twice the impact, this should be seen by both species equally.
- If two species use resources in the same way, we do not expect them to co-exist
 - One species will use the resources more efficiently (nothing in biology is exactly equal)

- If two species use resources in the same way, we expect that C = 1.
 - The effect of an individual of each species can be measured by its impact on resources. If individuals of species one have (e.g.) twice the impact, this should be seen by both species equally.
- If two species use resources in the same way, we do not expect them to co-exist
 - One species will use the resources more efficiently (nothing in biology is exactly equal)

► Even if the two species were *exactly* equal in efficiency, we expect one species to go extinct at random

- ► Even if the two species were *exactly* equal in efficiency, we expect one species to go extinct at random
- ▶ Due to the randomness of births and deaths, we expect the proportions to fluctuate at random until one proportion reaches 0 and gets stuck there

- ► Even if the two species were *exactly* equal in efficiency, we expect one species to go extinct at random
- Due to the randomness of births and deaths, we expect the proportions to fluctuate at random until one proportion reaches 0 and gets stuck there
 - ► We call this process "drift", and it is strongly analogous to genetic drift

- Even if the two species were exactly equal in efficiency, we expect one species to go extinct at random
- Due to the randomness of births and deaths, we expect the proportions to fluctuate at random until one proportion reaches 0 and gets stuck there
 - We call this process "drift", and it is strongly analogous to genetic drift

Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ... but it must also break down

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable
 - •

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable
 - * Co-existence may not be "long term"!

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable
 - * Co-existence may not be "long term"!
 - •

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable
 - * Co-existence may not be "long term"!
 - * There may be stabilizing factors outside competitive dynamics (e.g., natural enemies)

- Two species that use resources the same way cannot co-exist in a stable environment in the long term due to their competitive dynamics
- ► This statement can be justified mathematically, and it has important implications for real populations . . .
- ...but it must also break down
- ► Poll: How?
 - * Species may not use resources in the same way
 - * The environment may not be stable
 - * Co-existence may not be "long term"!
 - * There may be stabilizing factors outside competitive dynamics (e.g., natural enemies)