

# UNIT 1: Linear population models

# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model

Continuous-time model

Links

## Growth and regulation

## Subsection 1

### Dandelions

# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.



# Dandelions


- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?

▶ \*



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?
  - ▶ \*



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?
  - ▶ \* 125?



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?
  - ▶ \* 125?
  - ▶ See spreadsheet on resource page



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?
  - ▶ \* 125?
  - ▶ See spreadsheet on resource page
- ▶ The spreadsheet is an implementation of a dynamical model!



# Dandelions

- ▶ Start with one dandelion; it produces 100 seeds, of which only 4% survive to reproduce the next year.
- ▶ How many dandelions after 3 years?
  - ▶ \* 64?
  - ▶ \* 125?
  - ▶ See spreadsheet on resource page
- ▶ The spreadsheet is an implementation of a dynamical model!



# Dynamical models

- ▶ Make rules about how things change on a small scale

# Dynamical models

- ▶ Make rules about how things change on a small scale
- ▶ Assumptions should be clear enough to allow you to calculate or simulate population-level results

## Dynamical models

- ▶ Make rules about how things change on a small scale
  - ▶ Assumptions should be clear enough to allow you to calculate or simulate population-level results
  - ▶ Challenging and clarifying assumptions is a key advantage of models

# Dynamical models


- ▶ Make rules about how things change on a small scale
- ▶ Assumptions should be clear enough to allow you to calculate or simulate population-level results
- ▶ Challenging and clarifying assumptions is a key advantage of models

## Subsection 2

### Gypsy moths

# Gypsy moths

- ▶ A pest species that feeds on deciduous trees



# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago




# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago
- ▶ Capable of wide-scale defoliation





# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago
- ▶ Capable of wide-scale defoliation



# Gypsy moth populations



## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ **10% of eggs hatch into larvae**

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ **10% of larvae mature into pupae**

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ **50% of pupae mature into adults**

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ **50% of adults survive to reproduce**

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: What happens if we start with 10 moths?

## Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: What happens if we start with 10 moths?
  - ▶ \*

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: **What happens if we start with 10 moths?**
  - ▶ \* We end up with 15 moths

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: **What happens if we start with 10 moths?**
  - ▶ \* We end up with 15 moths
  - ▶ \*

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: **What happens if we start with 10 moths?**
  - ▶ \* We end up with 15 moths
  - ▶ \* On average

## *Moth calculation*

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ Poll: **What happens if we start with 10 moths?**
  - ▶ \* We end up with 15 moths
  - ▶ \* On average

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs

## Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \*

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ **50% of pupae mature into adults**

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ **All adults die after reproduction**

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ What happens if we start with 10 moths?

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ What happens if we start with 10 moths?
  - ▶ \*

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ What happens if we start with 10 moths?
  - ▶ \* If 5 are female, we end up with an average of 7.5 moths

# Moth calculation

- ▶ Researchers studying a gypsy moth population make the following estimates:
  - ▶ The average reproductive female lays 600 eggs
    - ▶ \* Assume half are female
  - ▶ 10% of eggs hatch into larvae
  - ▶ 10% of larvae mature into pupae
  - ▶ 50% of pupae mature into adults
  - ▶ 50% of adults survive to reproduce
  - ▶ All adults die after reproduction
- ▶ What happens if we start with 10 moths?
  - ▶ \* If 5 are female, we end up with an average of 7.5 moths

## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.

## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.
- ▶ If we consider moths as individuals, we need a **stochastic** model

## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.
- ▶ If we consider moths as individuals, we need a **stochastic** model
- ▶ **What do we mean by stochastic?**

## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.
- ▶ If we consider moths as individuals, we need a **stochastic** model
- ▶ What do we mean by stochastic?
  - ▶ \*


## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.
- ▶ If we consider moths as individuals, we need a **stochastic** model
- ▶ What do we mean by stochastic?
  - ▶ \* The model has randomness, to reflect details that we can't measure in advance, or can't predict


## Stochastic version

- ▶ Obviously, we will not get *exactly* 7.5 moths.
- ▶ If we consider moths as individuals, we need a **stochastic** model
- ▶ What do we mean by stochastic?
  - ▶ \* The model has randomness, to reflect details that we can't measure in advance, or can't predict


## Stochastic model



## Stochastic model




## Stochastic model




# Stochastic model

- ▶ A stochastic model has randomness in the model.




# Stochastic model

- ▶ A stochastic model has randomness in the model.
- ▶ If we run it again with the same parameters and starting conditions, we get a different answer



# Stochastic model

- ▶ A stochastic model has randomness in the model.
- ▶ If we run it again with the same parameters and starting conditions, we get a different answer



## Subsection 3

### Bacteria

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.04/ hr

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of  $0.04/\text{hr}$
  - ▶ **They wash out of the tank at a rate of  $0.02/\text{hr}$**

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of  $0.04/\text{hr}$
  - ▶ They wash out of the tank at a rate of  $0.02/\text{hr}$
  - ▶ **They die at a rate of  $0.01/\text{hr}$**

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of  $0.04/\text{hr}$
  - ▶ They wash out of the tank at a rate of  $0.02/\text{hr}$
  - ▶ They die at a rate of  $0.01/\text{hr}$
- ▶ Rates are **per capita** (i.e., per individual) and **instantaneous** (they describe what is happening at each moment of time)

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of  $0.04/\text{hr}$
  - ▶ They wash out of the tank at a rate of  $0.02/\text{hr}$
  - ▶ They die at a rate of  $0.01/\text{hr}$
- ▶ Rates are **per capita** (i.e., per individual) and **instantaneous** (they describe what is happening at each moment of time)
- ▶ **We start with 10 bacteria/ml**

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.04/ hr
  - ▶ They wash out of the tank at a rate of 0.02/ hr
  - ▶ They die at a rate of 0.01/hr
- ▶ Rates are **per capita** (i.e., per individual) and **instantaneous** (they describe what is happening at each moment of time)
- ▶ We start with 10 bacteria/ml
  - ▶ How many do we have after 1 hr?


# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.04/ hr
  - ▶ They wash out of the tank at a rate of 0.02/ hr
  - ▶ They die at a rate of 0.01/ hr
- ▶ Rates are **per capita** (i.e., per individual) and **instantaneous** (they describe what is happening at each moment of time)
- ▶ We start with 10 bacteria/ml
  - ▶ How many do we have after 1 hr?
  - ▶ **What about after 1 day?**

# Bacteria

- ▶ Imagine we have some bacteria growing in a big tank, constantly dividing and dying:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.04/ hr
  - ▶ They wash out of the tank at a rate of 0.02/ hr
  - ▶ They die at a rate of 0.01/ hr
- ▶ Rates are **per capita** (i.e., per individual) and **instantaneous** (they describe what is happening at each moment of time)
- ▶ We start with 10 bacteria/ml
  - ▶ How many do we have after 1 hr?
  - ▶ What about after 1 day?

## Bacteria in a tank



# Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:

## Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.96/day

## Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.96/day
  - ▶ They wash out of the tank at a rate of 0.48/day

## Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.96/day
  - ▶ They wash out of the tank at a rate of 0.48/day
  - ▶ **They die at a rate of 0.24/day**

## Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.96/day
  - ▶ They wash out of the tank at a rate of 0.48/day
  - ▶ They die at a rate of 0.24/day
- ▶ If we start with 10 bacteria/ml, how many do we have after 1 day?

## Bacteria, rescaled

- ▶ Imagine we have some bacteria growing in a big tank:
  - ▶ They divide (forming two bacteria from one) at a rate of 0.96/day
  - ▶ They wash out of the tank at a rate of 0.48/day
  - ▶ They die at a rate of 0.24/day
- ▶ If we start with 10 bacteria/ml, how many do we have after 1 day?

# Units

- ▶ When we attach units to a quantity, the meaning is concrete

# Units

- ▶ When we attach units to a quantity, the meaning is concrete
  - ▶ *0.24/day must mean exactly the same thing as 0.01/hr*

# Units

- ▶ When we attach units to a quantity, the meaning is concrete
  - ▶  $0.24/\text{day}$  *must* mean exactly the same thing as  $0.01/\text{hr}$
  - ▶ The two questions above *must* have the same answer

# Units

- ▶ When we attach units to a quantity, the meaning is concrete
  - ▶  $0.24/\text{day}$  *must* mean exactly the same thing as  $0.01/\text{hr}$
  - ▶ The two questions above *must* have the same answer

## *Bacteriostasis*

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?

## Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr

## Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:

## Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?

## Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?
  - ▶ Poll: 1 wk?

## Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?
  - ▶ Poll: 1 wk?

# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model





Continuous-time model

Links

## Growth and regulation





# Exponential growth

## ► What is exponential growth?







# Exponential growth

- ▶ What is exponential growth?
- ▶ Which of these is an example?




# Exponential growth


- ▶ What is exponential growth?
- ▶ Which of these is an example?




A




*B*



C







*D*







# Exponential growth

► Poll: What is exponential growth?







# Exponential growth

- ▶ Poll: What is exponential growth?
- ▶ Poll: Which of these is an example?




# Exponential growth


- ▶ Poll: What is exponential growth?
- ▶ Poll: Which of these is an example?




A




*B*




C




*D*




A




## *A on the log scale*



C



## C on the linear scale



# Types of growth

- arithmetic/linear:

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*
  - ▶ \*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*
  - ▶ \* *Only C is exponential, mathematically speaking.*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*
  - ▶ \* *Only C is exponential, mathematically speaking.*
- ▶ other:

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*
  - ▶ \* *Only C is exponential, mathematically speaking.*
- ▶ other:
  - ▶ *Many possibilities, we may discuss some later*

# Types of growth

- ▶ arithmetic/linear:
  - ▶ \* *Add a fixed amount in a given time interval*
  - ▶ \* *Total growth rate is constant*
- ▶ geometric/exponential:
  - ▶ \* *Multiply by a fixed amount in a given time interval*
  - ▶ \* *Per-capita growth is constant*
  - ▶ \* *Only C is exponential, mathematically speaking.*
- ▶ other:
  - ▶ Many possibilities, we may discuss some later

# Exponential decline?

- ▶ Poll: What does exponential decline look like?

# Exponential decline?

- ▶ Poll: What does exponential decline look like?
  - ▶ \*

# Exponential decline?

- ▶ Poll: What does exponential decline look like?
  - ▶ \* Decline is proportional to size

# Exponential decline?

- ▶ Poll: What does exponential decline look like?
  - ▶ \* Decline is proportional to size
  - ▶ \*


# Exponential decline?

- ▶ Poll: What does exponential decline look like?
  - ▶ \* Decline is proportional to size
  - ▶ \* Declines more and more *slowly* (on linear scale)

# Exponential decline?


- ▶ Poll: What does exponential decline look like?
  - ▶ \* Decline is proportional to size
  - ▶ \* Declines more and more *slowly* (on linear scale)

## Exponential decline




- Decline is proportional to size

## Exponential decline



- ▶ Decline is proportional to size
- ▶ Declines more and more *slowly* (on linear scale)

## Exponential decline



- ▶ Decline is proportional to size
- ▶ Declines more and more *slowly* (on linear scale)

## Terminology

- Sometimes people distinguish

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth
- ▶ Based on:

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth
- ▶ Based on:
  - ▶ \*

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth
- ▶ Based on:
  - ▶ \* **discrete** vs. **continuous** time

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth
- ▶ Based on:
  - ▶ \* **discrete** vs. **continuous** time
- ▶ We won't worry much about this.

# Terminology

- ▶ Sometimes people distinguish
  - ▶ **arithmetic** from **linear** growth, or
  - ▶ **geometric** from **exponential** growth
- ▶ Based on:
  - ▶ \* **discrete** vs. **continuous** time
- ▶ We won't worry much about this.

## Subsection 1

### Log and linear scales

# Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?

# Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?
  - ▶ \*

## Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?
  - ▶ \* If you said 100, you are thinking multiplicatively

## Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?
  - ▶ \* If you said 100, you are thinking multiplicatively
  - ▶ \*


# Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?
  - ▶ \* If you said 100, you are thinking multiplicatively
  - ▶ \* If you said 19, you are thinking additively


# Scales of comparison

- ▶ Poll: 1 is to 10 as 10 is to what?
  - ▶ \* If you said 100, you are thinking multiplicatively
  - ▶ \* If you said 19, you are thinking additively


## *Scales of display*




## *Scales of display*





## *Scales of display*



## *Scales of display*




# Scales of display




There is only one log scale; it doesn't matter which base you use!



## Canadian provinces





# Canadian provinces





# Canadian provinces





# Canadian provinces plus Canada?





# Canadian provinces plus Canada





# Canadian provinces plus Canada?





# Canadian provinces plus Canada





# Canadian provinces plus Canada





# Canada plus room 1105?





# Canada plus room 1105





# Canada plus room 1105?



# Canada plus room 1105



# Canada plus room 1105



## *Predation comparison*



# Predation comparison

- ▶ A 500 lb lion is attacking a 1000 lb buffalo!



# Predation comparison

- ▶ A 500 lb lion is attacking a 1000 lb buffalo!
- ▶ **Poll:** This is analogous to a 15 lb red fox attacking:



# Predation comparison

- ▶ A 500 lb lion is attacking a 1000 lb buffalo!
- ▶ Poll: This is analogous to a 15 lb red fox attacking:
  - ▶ A 30 lb beaver (twice as heavy)?



# Predation comparison

- ▶ A 500 lb lion is attacking a 1000 lb buffalo!
- ▶ Poll: This is analogous to a 15 lb red fox attacking:
  - ▶ A 30 lb beaver (twice as heavy)?
  - ▶ A 515 lb elk (500 lbs heavier)?



# Predation comparison

- ▶ A 500 lb lion is attacking a 1000 lb buffalo!
- ▶ Poll: This is analogous to a 15 lb red fox attacking:
  - ▶ A 30 lb beaver (twice as heavy)?
  - ▶ A 515 lb elk (500 lbs heavier)?



## Different scales

- ▶ The log scale and linear scale provide different ways of looking at the same data

## Different scales

- ▶ The log scale and linear scale provide different ways of looking at the same data
- ▶ Equally valid

## Different scales

- ▶ The log scale and linear scale provide different ways of looking at the same data
- ▶ Equally valid
- ▶ **What are some advantages of each?**

## Different scales

- ▶ The log scale and linear scale provide different ways of looking at the same data
- ▶ Equally valid
- ▶ What are some advantages of each?

# Advantages of arithmetic view



## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \*

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography
- ▶ \*

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography
- ▶ \* When zeroes (or negative numbers) can occur

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography
- ▶ \* When zeroes (or negative numbers) can occur
- ▶ \*

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography
- ▶ \* When zeroes (or negative numbers) can occur
- ▶ \* When we are interested in adding things up

## Advantages of arithmetic view

- ▶ \* When there is no natural zero (or the natural zero is irrelevant)
  - ▶ \* Often the case for time or geography
- ▶ \* When zeroes (or negative numbers) can occur
- ▶ \* When we are interested in adding things up

# Advantages of geometric view



## Advantages of geometric view

- ▶ \* When comparing physical quantities, or quantities with natural units

## Advantages of geometric view

- ▶ \* When comparing physical quantities, or quantities with natural units
- ▶ \*



## Advantages of geometric view

- ▶ \* When comparing physical quantities, or quantities with natural units
- ▶ \* When comparing proportionally

## Advantages of geometric view

- ▶ \* When comparing physical quantities, or quantities with natural units
- ▶ \* When comparing proportionally

## Gypsy-moth example



# Scales in population biology

- The linear scale looks at differences at the population scale

# Scales in population biology

- ▶ The linear scale looks at differences at the population scale
- ▶ The log scale looks at differences at the individual scale (per capita)

# Scales in population biology

- ▶ The linear scale looks at differences at the population scale
- ▶ The log scale looks at differences at the individual scale (per capita)

## Subsection 2

### Time scales

# *Speeding in Taiwan*

- A life experience



# *Speeding in Taiwan*

- ▶ A life experience
- ▶ Some clarifications



# *Speeding in Taiwan*

- ▶ A life experience
- ▶ Some clarifications
  - ▶ I was reading the sign wrong



# Speeding in Taiwan

- ▶ A life experience
- ▶ Some clarifications
  - ▶ I was reading the sign wrong
  - ▶ I didn't actually know how to say speed



# Speeding in Taiwan

- ▶ A life experience
- ▶ Some clarifications
  - ▶ I was reading the sign wrong
  - ▶ I didn't actually know how to say speed
  - ▶ **The whole thing never happened**



# *Speeding in Taiwan*

- ▶ A life experience
- ▶ Some clarifications
  - ▶ I was reading the sign wrong
  - ▶ I didn't actually know how to say speed
  - ▶ The whole thing never happened



# *Speeding in Taiwan*

- ▶ Moral:

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ **Poll: Do I ever arrive in the (ideal) town of Speed?**

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \*

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \*

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \* But I do get extremely close (after several hours)

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \* But I do get extremely close (after several hours)
- ▶ Does anyone remember Zeno's paradox?

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \* But I do get extremely close (after several hours)
- ▶ Does anyone remember Zeno's paradox?
  - ▶ \*

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \* But I do get extremely close (after several hours)
- ▶ Does anyone remember Zeno's paradox?
  - ▶ \* Don't worry about it, then

# Speeding in Taiwan

- ▶ Moral:
  - ▶ Units (km is *not* a speed)
  - ▶ Exponential decay
- ▶ Imagine now that I follow the signs exactly and unrealistically.
- ▶ Poll: Do I ever arrive in the (ideal) town of Speed?
  - ▶ \* No
  - ▶ \* But I do get extremely close (after several hours)
- ▶ Does anyone remember Zeno's paradox?
  - ▶ \* Don't worry about it, then

## Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).

## Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).
- ▶ The constant ratio between the rate of change and the thing that is changing is:

# Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).
- ▶ The constant ratio between the rate of change and the thing that is changing is:
  - ▶ the **characteristic time** (something/change), or

## Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).
- ▶ The constant ratio between the rate of change and the thing that is changing is:
  - ▶ the **characteristic time** (something/change), or
  - ▶ the **rate of exponential decline** (change/something)


# Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).
- ▶ The constant ratio between the rate of change and the thing that is changing is:
  - ▶ the **characteristic time** (something/change), or
  - ▶ the **rate of exponential decline** (change/something)
- ▶ *I'm always 1 hour away from the town of Speed*


# Characteristic times

- ▶ If something is declining exponentially, the rate of change (units [widgets/time]) is always proportional to the size of the thing ([widgets]).
- ▶ The constant ratio between the rate of change and the thing that is changing is:
  - ▶ the **characteristic time** (something/change), or
  - ▶ the **rate of exponential decline** (change/something)
- ▶ *I'm always 1 hour away from the town of Speed*


# Characteristic times




## Characteristic times



## Characteristic times



## Characteristic times



# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?

# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr

# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:

# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?

# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?
  - ▶ Poll: 1 wk?

# Bacteriostasis

- ▶ What if we add an agent to the tank that makes the birth and death rates nearly zero?
- ▶ Now the bacteria are merely washing out at the rate of 0.02/hr
- ▶ If we start with 10 bacteria/ml, how many do we have after:
  - ▶ Poll: 1 hr?
  - ▶ Poll: 1 wk?

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr

▶ \*

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:
  - ▶ \*

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:
  - ▶ \* After one hour, 9.802 bacteria/ml

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:
  - ▶ \* After one hour, 9.802 bacteria/ml
  - ▶ \*

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:
  - ▶ \* After one hour, 9.802 bacteria/ml
  - ▶ \* After one week, 0.347 bacteria/ml

# Bacteriostasis answers

- ▶ Bacteria wash out at the rate of 0.02/hr
  - ▶ \* This can only make sense with concrete units if we think of it as an instantaneous rate – more soon
  - ▶ \*  $N = N_0 \exp(-rt)$
- ▶ Start with 10 bacteria/ml:
  - ▶ \* After one hour, 9.802 bacteria/ml
  - ▶ \* After one week, 0.347 bacteria/ml

# Bacteriostasis analysis

- Rate of exponential decline is  $r = 0.02/\text{hr}$

# Bacteriostasis analysis

- ▶ Rate of exponential decline is  $r = 0.02/\text{hr}$
- ▶ Characteristic time is  $T_c = 1/r = 50 \text{ hr}$

# Bacteriostasis analysis

- ▶ Rate of exponential decline is  $r = 0.02/\text{hr}$
- ▶ Characteristic time is  $T_c = 1/r = 50 \text{ hr}$
- ▶ If experiment time  $t \ll T_c$ , then proportional decline  $\approx t/T_c$

## Bacteriostasis analysis

- ▶ Rate of exponential decline is  $r = 0.02/\text{hr}$
- ▶ Characteristic time is  $T_c = 1/r = 50 \text{ hr}$
- ▶ If experiment time  $t \ll T_c$ , then proportional decline  $\approx t/T_c$
- ▶ **The answer makes sense for short times and for long times**


# Bacteriostasis analysis

- ▶ Rate of exponential decline is  $r = 0.02/\text{hr}$
- ▶ Characteristic time is  $T_c = 1/r = 50 \text{ hr}$
- ▶ If experiment time  $t \ll T_c$ , then proportional decline  $\approx t/T_c$
- ▶ The answer makes sense for short times and for long times
- ▶ *We will come back to this*


# Bacteriostasis analysis

- ▶ Rate of exponential decline is  $r = 0.02/\text{hr}$
- ▶ Characteristic time is  $T_c = 1/r = 50 \text{ hr}$
- ▶ If experiment time  $t \ll T_c$ , then proportional decline  $\approx t/T_c$
- ▶ The answer makes sense for short times and for long times
- ▶ *We will come back to this*


# Characteristic times




# Characteristic times



## Characteristic times



# Characteristic times



# Euler's $e$

- ▶ The reason mathematicians like  $e$  is that it makes this link between instantaneous change and long-term behaviour

# Euler's $e$

- ▶ The reason mathematicians like  $e$  is that it makes this link between instantaneous change and long-term behaviour
- ▶ If I drive for an hour, how much closer do I get to the ideal town of Speed?

# Euler's $e$

- ▶ The reason mathematicians like  $e$  is that it makes this link between instantaneous change and long-term behaviour
- ▶ If I drive for an hour, how much closer do I get to the ideal town of Speed?

▶ \*

# Euler's $e$

- ▶ The reason mathematicians like  $e$  is that it makes this link between instantaneous change and long-term behaviour
- ▶ If I drive for an hour, how much closer do I get to the ideal town of Speed?
  - ▶ \*  $e$  times closer

# Euler's $e$

- ▶ The reason mathematicians like  $e$  is that it makes this link between instantaneous change and long-term behaviour
- ▶ If I drive for an hour, how much closer do I get to the ideal town of Speed?
  - ▶ \*  $e$  times closer

## *Euler's e*

- ▶  $e$  or  $1/e$  is the approximate answer to a lot of questions like this one

## *Euler's e*

- ▶  $e$  or  $1/e$  is the approximate answer to a lot of questions like this one
  - ▶ If I compound 1%/year interest for 100 years, how much does my money grow?

## *Euler's e*

- ▶  $e$  or  $1/e$  is the approximate answer to a lot of questions like this one
  - ▶ If I compound 1%/year interest for 100 years, how much does my money grow?
  - ▶ If two people go deal out two decks of cards simultaneously, what is the probability they will never match cards?

## *Euler's e*

- ▶  $e$  or  $1/e$  is the approximate answer to a lot of questions like this one
  - ▶ If I compound 1%/year interest for 100 years, how much does my money grow?
  - ▶ If two people go deal out two decks of cards simultaneously, what is the probability they will never match cards?
  - ▶ **If everyone picks up a backpack at random after a test, what's the probability nobody gets the right backpack?**

## *Euler's e*

- ▶  $e$  or  $1/e$  is the approximate answer to a lot of questions like this one
  - ▶ If I compound 1%/year interest for 100 years, how much does my money grow?
  - ▶ If two people go deal out two decks of cards simultaneously, what is the probability they will never match cards?
  - ▶ If everyone picks up a backpack at random after a test, what's the probability nobody gets the right backpack?

# Exponential growth

- We can think about exponential growth the same way as exponential decline:

# Exponential growth

- ▶ We can think about exponential growth the same way as exponential decline:
  - ▶ Things are always changing at a rate that would take a fixed amount of time to get (back) to zero

# Exponential growth

- ▶ We can think about exponential growth the same way as exponential decline:
  - ▶ Things are always changing at a rate that would take a fixed amount of time to get (back) to zero
  - ▶ **This is the characteristic time**


# Exponential growth

- ▶ We can think about exponential growth the same way as exponential decline:
  - ▶ Things are always changing at a rate that would take a fixed amount of time to get (back) to zero
  - ▶ This is the characteristic time
  - ▶ Exponential growth follows  $N = N_0 \exp(rt) = N_0 \exp(t/T_c)$


# Exponential growth

- ▶ We can think about exponential growth the same way as exponential decline:
  - ▶ Things are always changing at a rate that would take a fixed amount of time to get (back) to zero
  - ▶ This is the characteristic time
  - ▶ Exponential growth follows  $N = N_0 \exp(rt) = N_0 \exp(t/T_c)$


# Characteristic times




# Characteristic times



## Characteristic times



# Characteristic times



# Doubling time

- ▶ Some people prefer to think about doubling times.

# Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.

## Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.
  - ▶ It takes  $T_c$  time to increase by a factor of  $e$

# Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.
  - ▶ It takes  $T_c$  time to increase by a factor of e
  - ▶ It takes  $\log_e(2)T_c \approx 0.69T_c$  to increase by a factor of 2

# Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.
  - ▶ It takes  $T_c$  time to increase by a factor of  $e$
  - ▶ It takes  $\log_e(2)T_c \approx 0.69T_c$  to increase by a factor of 2
  - ▶ We can write  $T_d = \log_e(2)T_c$


# Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.
  - ▶ It takes  $T_c$  time to increase by a factor of  $e$
  - ▶ It takes  $\log_e(2)T_c \approx 0.69T_c$  to increase by a factor of 2
  - ▶ We can write  $T_d = \log_e(2)T_c$
- ▶ You should be able to do this calculation


# Doubling time

- ▶ Some people prefer to think about doubling times.
- ▶ These make just as much sense as characteristic times, but don't have the direct link to the instantaneous change.
  - ▶ It takes  $T_c$  time to increase by a factor of  $e$
  - ▶ It takes  $\log_e(2)T_c \approx 0.69T_c$  to increase by a factor of 2
  - ▶ We can write  $T_d = \log_e(2)T_c$
- ▶ You should be able to do this calculation


### Bacterial growth



### Bacterial growth



## Bacterial growth



# Half life

- The half life plays the same role for exponential decline as the doubling time does for exponential growth:

# Half life

- ▶ The half life plays the same role for exponential decline as the doubling time does for exponential growth:
  - ▶  $T_h = \log_e(2) T_c$

# Half life

- ▶ The half life plays the same role for exponential decline as the doubling time does for exponential growth:
  - ▶  $T_h = \log_e(2) T_c$
  - ▶ It takes  $T_c$  time for a declining population to decrease by a factor of  $e$

## Half life

- ▶ The half life plays the same role for exponential decline as the doubling time does for exponential growth:
  - ▶  $T_h = \log_e(2) T_c$
  - ▶ It takes  $T_c$  time for a declining population to decrease by a factor of  $e$
  - ▶ It takes  $\log_e(2) T_c \approx 0.69 T_c$  to decrease by a factor of 2


# Half life

- ▶ The half life plays the same role for exponential decline as the doubling time does for exponential growth:
  - ▶  $T_h = \log_e(2) T_c$
  - ▶ It takes  $T_c$  time for a declining population to decrease by a factor of  $e$
  - ▶ It takes  $\log_e(2) T_c \approx 0.69 T_c$  to decrease by a factor of 2
  - ▶ We can write  $T_h = \log_e(2) T_c$


# Half life

- ▶ The half life plays the same role for exponential decline as the doubling time does for exponential growth:
  - ▶  $T_h = \log_e(2) T_c$
  - ▶ It takes  $T_c$  time for a declining population to decrease by a factor of  $e$
  - ▶ It takes  $\log_e(2) T_c \approx 0.69 T_c$  to decrease by a factor of 2
  - ▶ We can write  $T_h = \log_e(2) T_c$


### Bacteriostasis



## Bacteriostasis



### Bacteriostasis



# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model

Continuous-time model

Links

## Growth and regulation

## Subsection 1

### Dynamical models


# Dynamical models

## Tools to link scales

- Models are what we use to link:



Measles reports from England and Wales




## Tools to link scales

- ▶ Models are what we use to link:
  - ▶ Individual-level to population-level processes



Measles reports from England and Wales




## Tools to link scales

- ▶ Models are what we use to link:
  - ▶ Individual-level to population-level processes
  - ▶ Short time scales to long time scales



Measles reports from England and Wales




## Tools to link scales

- ▶ Models are what we use to link:
  - ▶ Individual-level to population-level processes
  - ▶ Short time scales to long time scales
- ▶ In both directions



Measles reports from England and Wales




## Tools to link scales

- ▶ Models are what we use to link:
  - ▶ Individual-level to population-level processes
  - ▶ Short time scales to long time scales
- ▶ In both directions




Measles reports from England and Wales




# Assumptions

- Models are always simplifications of reality




# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”




# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”
  - ▶ **“All models are wrong, but some are useful”**




# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”
  - ▶ “All models are wrong, but some are useful”
- ▶ Models are useful for:




# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”
  - ▶ “All models are wrong, but some are useful”
- ▶ Models are useful for:
  - ▶ linking assumptions to outcomes




# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”
  - ▶ “All models are wrong, but some are useful”
- ▶ Models are useful for:
  - ▶ linking assumptions to outcomes
  - ▶ identifying where assumptions are broken



# Assumptions

- ▶ Models are always simplifications of reality
  - ▶ “The map is not the territory”
  - ▶ “All models are wrong, but some are useful”
- ▶ Models are useful for:
  - ▶ linking assumptions to outcomes
  - ▶ identifying where assumptions are broken



# Dynamical models

- ▶ **Dynamical models** describe rules for how a system changes at each point in time

# Dynamical models

- ▶ **Dynamical models** describe rules for how a system changes at each point in time
- ▶ We will see what these assumptions about how the system *changes* lead to conclusions about what the system *does* over longer time periods

# Dynamical models

- ▶ **Dynamical models** describe rules for how a system changes at each point in time
- ▶ We will see what these assumptions about how the system *changes* lead to conclusions about what the system *does* over longer time periods

## States and state variables

- Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**

# States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:

# States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:
  - ▶ Dandelions: state is population size, described by one state variable (the number of individuals)

# States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:
  - ▶ Dandelions: state is population size, described by one state variable (the number of individuals)
  - ▶ Bacteria: state is population density, described by one state variable (the number of individuals per ml)

# States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:
  - ▶ Dandelions: state is population size, described by one state variable (the number of individuals)
  - ▶ Bacteria: state is population density, described by one state variable (the number of individuals per ml)
  - ▶ Pine trees: state is amount of wood, described by one state variable (tons per hectare)

# States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:
  - ▶ Dandelions: state is population size, described by one state variable (the number of individuals)
  - ▶ Bacteria: state is population density, described by one state variable (the number of individuals per ml)
  - ▶ Pine trees: state is amount of wood, described by one state variable (tons per hectare)
- ▶ Limiting the number of state variables is key to simple models

## States and state variables

- ▶ Our dynamic models imagine that a system has a **state** at any given time, described by one or more **state variables**
- ▶ Examples:
  - ▶ Dandelions: state is population size, described by one state variable (the number of individuals)
  - ▶ Bacteria: state is population density, described by one state variable (the number of individuals per ml)
  - ▶ Pine trees: state is amount of wood, described by one state variable (tons per hectare)
- ▶ Limiting the number of state variables is key to simple models

# Parameters

- ▶ **Parameters** are the quantities that describe the rules for our system

# Parameters

- ▶ **Parameters** are the quantities that describe the rules for our system
- ▶ Examples:

# Parameters

- ▶ **Parameters** are the quantities that describe the rules for our system
- ▶ Examples:
  - ▶ Birth rate, death rate, fecundity, survival probability

# Parameters

- ▶ **Parameters** are the quantities that describe the rules for our system
- ▶ Examples:
  - ▶ Birth rate, death rate, fecundity, survival probability

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ **Poll: What are some reasons why this answer might change?**

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \*

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \*

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death
  - ▶ \*

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death
  - ▶ \* Immigration and emigration

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death
  - ▶ \* Immigration and emigration
  - ▶ \*

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death
  - ▶ \* Immigration and emigration
  - ▶ \* Sampling (ie., my counts are not perfectly correct)

# How do populations change?

- ▶ I survey a population in 2005, and again in 2009. I get a different answer the second time.
- ▶ Poll: **What are some reasons why this answer might change?**
  - ▶ \* Birth
  - ▶ \* Death
  - ▶ \* Immigration and emigration
  - ▶ \* Sampling (ie., my counts are not perfectly correct)

## Censusing and intermediate variables

- ▶ Often, our population models will imagine that the population is **censused** (counted) at particular periods of time

## Censusing and intermediate variables

- ▶ Often, our population models will imagine that the population is **censused** (counted) at particular periods of time
- ▶ Calculations of what happens between census times may be part of how we make our population model, without showing up in the main model itself

## Censusing and intermediate variables

- ▶ Often, our population models will imagine that the population is **censused** (counted) at particular periods of time
- ▶ Calculations of what happens between census times may be part of how we make our population model, without showing up in the main model itself
  - ▶ For example, our moth and dandelion examples

## Censusing and intermediate variables

- ▶ Often, our population models will imagine that the population is **censused** (counted) at particular periods of time
- ▶ Calculations of what happens between census times may be part of how we make our population model, without showing up in the main model itself
  - ▶ For example, our moth and dandelion examples

# Linear population models

- We will focus mostly on births and deaths

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size
- ▶ If per capita rates are constant, we say that our population *models* are **linear**

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size
- ▶ If per capita rates are constant, we say that our population *models* are **linear**
  - ▶ Linear models do not usually correspond to linear growth!

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size
- ▶ If per capita rates are constant, we say that our population *models* are **linear**
  - ▶ Linear models do not usually correspond to linear growth!
  - ▶ \*

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size
- ▶ If per capita rates are constant, we say that our population *models* are **linear**
  - ▶ Linear models do not usually correspond to linear growth!
  - ▶ \* **They usually correspond to exponential growth – or decline**

# Linear population models

- ▶ We will focus mostly on births and deaths
- ▶ Births and deaths are done by individuals
  - ▶ We model the rate of each individual (per capita rates)
  - ▶ Total rate is the per capita rate multiplied by population size
- ▶ If per capita rates are constant, we say that our population *models* are **linear**
  - ▶ Linear models do not usually correspond to linear growth!
  - ▶ \* **They usually correspond to exponential growth – or decline**

## Subsection 2

## Examples


# Gypsy moths

- ▶ A pest species that feeds on deciduous trees



# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago



# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago
- ▶ Capable of wide-scale defoliation





# Gypsy moths

- ▶ A pest species that feeds on deciduous trees
- ▶ Introduced to N. America from Europe 150 years ago
- ▶ Capable of wide-scale defoliation



# *Gypsy moth populations*



# Moth example

- ▶ State variables



# Moth example

- ▶ State variables

▶ \*



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \*



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \*



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \* Time step



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \* Time step
- ▶ Census time



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \* Time step
- ▶ Census time
  - ▶ \*



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \* Time step
- ▶ Census time
  - ▶ \* Annually; use the same time (and stage) each year



# Moth example

- ▶ State variables
  - ▶ \* Number of moths/ha
- ▶ Parameters
  - ▶ \* Number of eggs, sex ratio, larval survival, pupal survival, adult survival
  - ▶ \* Time step
- ▶ Census time
  - ▶ \* Annually; use the same time (and stage) each year



# Bacteria


- State variables



# Bacteria

- ▶ State variables

- ▶ \*



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml




# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \*



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \* Division rate, death rate, washout rate



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \* Division rate, death rate, washout rate
- ▶ Census time



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \* Division rate, death rate, washout rate
- ▶ Census time
  - ▶ \*



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \* Division rate, death rate, washout rate
- ▶ Census time
  - ▶ \* Always!



# Bacteria

- ▶ State variables
  - ▶ \* Number of bacteria/ml
- ▶ Parameters
  - ▶ \* Division rate, death rate, washout rate
- ▶ Census time
  - ▶ \* Always!



# Dandelions

- ▶ State variables



# Dandelions

- ▶ State variables

▶ \*



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \*



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time
  - ▶ \*



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time
  - ▶ \* Annually, before reproduction



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time
  - ▶ \* Annually, before reproduction
  - ▶ \*



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time
  - ▶ \* Annually, before reproduction
  - ▶ \* When new and returning individuals are most similar



# Dandelions

- ▶ State variables
  - ▶ \* Number of dandelions in a field
- ▶ Parameters
  - ▶ \* Seed production, survival to adulthood, adult survival
- ▶ Census time
  - ▶ \* Annually, before reproduction
  - ▶ \* When new and returning individuals are most similar



## Subsection 3

### A simple discrete-time model

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$

## Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$
  - ▶ Each individual creates (on average)  $f$  new individuals that will be counted at time step  $T + 1$

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$
  - ▶ Each individual creates (on average)  $f$  new individuals that will be counted at time step  $T + 1$
- ▶ How many individuals do we expect in the next time step?

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$
  - ▶ Each individual creates (on average)  $f$  new individuals that will be counted at time step  $T + 1$
- ▶ How many individuals do we expect in the next time step?
  - ▶ \*

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$
  - ▶ Each individual creates (on average)  $f$  new individuals that will be counted at time step  $T + 1$
- ▶ How many individuals do we expect in the next time step?
  - ▶ \*  $N_{T+1} = (pN_T + fN_T) = (p + f)N_T$

# Assumptions

- ▶ If we have  $N$  individuals after  $T$  time steps, what determines how many individuals we have after  $T + 1$  time steps?
  - ▶ A fixed proportion  $p$  of the population (on average) survives to be counted at time step  $T + 1$
  - ▶ Each individual creates (on average)  $f$  new individuals that will be counted at time step  $T + 1$
- ▶ How many individuals do we expect in the next time step?
  - ▶ \*  $N_{T+1} = (pN_T + fN_T) = (p + f)N_T$

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around

## Assumptions

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population is censused at regular time intervals  $\Delta t$

## Assumptions

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population is censused at regular time intervals  $\Delta t$ 
  - ▶ Usually  $\Delta t = 1$  yr

## Assumptions

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population is censused at regular time intervals  $\Delta t$ 
  - ▶ Usually  $\Delta t = 1$  yr
- ▶ All individuals are the same at the time of census

## Assumptions

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population is censused at regular time intervals  $\Delta t$ 
  - ▶ Usually  $\Delta t = 1$  yr
- ▶ All individuals are the same at the time of census
- ▶ Population changes deterministically

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population is censused at regular time intervals  $\Delta t$ 
  - ▶ Usually  $\Delta t = 1$  yr
- ▶ All individuals are the same at the time of census
- ▶ Population changes deterministically

# Definitions

- ▶  $p$  is the **survival probability**

# Definitions

- ▶  $p$  is the **survival probability**
- ▶  $f$  is the **fecundity**

# Definitions

- ▶  $p$  is the **survival probability**
- ▶  $f$  is the **fecundity**
- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**

# Definitions

- ▶  $p$  is the **survival probability**
- ▶  $f$  is the **fecundity**
- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
  - ▶ ... associated with the time step  $\Delta t$

# Definitions

- ▶  $p$  is the **survival probability**
- ▶  $f$  is the **fecundity**
- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
  - ▶ ... associated with the time step  $\Delta t$

# Model

- Dynamics:

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?
  - ▶ \*

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?
  - ▶ \* Increases exponentially (geometrically) when  $\lambda > 1$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?
  - ▶ \* Increases exponentially (geometrically) when  $\lambda > 1$
  - ▶ \*

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?
  - ▶ \* Increases exponentially (geometrically) when  $\lambda > 1$
  - ▶ \* Decreases exponentially when  $\lambda < 1$

# Model

- ▶ Dynamics:
  - ▶  $N_{T+1} = \lambda N_T$
  - ▶  $t_{T+1} = t_T + \Delta t$
- ▶ Solution:
  - ▶  $N_T = N_0 \lambda^T$
  - ▶  $t_T = T \Delta t$
- ▶ Poll: How does  $N$  behave in this model?
  - ▶ \* Increases exponentially (geometrically) when  $\lambda > 1$
  - ▶ \* Decreases exponentially when  $\lambda < 1$

# Example



	A	B	C	D
1	Date	Income	Expenses	Profit
2	2005-12-17	235 €	128 €	107 €
3	2005-12-18	311 €	124 €	187 €
4	2005-12-19	457 €	466 €	-9 €
5	2005-12-20	232 €	132 €	100 €
6	2005-12-21	122 €	134 €	-12 €
7	2005-12-22	128 €	223 €	-95 €
8	2005-12-23	432 €	218 €	214 €
9	2005-12-24	256 €	121 €	135 €
10		2.173 €	1.546 €	627 €
11				
12	Avg. Profit	$=AVERAGE(D2:D9)$		

► Spreadsheet (see resource page)

# Example



	A	B	C	D
1	Date	Income	Expenses	Profit
2	2005-12-17	235 €	128 €	107 €
3	2005-12-18	311 €	124 €	187 €
4	2005-12-19	457 €	466 €	-9 €
5	2005-12-20	232 €	132 €	100 €
6	2005-12-21	122 €	134 €	-12 €
7	2005-12-22	128 €	223 €	-95 €
8	2005-12-23	432 €	218 €	214 €
9	2005-12-24	256 €	121 €	135 €
10		2.173 €	1.546 €	627 €
11				
12	Avg. Profit	$=AVERAGE(D2:D9)$		

- ▶ Spreadsheet (see resource page)

## Interpretation

- ▶ Assumptions are simplifications based on reality

# Interpretation

- ▶ Assumptions are simplifications based on reality
- ▶ We can understand why populations change exponentially sometimes

# Interpretation

- ▶ Assumptions are simplifications based on reality
- ▶ We can understand why populations change exponentially sometimes
- ▶ We can look for *reasons* when they don't

## Interpretation

- ▶ Assumptions are simplifications based on reality
- ▶ We can understand why populations change exponentially sometimes
- ▶ We can look for *reasons* when they don't

# Examples

- Moths



# Examples

- ▶ Moths
  - ▶  $p = 0$ , so  $\lambda = f$ .



# Examples

- ▶ Moths
  - ▶  $p = 0$ , so  $\lambda = f$ .
    - ▶ Moths are **semelparous** (reproduce once); they have an **annual** population



# Examples

- ▶ Moths
  - ▶  $p = 0$ , so  $\lambda = f$ .
    - ▶ Moths are **semelparous** (reproduce once); they have an **annual** population
- ▶ Dandelions



# Examples

- ▶ Moths
  - ▶  $p = 0$ , so  $\lambda = f$ .
    - ▶ Moths are **semelparous** (reproduce once); they have an **annual** population
- ▶ Dandelions
  - ▶ If  $p > 0$ , then the dandelions are **iteroparous**; they are a **perennial** population



# Examples

- ▶ Moths
  - ▶  $p = 0$ , so  $\lambda = f$ .
    - ▶ Moths are **semelparous** (reproduce once); they have an **annual** population
- ▶ Dandelions
  - ▶ If  $p > 0$ , then the dandelions are **iteroparous**; they are a **perennial** population



## Subsection 4

### A simple continuous-time model

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?

▶ \*

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?
  - ▶ 
$$* \frac{dN}{dt} = (b - d)N$$

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?
  - ▶ 
$$* \frac{dN}{dt} = (b - d)N$$
  - ▶ \*

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?
  - ▶ \*  $\frac{dN}{dt} = (b - d)N$
  - ▶ \* That's what calculus is *for* – describing instantaneous rates of change

# Assumptions

- ▶ If we have  $N$  individuals at time  $t$ , how does the population change?
  - ▶ Individuals are giving birth at per-capita rate  $b$
  - ▶ Individuals are dying at per-capita rate  $d$
- ▶ How we describe the population dynamics?
  - ▶ \*  $\frac{dN}{dt} = (b - d)N$
  - ▶ \* That's what calculus is *for* – describing instantaneous rates of change

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously

▶ \*

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously
  - ▶ \* Advantageous if reproduction is continuous

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously
  - ▶ \* Advantageous if reproduction is continuous
- ▶ All individuals are the same all the time

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously
  - ▶ \* **Advantageous if reproduction is continuous**
- ▶ All individuals are the same all the time
  - ▶ \*

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously
  - ▶ \* **Advantageous if reproduction is continuous**
- ▶ All individuals are the same all the time
  - ▶ \* **Usually disadvantageous**

## *Assumptions*

- ▶ Individuals are **independent**: what I do does not depend on how many other individuals are around
- ▶ The population can be censused at any time
- ▶ Population size changes continuously
  - ▶ \* **Advantageous if reproduction is continuous**
- ▶ All individuals are the same all the time
  - ▶ \* **Usually disadvantageous**

# Definitions

- ▶  $b$  is the **birth rate**

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.

## Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:

## Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:

▶ \*

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:
  - ▶ \*  $1/\text{[time]}$

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:
  - ▶ \*  $1/\text{[time]}$
  - ▶ \*

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:
  - ▶ \*  $1/\text{[time]}$
  - ▶ \*  $\equiv (\text{indiv}/\text{[time]}))/\text{indiv}$

# Definitions

- ▶  $b$  is the **birth rate**
- ▶  $d$  is the **death rate**
- ▶  $r \equiv b - d$  is the **instantaneous rate of increase**.
- ▶ These quantities are not associated with a time period, but they have units:
  - ▶ \*  $1/\text{[time]}$
  - ▶ \*  $\equiv (\text{indiv}/\text{[time]}))/\text{indiv}$

# Model

- ▶ Dynamics:

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

- ▶ \*

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

- ▶ \* Increases exponentially when  $r > 0$

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

- ▶ \* Increases exponentially when  $r > 0$

- ▶ \*

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

- ▶ \* Increases exponentially when  $r > 0$
- ▶ \* Decreases exponentially when  $r < 0$

# Model

- ▶ Dynamics:

- ▶ 
$$\frac{dN}{dt} = rN$$

- ▶ Solution:

- ▶ 
$$N(t) = N_0 \exp(rt)$$

- ▶ Behaviour

- ▶ \* Increases exponentially when  $r > 0$
- ▶ \* Decreases exponentially when  $r < 0$

# Bacteria

- ▶ Conceptually, this is just as simple as the dandelions or the moths

# Bacteria

- ▶ Conceptually, this is just as simple as the dandelions or the moths
  - ▶ In fact, simpler



# Bacteria

- ▶ Conceptually, this is just as simple as the dandelions or the moths
  - ▶ In fact, simpler
- ▶ But we can't do an infinite number of simulation steps on the computer

# Bacteria

- ▶ Conceptually, this is just as simple as the dandelions or the moths
  - ▶ In fact, simpler
- ▶ But we can't do an infinite number of simulation steps on the computer

# Bacteria



# Summary

- ▶ We can construct simple, conceptual models and make them into dynamic models

## Summary

- ▶ We can construct simple, conceptual models and make them into dynamic models
  - ▶ If we assume that *individuals* behave independently, then

# Summary

- ▶ We can construct simple, conceptual models and make them into dynamic models
- ▶ If we assume that *individuals* behave independently, then
  - ▶ we expect *populations* to grow (or decline) exponentially

# Summary

- ▶ We can construct simple, conceptual models and make them into dynamic models
- ▶ If we assume that *individuals* behave independently, then
  - ▶ we expect *populations* to grow (or decline) exponentially

# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model

Continuous-time model

Links

## Growth and regulation

# Units are our friends

- ▶ Keep track of units at all times



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressoes / day?}$



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressoes/day}$ ?
  - ▶ \*



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \* 12 espressos



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \*  $12 \text{ espressos}$
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \* **12 espressos**
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?
  - ▶ \*



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \*  $12 \text{ espressos}$
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day}$



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressoes/day}$ ?
  - ▶ \*  $12 \text{ espressoes}$
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day}$
  - ▶ \*



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \*  $12 \text{ espressos}$
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day}$
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day} \cdot \frac{168 \text{ day}}{\text{wk}}$



# Units are our friends

- ▶ Keep track of units at all times
- ▶ Use units to confirm that your answers make sense
  - ▶ Or to find quick ways of getting the answer
- ▶ What is  $3 \text{ day} \cdot 4 \text{ espressos/day}$ ?
  - ▶ \*  $12 \text{ espressos}$
- ▶ What is  $1 \text{ wk} \cdot 0.02/\text{day}$ ?
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day}$
  - ▶ \*  $1 \text{ wk} \cdot 0.02 \text{ day} \cdot \frac{168 \text{ day}}{\text{wk}}$



# Manipulating units

- We can multiply quantities with different units by keeping track of the units



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ **Poll:** How many seconds are there in a day?



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ Poll: How many seconds are there in a day?

▶ \*



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ Poll: How many seconds are there in a day?

$$\rightarrow * \frac{60 \text{ sec}}{\text{min}} \cdot \frac{60 \text{ min}}{\text{hr}} \cdot \frac{24 \text{ hr}}{\text{day}}$$



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ Poll: How many seconds are there in a day?

- ▶ \* 
$$\frac{60 \text{ sec}}{\text{min}} \cdot \frac{60 \text{ min}}{\text{hr}} \cdot \frac{24 \text{ hr}}{\text{day}}$$
- ▶ \*



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ Poll: How many seconds are there in a day?

- ▶ \* 
$$\frac{60 \text{ sec}}{\text{min}} \cdot \frac{60 \text{ min}}{\text{hr}} \cdot \frac{24 \text{ hr}}{\text{day}}$$
- ▶ \* 86400 sec/day



# Manipulating units

- ▶ We can multiply quantities with different units by keeping track of the units
- ▶ We *cannot* add quantities with different units (unless they can be converted to the same units)
- ▶ Poll: How many seconds are there in a day?

- ▶ \* 
$$\frac{60 \text{ sec}}{\text{min}} \cdot \frac{60 \text{ min}}{\text{hr}} \cdot \frac{24 \text{ hr}}{\text{day}}$$
- ▶ \* 86400 sec/day



## Scaling

- Quantities with units set scales, which can be changed

# Scaling

- ▶ Quantities with units set scales, which can be changed
  - ▶ If I multiply all the quantities with units of time in my model by 10, I should get an answer that looks the same, but with a different time scale

# Scaling


- ▶ Quantities with units set scales, which can be changed
  - ▶ If I multiply all the quantities with units of time in my model by 10, I should get an answer that looks the same, but with a different time scale
  - ▶ If I multiply all the quantities with units of dandelions in my model by 10, I should get an answer that looks the same, but with a different number of dandelions

# Scaling


- ▶ Quantities with units set scales, which can be changed
  - ▶ If I multiply all the quantities with units of time in my model by 10, I should get an answer that looks the same, but with a different time scale
  - ▶ If I multiply all the quantities with units of dandelions in my model by 10, I should get an answer that looks the same, but with a different number of dandelions

# Scaling time in bacteria

$N_0=1$  indiv,  $r=0.5$ /day




$N_0=1$  indiv,  $r=1$ /day




# Scaling time in bacteria

$N_0=1$  indiv,  $r=0.5$ /day




$N_0=1$  indiv,  $r=1$ /day




## Scaling population



$N_0=1$  indiv,  $r=0.5$ /day



$N_0=20$  indiv,  $r=0.5$ /day



## Scaling population



# Thinking about units

- ▶ Poll: What is  $10^3$  day?

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \*

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \* Nonsense! 72 hr means *exactly* the same thing as 3 day – there is no way to resolve this to make sense.

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \* Nonsense! 72 hr means *exactly* the same thing as 3 day – there is no way to resolve this to make sense.
- ▶ What is 3 day · 3 day?

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \* Nonsense! 72 hr means *exactly* the same thing as 3 day – there is no way to resolve this to make sense.
- ▶ What is 3 day · 3 day?
  - ▶ \*

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \* Nonsense! 72 hr means *exactly* the same thing as 3 day – there is no way to resolve this to make sense.
- ▶ What is 3 day · 3 day?
  - ▶ \*  $9 \text{ day}^2$  – this *could* make sense, but it's very different from 9 day.

# Thinking about units

- ▶ Poll: What is  $10^3$  day?
- ▶ What is  $10^{72}$  hr?
  - ▶ \* Nonsense! 72 hr means *exactly* the same thing as 3 day – there is no way to resolve this to make sense.
- ▶ What is 3 day · 3 day?
  - ▶ \*  $9 \text{ day}^2$  – this *could* make sense, but it's very different from 9 day.

# Unit-ed quantities

- ▶ Quantities with units *scale*

# Unit-ed quantities

- ▶ Quantities with units *scale*
  - ▶ If you change everything with the same units by the same factor, you should not change the behaviour of your system

# Unit-ed quantities

- ▶ Quantities with units *scale*
  - ▶ If you change everything with the same units by the same factor, you should not change the behaviour of your system
- ▶ We typically make sense of quantities with units by comparing them to other quantities with the same units, e.g.:

# Unit-ed quantities

- ▶ Quantities with units *scale*
  - ▶ If you change everything with the same units by the same factor, you should not change the behaviour of your system
- ▶ We typically make sense of quantities with units by comparing them to other quantities with the same units, e.g.:
  - ▶ birth rate vs. death rate

# Unit-ed quantities

- ▶ Quantities with units *scale*
  - ▶ If you change everything with the same units by the same factor, you should not change the behaviour of your system
- ▶ We typically make sense of quantities with units by comparing them to other quantities with the same units, e.g.:
  - ▶ birth rate vs. death rate
  - ▶ characteristic time of exponential growth vs. observation time

# Unit-ed quantities

- ▶ Quantities with units *scale*
  - ▶ If you change everything with the same units by the same factor, you should not change the behaviour of your system
- ▶ We typically make sense of quantities with units by comparing them to other quantities with the same units, e.g.:
  - ▶ birth rate vs. death rate
  - ▶ characteristic time of exponential growth vs. observation time

# Unitless quantities

- Quantities in exponents must be unitless

## Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless

## Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form

# Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form
  - ▶ Otherwise, they could be scaled

# Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form
  - ▶ Otherwise, they could be scaled
  - ▶ **Zero works as a unitless quantity:**

# Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form
  - ▶ Otherwise, they could be scaled
  - ▶ Zero works as a unitless quantity:
    - ▶  $0\text{km} = 0\text{cm}$

# Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form
  - ▶ Otherwise, they could be scaled
  - ▶ Zero works as a unitless quantity:
    - ▶  $0\text{km} = 0\text{cm}$
- ▶ Examples include  $\lambda$  and  $\mathcal{R}$ .

# Unitless quantities

- ▶ Quantities in exponents must be unitless
- ▶ Quantities with variable exponents (quantities that can be multiplied by themselves over and over) must be unitless
- ▶ Quantities that determine *how* a system behaves must have a unitless form
  - ▶ Otherwise, they could be scaled
  - ▶ Zero works as a unitless quantity:
    - ▶  $0\text{km} = 0\text{cm}$
- ▶ Examples include  $\lambda$  and  $\mathcal{R}$ .

# Moths

- ▶ 600 egg/ rF

# Moths

- ▶ 600 egg/ rF
- ▶ .0.1 larva/ egg

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ **Poll:** What's the product?

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ Poll: What's the product?
  - ▶ \*

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ Poll: What's the product?
  - ▶ \* 1.5 rA/ rF

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ Poll: What's the product?
  - ▶ \* 1.5 rA/ rF
  - ▶ \*

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ Poll: What's the product?
  - ▶ \*  $1.5 rA/ rF$
  - ▶ \* Need to multiply by something with units  $rF/rA$  to close the loop

# Moths

- ▶ 600 egg/ rF
- ▶ ·0.1 larva/ egg
- ▶ ·0.1 pupa/ larva
- ▶ ·0.5 A/ pupa
- ▶ ·0.5 rA/ A
- ▶ Poll: What's the product?
  - ▶ \*  $1.5 rA/ rF$
  - ▶ \* Need to multiply by something with units  $rF/rA$  to close the loop

# Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
    - ▶ Reproductive adults to reproductive adults

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
  - ▶ Reproductive adults to reproductive adults
  - ▶ **Larvae to larvae**

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
  - ▶ Reproductive adults to reproductive adults
  - ▶ Larvae to larvae
  - ▶ **Pupae to pupae is common in real studies**

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
    - ▶ Reproductive adults to reproductive adults
    - ▶ Larvae to larvae
    - ▶ Pupae to pupae is common in real studies
- ▶ \*

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
  - ▶ Reproductive adults to reproductive adults
  - ▶ Larvae to larvae
  - ▶ Pupae to pupae is common in real studies
    - ▶ \* Pupae are easy to count

## Moth spreadsheet

- ▶ Once we close the loop, it doesn't matter where we start:
  - ▶ Reproductive adults to reproductive adults
  - ▶ Larvae to larvae
  - ▶ Pupae to pupae is common in real studies
    - ▶ \* Pupae are easy to count

# Calculating $\lambda$

- $\lambda \equiv p + f$  is the **finite rate of increase**

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \*

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \*

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \* Therefore  $\lambda$  must be unitless

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \* Therefore  $\lambda$  must be unitless
- ▶ Therefore  $p$  and  $f$  must be unitless

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \* Therefore  $\lambda$  must be unitless
- ▶ Therefore  $p$  and  $f$  must be unitless
  - ▶ example,  $rA/rA$ ; seed/seed

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \* Therefore  $\lambda$  must be unitless
- ▶ Therefore  $p$  and  $f$  must be unitless
  - ▶ example,  $rA/rA$ ; seed/seed
  - ▶ **to do it right, we close the loop**

# Calculating $\lambda$

- ▶  $\lambda \equiv p + f$  is the **finite rate of increase**
- ▶ If  $N_{T+1} = \lambda N_T$ , what are the units of  $\lambda$ ?
  - ▶ \* We multiply by  $\lambda$  over and over
  - ▶ \* Therefore  $\lambda$  must be unitless
- ▶ Therefore  $p$  and  $f$  must be unitless
  - ▶ example,  $rA/rA$ ; seed/seed
  - ▶ to do it right, we close the loop

# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model

Continuous-time model

Links

## Growth and regulation

## Subsection 1

### Discrete-time model

# Discrete-time model

- $N_{T+1} = \lambda N_T$

## Discrete-time model

- ▶  $N_{T+1} = \lambda N_T$
- ▶  $\lambda \equiv p + f$

## Discrete-time model

- ▶  $N_{T+1} = \lambda N_T$
- ▶  $\lambda \equiv p + f$

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Expected number of offspring when reproducing

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Expected number of offspring when reproducing
  - ▶ **Probability of offspring surviving to census**

# Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Expected number of offspring when reproducing
  - ▶ Probability of offspring surviving to census
- ▶ Need to end where we started

## Calculating fecundity

- ▶ Fecundity  $f$  in our model must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Expected number of offspring when reproducing
  - ▶ Probability of offspring surviving to census
- ▶ Need to end where we started

# Calculating survival

- Survival  $p$  must be unitless

# Calculating survival

- ▶ Survival  $p$  must be unitless
- ▶ **Multiply:**

# Calculating survival

- ▶ Survival  $p$  must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction

# Calculating survival

- ▶ Survival  $p$  must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ **Probability of surviving the reproduction period**

# Calculating survival

- ▶ Survival  $p$  must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Probability of surviving the reproduction period
  - ▶ Probability of surviving until the next census

# Calculating survival

- ▶ Survival  $p$  must be unitless
- ▶ Multiply:
  - ▶ Probability of surviving from census to reproduction
  - ▶ Probability of surviving the reproduction period
  - ▶ Probability of surviving until the next census

# Finite rate of increase

- ▶ Population increases when  $\lambda > 1$

## Finite rate of increase

- ▶ Population increases when  $\lambda > 1$
- ▶ So  $\lambda$  must be unitless

## Finite rate of increase

- ▶ Population increases when  $\lambda > 1$
- ▶ So  $\lambda$  must be unitless
- ▶ But it is *associated with* the time step  $\Delta t$

# Finite rate of increase

- ▶ Population increases when  $\lambda > 1$
- ▶ So  $\lambda$  must be unitless
- ▶ But it is *associated with* the time step  $\Delta t$ 
  - ▶ This means it is potentially confusing. It is often better to use  $\mathcal{R}$  or  $r$  (see below).

## Finite rate of increase

- ▶ Population increases when  $\lambda > 1$
- ▶ So  $\lambda$  must be unitless
- ▶ But it is *associated with* the time step  $\Delta t$ 
  - ▶ This means it is potentially confusing. It is often better to use  $\mathcal{R}$  or  $r$  (see below).

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R} \dots$ :

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R}$ ...:
  - ▶ \*

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R}$ ...:
  - ▶ \*  $\mathcal{R} > 1$

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R} \dots$ :
  - ▶ \*  $\mathcal{R} > 1$
- ▶ Poll: What are the units of  $\mathcal{R}$ ?

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R}$ ...:
  - ▶ \*  $\mathcal{R} > 1$
- ▶ Poll: What are the units of  $\mathcal{R}$ ?
  - ▶ \*

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R}$ ...:
  - ▶ \*  $\mathcal{R} > 1$
- ▶ Poll: What are the units of  $\mathcal{R}$ ?
  - ▶ \*  $\mathcal{R}$  must be unitless

# Reproductive number

- ▶ The reproductive number  $\mathcal{R}$  measures the average number of offspring produced by a single individual over the course of its lifetime
- ▶ Poll: The population will increase when  $\mathcal{R}$ ...:
  - ▶ \*  $\mathcal{R} > 1$
- ▶ Poll: What are the units of  $\mathcal{R}$ ?
  - ▶ \*  $\mathcal{R}$  must be unitless

## Lifespan

- ▶ What is the lifespan of an individual in this model?

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:

# Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶  $\mu = 1 - p$

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*

# Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶  $1/\mu$

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*  $1/\mu$
  - ▶ \*

## Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*  $1/\mu$
  - ▶ \* Roughly makes sense, and is also right

# Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*  $1/\mu$ 
    - ▶ \* Roughly makes sense, and is also right
  - ▶ \*

# Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*  $1/\mu$ 
    - ▶ \* Roughly makes sense, and is also right
  - ▶ \* Average lifetime is  $1/\mu * \Delta t$

# Lifespan

- ▶ What is the lifespan of an individual in this model?
- ▶ If  $p$  is the proportion of individuals that survive, then the proportion that die is:
  - ▶ \*  $\mu = 1 - p$
- ▶ How many time steps do you expect to survive, on average?
  - ▶ \*  $1/\mu$ 
    - ▶ \* Roughly makes sense, and is also right
  - ▶ \* Average lifetime is  $1/\mu * \Delta t$

# Calculating $\mathcal{R}$

- $\mathcal{R}$  is fecundity multiplied by lifespan

# Calculating $\mathcal{R}$

- ▶  $\mathcal{R}$  is fecundity multiplied by lifespan
- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$

# Calculating $\mathcal{R}$

- ▶  $\mathcal{R}$  is fecundity multiplied by lifespan
- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Why do we multiply by time *steps* instead of lifetime?

# Calculating $\mathcal{R}$

- ▶  $\mathcal{R}$  is fecundity multiplied by lifespan
- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Why do we multiply by time *steps* instead of lifetime?

▶ \*

# Calculating $\mathcal{R}$

- ▶  $\mathcal{R}$  is fecundity multiplied by lifespan
- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Why do we multiply by time *steps* instead of lifetime?
  - ▶ \* Because  $f$  is also measured per time step

# Calculating $\mathcal{R}$

- ▶  $\mathcal{R}$  is fecundity multiplied by lifespan
- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Why do we multiply by time *steps* instead of lifetime?
  - ▶ \* Because  $f$  is also measured per time step

# Comparison

- $\mathcal{R} = f/\mu = f/(1 - p)$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ **Unitless**

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶  $\lambda = f + p = f + (1 - \mu)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$
- ▶  $\lambda = f + p = f + (1 - \mu)$
- ▶ Unitless

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$
- ▶  $\lambda = f + p = f + (1 - \mu)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\lambda : 1$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$
- ▶  $\lambda = f + p = f + (1 - \mu)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\lambda : 1$ 
  - ▶ Equivalent to  $f : \mu$

# Comparison

- ▶  $\mathcal{R} = f/\mu = f/(1 - p)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $f : \mu$
- ▶  $\lambda = f + p = f + (1 - \mu)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\lambda : 1$ 
  - ▶ Equivalent to  $f : \mu$

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?

▶ \*

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \*

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \*

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \* Both come down to  $f > \mu$ .

# Is the population increasing?

- ▶ What does  $\lambda$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing each time step when  $\lambda > 1$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \* Both come down to  $f > \mu$ .

## Subsection 2

### Continuous-time model

## Calculating birth rate

- The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time

# Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate

## Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?

## Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?
    - ▶ \*

## Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?
    - ▶ \* We assume all individuals are effectively the same

# Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?
    - ▶ \* We assume all individuals are effectively the same
    - ▶ \*

## Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?
    - ▶ \* We assume all individuals are effectively the same
    - ▶ \* If we know how many individuals we have, we know how many births there will be

## Calculating birth rate

- ▶ The birth rate  $b$  in the continuous-time model is new individuals per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time] – implies what assumption?
    - ▶ \* We assume all individuals are effectively the same
    - ▶ \* If we know how many individuals we have, we know how many births there will be

## Calculating death rate

- ▶ The death rate  $d$  in the continuous-time model is deaths per individual per unit time

## Calculating death rate

- ▶ The death rate  $d$  in the continuous-time model is deaths per individual per unit time
  - ▶ An instantaneous rate

## Calculating death rate

- ▶ The death rate  $d$  in the continuous-time model is deaths per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time]

## Calculating death rate

- ▶ The death rate  $d$  in the continuous-time model is deaths per individual per unit time
  - ▶ An instantaneous rate
  - ▶ Units of [1/time]

## Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$

## Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless

## Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \*

## Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$ 
  - ▶ \*

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$ 
  - ▶ \* 0 times anything is really just zero

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$ 
  - ▶ \* 0 times anything is really just zero
  - ▶ \*

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$ 
  - ▶ \* 0 times anything is really just zero
  - ▶ \* Does  $0\text{km} = 0\text{cm}$ ?

# Instantaneous rate of increase

- ▶ Population increases when  $r = b - d > 0$
- ▶  $r$  is not unitless
  - ▶ \* [1/time]
- ▶ But we still have a unitless criterion:  $r = 0$ 
  - ▶ \* 0 times anything is really just zero
  - ▶ \* Does  $0\text{km} = 0\text{cm}$ ?

# Calculating $\mathcal{R}$

- The mean lifespan is  $L = 1/d$

# Calculating $\mathcal{R}$

- ▶ The mean lifespan is  $L = 1/d$ 
  - ▶ Equivalent to the characteristic time for the death process

# Calculating $\mathcal{R}$

- ▶ The mean lifespan is  $L = 1/d$ 
  - ▶ Equivalent to the characteristic time for the death process
- ▶  $\mathcal{R}$  is the average number of births expected over that time frame:

# Calculating $\mathcal{R}$

- ▶ The mean lifespan is  $L = 1/d$ 
  - ▶ Equivalent to the characteristic time for the death process
- ▶  $\mathcal{R}$  is the average number of births expected over that time frame:
  - ▶  $\mathcal{R} = bL = b/d$

# Calculating $\mathcal{R}$

- ▶ The mean lifespan is  $L = 1/d$ 
  - ▶ Equivalent to the characteristic time for the death process
- ▶  $\mathcal{R}$  is the average number of births expected over that time frame:
  - ▶  $\mathcal{R} = bL = b/d$

# Comparison

- $\mathcal{R} = bL = b/d$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶  $r = b - d = f + (1 - \mu)$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$
- ▶  $r = b - d = f + (1 - \mu)$
- ▶ **Units [1/t] (a rate)**

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$
- ▶  $r = b - d = f + (1 - \mu)$
- ▶ Units [1/t] (a rate)
- ▶ Population behaviour depends on the comparison  $r : 0$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$
- ▶  $r = b - d = f + (1 - \mu)$
- ▶ Units [1/t] (a rate)
- ▶ Population behaviour depends on the comparison  $r : 0$ 
  - ▶ Equivalent to  $b : d$

# Comparison

- ▶  $\mathcal{R} = bL = b/d$
- ▶ Unitless
- ▶ Population behaviour depends on the comparison  $\mathcal{R} : 1$ 
  - ▶ Equivalent to  $b : d$
- ▶  $r = b - d = f + (1 - \mu)$
- ▶ Units [1/t] (a rate)
- ▶ Population behaviour depends on the comparison  $r : 0$ 
  - ▶ Equivalent to  $b : d$

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \*

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \*

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \*

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \* Both come down to  $b > d$ .

# Is the population increasing?

- ▶ What does  $r$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing at any particular time step when  $r > 0$
- ▶ What does  $\mathcal{R}$  tell us about whether the population is increasing?
  - ▶ \* Population is increasing when  $\mathcal{R} > 1$ . Each individual is (on average) more than replacing itself over its lifetime
- ▶ Therefore, these two criteria must be the same!
  - ▶ \* Both come down to  $b > d$ .

## Subsection 3

### Links

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:
- ▶ To link a continuous-time model to a discrete-time model, we set:

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:
- ▶ To link a continuous-time model to a discrete-time model, we set:
  - ▶  $\lambda = \exp(r\Delta t)$

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:
- ▶ To link a continuous-time model to a discrete-time model, we set:
  - ▶  $\lambda = \exp(r\Delta t)$
  - ▶ \*

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:
- ▶ To link a continuous-time model to a discrete-time model, we set:
  - ▶  $\lambda = \exp(r\Delta t)$
  - ▶ \*  $r = \log_e(\lambda)/\Delta t$

## Links

- ▶ If a population grows at rate  $r$  for time period  $\Delta t$ , how much does it change?
  - ▶  $N_0 \exp(r\Delta t)$  must correspond to  $N_0\lambda$ , where 1 is:
- ▶ To link a continuous-time model to a discrete-time model, we set:
  - ▶  $\lambda = \exp(r\Delta t)$
  - ▶ \*  $r = \log_e(\lambda)/\Delta t$

# Characteristic time

- We can now find characteristic times of exponential change:

# Characteristic time

- ▶ We can now find characteristic times of exponential change:
  - ▶  $T_c = 1/r$  for exponential growth when  $r > 0$

# Characteristic time

- ▶ We can now find characteristic times of exponential change:
  - ▶  $T_c = 1/r$  for exponential growth when  $r > 0$
  - ▶  $T_c = -1/r$  for exponential decline when  $r < 0$

# Characteristic time

- ▶ We can now find characteristic times of exponential change:
  - ▶  $T_c = 1/r$  for exponential growth when  $r > 0$
  - ▶  $T_c = -1/r$  for exponential decline when  $r < 0$
- ▶ Rule of thumb: population changes by a factor of 20 after 3 characteristic times

## Characteristic time

- ▶ We can now find characteristic times of exponential change:
  - ▶  $T_c = 1/r$  for exponential growth when  $r > 0$
  - ▶  $T_c = -1/r$  for exponential decline when  $r < 0$
- ▶ Rule of thumb: population changes by a factor of 20 after 3 characteristic times

# Outline

## Example populations

Dandelions

Gypsy moths

Bacteria

## Exponential growth

Log and linear scales

Time scales

## Constructing models

Dynamical models

Examples

A simple discrete-time model

A simple continuous-time model

## Units and scaling

## Key parameters

Discrete-time model

Continuous-time model

Links

## Growth and regulation

# *Long-term growth rate*

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:



# *Long-term growth rate*

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?



# *Long-term growth rate*

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
  - ▶ An **unsuccessful population?**



## *Long-term growth rate*

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
  - ▶ An unsuccessful population?



## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?

▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
- ▶ \*  $N_T = N_0 \lambda^T$ 
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$
  - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$
  - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$
  - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$
  - ▶ \*  $\lambda = (N_T/N_0)^{1/T}$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$
  - ▶ \*  $r = \log_e(N/N(0))/t$
  - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$
  - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$
  - ▶ \*  $\lambda = (N_T/N_0)^{1/T}$
  - ▶ \*

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$ 
    - ▶ \*  $r = \log_e(N/N(0))/t$
    - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$ 
    - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$
    - ▶ \*  $\lambda = (N_T/N_0)^{1/T}$
    - ▶ \*  $\lambda = (7000000000/1000)^{1/2500} = 1.006$

## Example: Human population growth

- ▶ In the last 50,000 years, the population of modern humans has increased from about 1000 to about 7 billion
- ▶ What value of  $r$  does this correspond to? If we use a time step of 20-year generations, what value of  $\lambda$  does it correspond to?
  - ▶ \*  $N(t) = N(0) \exp(rt)$ 
    - ▶ \*  $r = \log_e(N/N(0))/t$
    - ▶ \*  $r = \log_e(7000000000/1000)/50000 \text{ yr} = 0.0003/\text{yr}$
  - ▶ \*  $N_T = N_0 \lambda^T$ 
    - ▶ \*  $T = t/\Delta t = 50000 \text{ yr}/20 \text{ yr} = 2500$
    - ▶ \*  $\lambda = (N_T/N_0)^{1/T}$
    - ▶ \*  $\lambda = (7000000000/1000)^{1/2500} = 1.006$

## Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?

## Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \*

## Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* Very close to  $r = 0$  or  $\lambda = 1$

## Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* Very close to  $r = 0$  or  $\lambda = 1$
    - ▶ \*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* Very close to  $r = 0$  or  $\lambda = 1$
    - ▶ \* But a little larger

## Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* Very close to  $r = 0$  or  $\lambda = 1$
    - ▶ \* But a little larger
  - ▶ An unsuccessful population?

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* Very close to  $r = 0$  or  $\lambda = 1$
    - ▶ \* But a little larger
  - ▶ An unsuccessful population?
    - ▶ \*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little smaller*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little smaller*
    - ▶ \*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little smaller*
    - ▶ \* *If much smaller, it would disappear very fast*

# Long-term growth rate

- ▶ What is the long-term average exponential growth rate (using either  $r$  or  $\lambda$ ) of:
  - ▶ A successful population?
    - ▶ \* *Very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little larger*
  - ▶ An unsuccessful population?
    - ▶ \* *Probably very close to  $r = 0$  or  $\lambda = 1$*
    - ▶ \* *But a little smaller*
    - ▶ \* *If much smaller, it would disappear very fast*

# Time scales

- ▶ Estimated characteristic time scales for exponential growth or decay are usually a few (or a few tens) of generations

# Time scales

- ▶ Estimated characteristic time scales for exponential growth or decay are usually a few (or a few tens) of generations
  - ▶ years to a few kiloyears

# Time scales

- ▶ Estimated characteristic time scales for exponential growth or decay are usually a few (or a few tens) of generations
  - ▶ years to a few kiloyears
- ▶ Species typically persist for far longer

# Time scales

- ▶ Estimated characteristic time scales for exponential growth or decay are usually a few (or a few tens) of generations
  - ▶ years to a few kiloyears
- ▶ Species typically persist for far longer
  - ▶ many kiloyears to megayears

# Time scales

- ▶ Estimated characteristic time scales for exponential growth or decay are usually a few (or a few tens) of generations
  - ▶ years to a few kiloyears
- ▶ Species typically persist for far longer
  - ▶ many kiloyears to megayears

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*  $\mathcal{R}$  is extremely close to 1 for every species

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*  $\mathcal{R}$  is extremely close to 1 for every species
- ▶ How is this possible

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*  $\mathcal{R}$  is extremely close to 1 for every species
- ▶ How is this possible
  - ▶ \*

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*  $\mathcal{R}$  is extremely close to 1 for every species
- ▶ How is this possible
  - ▶ \* Growth rates change through time

# Balance

- ▶ If populations grow and shrink proportionally to their size, why don't they go exponentially to zero or infinity?
  - ▶ \*  $\mathcal{R}$  is extremely close to 1 for every species
- ▶ How is this possible
  - ▶ \* Growth rates change through time

# Changing growth rates

- ▶ **Poll:** What sort of factors can make species growth rates change?

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases
  - ▶ \* Resources (food and space)

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases
  - ▶ \* Resources (food and space)
  - ▶ \*

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases
  - ▶ \* Resources (food and space)
  - ▶ \* Natural disasters

# Changing growth rates

- ▶ Poll: What sort of factors can make species growth rates change?
  - ▶ \* Seasonality
  - ▶ \* Environmental changes
  - ▶ \* Competition within species
  - ▶ \* Competition between species
  - ▶ \* Predators and diseases
  - ▶ \* Resources (food and space)
  - ▶ \* Natural disasters

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?

▶ \*

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \*

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \*

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \* If the growth rate is directly or indirectly affected by the size of the population

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \* If the growth rate is directly or indirectly affected by the size of the population
  - ▶ \*

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \* If the growth rate is directly or indirectly affected by the size of the population
  - ▶ \* There should be some mechanism that decreases population growth rate when population is large

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \* If the growth rate is directly or indirectly affected by the size of the population
  - ▶ \* There should be some mechanism that decreases population growth rate when population is large
- ▶ This is even true for modern humans!

# Regulation

- ▶ What do we expect to happen if a population's growth rate is affected only by seasons and climate?
  - ▶ \* In the long-term, it will grow or shrink according to some average value
  - ▶ \* We don't expect perfect balance, so we don't expect population to stay under control
- ▶ What sort of mechanism could keep a population in a reasonable range for a long time?
  - ▶ \* If the growth rate is directly or indirectly affected by the size of the population
  - ▶ \* There should be some mechanism that decreases population growth rate when population is large
- ▶ This is even true for modern humans!