UNIT 8: Infectious disease

Outline

Infectious disease

- Extremely common

Infectious disease

- Extremely common
- Huge impacts on ecological interactions

Infectious disease

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework

Infectious disease

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?

Infectious disease

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - How many influenza viruses are there?

Infectious disease

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - How many influenza viruses are there?
  - How do they find each other?

Infectious disease

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - How many influenza viruses are there?
  - How do they find each other?

Disease agents

- Name an infectious agent that causes disease in humans.

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - *

Disease agents

- Name an infectious agent that causes disease in humans.

- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways

Disease agents

- Name an infectious agent that causes disease in humans.

- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - *

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - * Tuberculosis, anthrax, pertussis

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - * Tuberculosis, anthrax, pertussis
  - **Eukaryotic** pathogens are nucleated cells who are more closely related to you than they are to bacteria

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - * Tuberculosis, anthrax, pertussis
  - **Eukaryotic** pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - *

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - * Tuberculosis, anthrax, pertussis
  - **Eukaryotic** pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - * Malaria, intestinal worms, trichomoniasis

Disease agents

- Name an infectious agent that causes disease in humans.
- Disease agents vary tremendously:
  - Most **viruses** have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - * SARS-CoV-2, influenza virus, HIV, measles
  - **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways
    - * Tuberculosis, anthrax, pertussis
  - **Eukaryotic** pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - * Malaria, intestinal worms, trichomoniasis

Influenza virus



Tuberculosis bacilli



Malaria sporozoite



Microparasites

- For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages

Microparasites

- For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected

Microparasites

- For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - Productively infected

Microparasites

- For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - Productively infected
  - Recovered

Microparasites

- For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - Productively infected
  - Recovered

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:
  - **Susceptible** individuals can become infected

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:
  - **Susceptible** individuals can become infected
  - **Infectious** individuals are infected and can infect others

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:
  - **Susceptible** individuals can become infected
  - **Infectious** individuals are infected and can infect others
  - **Resistant** individuals are not infected and cannot become infected

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:
  - **Susceptible** individuals can become infected
  - **Infectious** individuals are infected and can infect others
  - **Resistant** individuals are not infected and cannot become infected
- More complicated models might include other states, such as latently infected hosts who are infected with the pathogen but cannot yet infect others

Microparasite models

- We model microparasites by counting the number of hosts in various **states**:
  - **Susceptible** individuals can become infected
  - **Infectious** individuals are infected and can infect others
  - **Resistant** individuals are not infected and cannot become infected
- More complicated models might include other states, such as latently infected hosts who are infected with the pathogen but cannot yet infect others

Models as tools

- Models are the tools that we use to connect scales:



Models as tools

- Models are the tools that we use to connect scales:
  - individuals to populations



Models as tools

- Models are the tools that we use to connect scales:
  - individuals to populations
  - single actions to trends through time



Models as tools

- Models are the tools that we use to connect scales:
  - individuals to populations
  - single actions to trends through time



Outline

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
    - *

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - *

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - *

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.
  - *

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.
  - * number of new cases per case

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.
  - * number of new cases per case
  - *

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.
  - * number of new cases per case
  - * Unitless

Rate of spread

- For many diseases, especially new diseases, we can *observe* and *estimate* r.
  - * Instantaneous rate of increase (per capita)
    - * Units of 1/t
    - * Gives the exponential rate of spread
- Want to know what factors contribute to that, and how it relates to $\mathcal{R}$.
  - * number of new cases per case
  - * Unitless

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:
  - Actual value of $\mathcal{R}$ before an epidemic

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:
  - Actual value of $\mathcal{R}$ before an epidemic
  - Hypothetical value assuming no immunity

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:
  - Actual value of $\mathcal{R}$ before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:
  - Actual value of $\mathcal{R}$ before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever
- Often easier to talk simply about $\mathcal{R}$.

Basic reproductive number

- People in the disease field love to talk specifically about $\mathcal{R}_0$
- But they don't always mean the same thing when they say $\mathcal{R}_0$:
  - Actual value of $\mathcal{R}$ before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever
- Often easier to talk simply about $\mathcal{R}$.

Example: the West African Ebola epidemic





COVID in Ontario (preview)



COVID in Ontario (preview)



COVID in Ontario



Scales

- Which scale should we look at?

Scales

- Which scale should we look at?
  - *

Scales

- Which scale should we look at?
  - * Log scale is better for looking at trends

Scales

- Which scale should we look at?
  - * Log scale is better for looking at trends
  - *

Scales

- Which scale should we look at?
  - * Log scale is better for looking at trends
  - * Linear scale is better for looking at impacts

Scales

- Which scale should we look at?
  - * Log scale is better for looking at trends
  - * Linear scale is better for looking at impacts

Population biology

- What quantities do we want to look at?

Population biology

- What quantities do we want to look at?
  - *

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r
  - *

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r
  - * Finite rate of increase λ

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r
  - * Finite rate of increase λ
  - *

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r
  - * Finite rate of increase λ
  - * Lifetime reproduction, $\mathcal{R}$

Population biology

- What quantities do we want to look at?
  - * Speed of exponential growth r
  - * Finite rate of increase λ
  - * Lifetime reproduction, $\mathcal{R}$

Instantaneous rate of growth r

- What are the components?

Instantaneous rate of growth r

- What are the components?
  - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate
    - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case $\cdot$ time]
  - * Death rate
    - * Virus-centered!

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time)]
  - * Death rate
    - * Virus-centered!
    - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case $\cdot$ time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case $\cdot$ time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine

- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - * Then we use that to estimate $b = d + r$

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time)]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - * Then we use that to estimate $b = d + r$
  - *

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case $\cdot$ time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - * Then we use that to estimate $b = d + r$
  - * Models go both directions!

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case $\cdot$ time]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - * Then we use that to estimate $b = d + r$
  - * Models go both directions!
    - Individuals $\leftrightarrow$ Populations

Instantaneous rate of growth r

- What are the components?
  - * Birth rate
    - * Instantaneous rate of a case producing new cases
    - * [case/(case · time)]
  - * Death rate
    - * Virus-centered!
    - * Rate of death, recovery, or effective quarantine
- How do you think we estimate?
  - * We estimate r from the population-level increase in disease
    - * Then we use that to estimate $b = d + r$
  - * Models go both directions!
    - Individuals $\leftrightarrow$ Populations

Finite rate of growth λ

- Why do we want this?

Finite rate of growth λ

- Why do we want this?
  - *

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - *

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?
  - *

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?
  - * Pick a time step (week? year?)

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?
  - * Pick a time step (week? year?)
  - *

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?
  - * Pick a time step (week? year?)
  - * Use a formula $\lambda = \exp(r\Delta t)$

Finite rate of growth λ

- Why do we want this?
  - * to communicate with policy-makers or the public
  - * maybe to make concrete predictions, though we could use r
- How do we calculate it?
  - * Pick a time step (week? year?)
  - * Use a formula $\lambda = \exp(r\Delta t)$

Example

- $r \approx 0.14/$ day for early COVID spread

Example

- $r \approx 0.14/$ day for early COVID spread
- What is λ?

Example

- $r \approx 0.14/$ day for early COVID spread
- What is λ?
  - At a time scale of a day?

Example

- $r \approx 0.14/\,$day for early COVID spread
- What is λ?
  - At a time scale of a day?
  - At a time scale of a week?

Example

- $r \approx 0.14/$ day for early COVID spread
- What is λ?
  - At a time scale of a day?
  - At a time scale of a week?

Reproductive number $\mathcal{R}$

- What is it?

Reproductive number $\mathcal{R}$

- What is it?
  - *

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - *

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - * An important measure of how hard the epidemic will be to stop

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - * An important measure of how hard the epidemic will be to stop
- How do we calculate it?

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - * An important measure of how hard the epidemic will be to stop
- How do we calculate it?
  - *

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - * An important measure of how hard the epidemic will be to stop
- How do we calculate it?
  - * $\mathcal{R} = b/d$; if we can estimate those

Reproductive number $\mathcal{R}$

- What is it?
  - * Expected number of new cases per case over the lifetime of a case
- Why do we want this?
  - * An important measure of how hard the epidemic will be to stop
- How do we calculate it?
  - * $\mathcal{R} = b/d$; if we can estimate those

Example

- $r \approx 0.14/\,\text{day}$

Example

- $r \approx 0.14/\,\mathrm{day}$
- What is our estimate of $\mathcal{R}$?

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?

Example

- $r \approx 0.14/\text{ day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.1\,\text{day} = 0.24/\,\text{day}$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.1\,\text{day} = 0.24/\,\text{day}$
    - *

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.1\,\text{day} = 0.24/\,\text{day}$
    - * $\mathcal{R} = 0.24/0.1 = 2.4$

Example

- $r \approx 0.14/\,\text{day}$
- What is our estimate of $\mathcal{R}$?
  - When average length of infection $L = 5\,\text{day}$?
    - * $d = 1/(5\,\text{day}) = 0.2/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.2\,\text{day} = 0.34/\,\text{day}$
    - * $\mathcal{R} = 0.34/0.2 = 1.7$
  - When average length of infection $L = 10\,\text{day}$?
    - * $d = 1/(10\,\text{day}) = 0.1/\,\text{day}$
    - * $b = 0.14\,\text{day} + 0.1\,\text{day} = 0.24/\,\text{day}$
    - * $\mathcal{R} = 0.24/0.1 = 2.4$

Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**



Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**
- How long from the time you are *infected* to the time you *infect someone else*?



Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**
- How long from the time you are *infected* to the time you *infect someone else*?
- Analogous to a life table



Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**
- How long from the time you are *infected* to the time you *infect someone else*?
- Analogous to a life table
- The effective generation time $\hat{G}$ has units of time



Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**
- How long from the time you are *infected* to the time you *infect someone else*?
- Analogous to a life table
- The effective generation time $\hat{G}$ has units of time
  - *$\hat{G}$ is fairly deep; we'll skip the details*



Generation intervals

- Researchers try to estimate the *proportion* of transmission that happens for different **ages of infection**
- How long from the time you are *infected* to the time you *infect someone else*?
- Analogous to a life table
- The effective generation time $\hat{G}$ has units of time
  - *$\hat{G}$ is fairly deep; we'll skip the details*



Generation intervals





Speed and risk

- Which is more dangerous, a fast disease, or a slow disease?



Speed and risk

- Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?



Speed and risk

- Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - How are we measuring danger?



Speed and risk

- Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - How are we measuring danger?
  - *What do we already know?*



Speed and risk

- Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - How are we measuring danger?
  - *What do we already know?*



Fighting Ebola

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - *

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)
- If we know r, what does the generation time tell us about $\mathcal{R}$?

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)
- If we know r, what does the generation time tell us about $\mathcal{R}$?
  - *

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)
- If we know r, what does the generation time tell us about $\mathcal{R}$?
  - * The faster the generations (small $\hat{G}$), the *smaller* the strength of the epidemic (small reproductive number $\mathcal{R}$)

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)
- If we know r, what does the generation time tell us about $\mathcal{R}$?
  - * The faster the generations (small $\hat{G}$), the *smaller* the strength of the epidemic (small reproductive number $\mathcal{R}$)
- $\mathcal{R} = \exp(r\hat{G})$

Generation time and risk

- If we know $\mathcal{R}$, what does the generation time tell us about r?
  - * The faster the generations (small $\hat{G}$), the faster the exponential growth (large r)
- If we know r, what does the generation time tell us about $\mathcal{R}$?
  - * The faster the generations (small $\hat{G}$), the *smaller* the strength of the epidemic (small reproductive number $\mathcal{R}$)
- $\mathcal{R} = \exp(r\hat{G})$

Generation time and risk (repeat)



Generation time and risk (repeat)



Generation time and risk



Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - *

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed = Generation strength × Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - * More strength required (greater $\mathcal{R}$)

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - * More strength required (greater $\mathcal{R}$)
- If we know epidemic speed, a faster generation speed means

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - * More strength required (greater $\mathcal{R}$)
- If we know epidemic speed, a faster generation speed means
  - *

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - * More strength required (greater $\mathcal{R}$)
- If we know epidemic speed, a faster generation speed means
  - * Less strength required (smaller $\mathcal{R}$)

Generation time and risk

- $\mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - Epidemic speed $=$ Generation strength $\times$ Generation speed
  - *Mathematically:* $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - * More strength required (greater $\mathcal{R}$)
- If we know epidemic speed, a faster generation speed means
  - * Less strength required (smaller $\mathcal{R}$)

Outline

Single-epidemic model



- Susceptible → Infectious → Recovered

Single-epidemic model



- Susceptible $\to$ Infectious $\to$ Recovered
- We also use N to mean the total population

Single-epidemic model



- Susceptible $\rightarrow$ Infectious $\rightarrow$ Recovered
- We also use N to mean the total population

Transition rates



- What factors govern movement through the boxes?

Transition rates



- What factors govern movement through the boxes?
  - People get better independently

Transition rates



- What factors govern movement through the boxes?
  - People get better independently
  - People get infected by infectious people

Transition rates



- What factors govern movement through the boxes?
  - People get better independently
  - People get infected by infectious people

Conceptual modeling

- What happens in the long term if we introduce an infectious individual?



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
    - *



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
    - * There *may be* an **epidemic** – an outbreak of disease



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - *



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - *



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered
    - *



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered
    - * . . . or susceptible



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered
    - * . . . or susceptible
  - *



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered
    - * . . . or susceptible
  - * Or, there may not be an outbreak



Conceptual modeling

- What happens in the long term if we introduce an infectious individual?
  - * There *may be* an **epidemic** – an outbreak of disease
  - * Disease burns out
  - * Everyone winds up recovered
    - * . . . or susceptible
  - * Or, there may not be an outbreak



Interpreting

- Why might there not be an epidemic?

Interpreting

- Why might there not be an epidemic?
  - *

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population

Interpreting

- Why might there not be an epidemic?
    - * If the disease can't spread well enough in the population
        - *

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity . . .

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity . . .
  - *

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity . . .
  - * Demographic stochasticity: if we only start with one individual, we expect an element of chance

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity ...
  - * Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity ...
  - * Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - *

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity ...
  - * Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - *

Interpreting

- Why might there not be an epidemic?
  - * If the disease can't spread well enough in the population
    - * Could depend on season, or immunity . . .
  - * Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - *

Implementing the model

- The simplest way to implement this conceptual model is with differential equations:



Implementing the model

- The simplest way to implement this conceptual model is with differential equations:
  - $$\frac{dS}{dt} = -\beta \frac{SI}{N}$$



Implementing the model

- The simplest way to implement this conceptual model is with differential equations:
  - $$\frac{dS}{dt} = -\beta \frac{SI}{N}$$
  - $$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$



Implementing the model

- The simplest way to implement this conceptual model is with differential equations:
  - $$\frac{dS}{dt} = -\beta \frac{SI}{N}$$
  - $$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$
  - $$\frac{dR}{dt} = \gamma I$$



Implementing the model

- The simplest way to implement this conceptual model is with differential equations:
  - $$\frac{dS}{dt} = -\beta\frac{SI}{N}$$
  - $$\frac{dI}{dt} = \beta\frac{SI}{N} - \gamma I$$
  - $$\frac{dR}{dt} = \gamma I$$
  - $$N = S + I + R$$



Implementing the model

- The simplest way to implement this conceptual model is with differential equations:
  - $$\frac{dS}{dt} = -\beta \frac{SI}{N}$$
  - $$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$
  - $$\frac{dR}{dt} = \gamma I$$
  - $$N = S + I + R$$



Quantities



State variables

- S, I, R, N: [people] or [people/ha]

Quantities



State variables

- S, I, R, N: [people] or [people/ha]

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - Total infection rate is $\beta I/N$, because I/N is the proportion of the population infectious

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - Total infection rate is $\beta I/N$, because I/N is the proportion of the population infectious
- Infectious people recover at *per capita* rate γ (units [1/time])

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - Total infection rate is $\beta I/N$, because I/N is the proportion of the population infectious
- Infectious people recover at *per capita* rate γ (units [1/time])
  - Total recovery rate is γI

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - Total infection rate is $\beta I/N$, because I/N is the proportion of the population infectious
- Infectious people recover at *per capita* rate γ (units [1/time])
  - Total recovery rate is γI
  - Mean time infectious is $D = 1/\gamma$ (units [time])

Quantities

Parameters

- Susceptible people have **potentially effective** contacts at rate β (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - Total infection rate is $\beta I/N$, because I/N is the proportion of the population infectious
- Infectious people recover at *per capita* rate γ (units [1/time])
  - Total recovery rate is γI
  - Mean time infectious is $D = 1/\gamma$ (units [time])

Quantities (repeat)



State variables

- S, I, R, N: [people] or [people/ha]

Quantities (repeat)



State variables

- S, I, R, N: [people] or [people/ha]

Simulating the model (repeat)



Simulating the model



Basic reproductive number

- What *unitless* parameter can you make from the model above?

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - *

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - *

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual
    - *

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual
    - * That is: the number they would cause on average if everyone else were susceptible

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual
    - * That is: the number they would cause on average if everyone else were susceptible
  - *

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual
    - * That is: the number they would cause on average if everyone else were susceptible
  - * The product of the rate β (units [1/t]) and the duration D ([t])

Basic reproductive number

- What *unitless* parameter can you make from the model above?
  - * $\mathcal{R}_0 = \beta D = \beta/\gamma$ is the **basic reproductive number**
  - * The *potential* number of infections caused by an average infectious individual
    - * That is: the number they would cause on average if everyone else were susceptible
  - * The product of the rate β (units [1/t]) and the duration D ([t])

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - *

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - * Number of infected individuals grows exponentially

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - * Number of infected individuals grows exponentially
- What happens early in the epidemic if $\mathcal{R}_0 < 1$?

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - * Number of infected individuals grows exponentially
- What happens early in the epidemic if $\mathcal{R}_0 < 1$?
  - *

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - * Number of infected individuals grows exponentially
- What happens early in the epidemic if $\mathcal{R}_0 < 1$?
  - * Number of infected individuals does not grow (disease cannot invade)

Basic reproductive number implications

- What happens early in the epidemic if $\mathcal{R}_0 > 1$?
  - * Number of infected individuals grows exponentially
- What happens early in the epidemic if $\mathcal{R}_0 < 1$?
  - * Number of infected individuals does not grow (disease cannot invade)

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - *

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\mathrm{eff}} = \mathcal{R}_0 S/N$

- Is the disease increasing or decreasing?

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - *

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
    - * $\mathcal{R}_{\rm eff} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
    - * It will increase when $\mathcal{R}_{\rm eff} > 1$ (more than one case per case)

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
    - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
    - * It will increase when $\mathcal{R}_{\text{eff}} > 1$ (more than one case per case)
    - *

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\mathrm{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\mathrm{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\mathrm{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\mathrm{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\mathrm{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\mathrm{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - *

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\text{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - * When susceptibles are low enough $\mathcal{R}_{\text{eff}} < 1$

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\mathrm{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\mathrm{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - * When susceptibles are low enough $\mathcal{R}_{\mathrm{eff}} < 1$
  - *

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\text{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - * When susceptibles are low enough $\mathcal{R}_{\text{eff}} < 1$
  - * When $\mathcal{R}_{\text{eff}} < 1$, the disease dies out on its own (less than one case per case)

Effective reproductive number

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - * $\mathcal{R}_{\text{eff}} = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - * It will increase when $\mathcal{R}_{\text{eff}} > 1$ (more than one case per case)
  - * This happens when $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - * When susceptibles are low enough $\mathcal{R}_{\text{eff}} < 1$
  - * When $\mathcal{R}_{\text{eff}} < 1$, the disease dies out on its own (less than one case per case)

Outline

Epidemic size

- In this model, the epidemic always burns out

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * . . . and *fewer* susceptibles at the end

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * . . . and *fewer* susceptibles at the end
  - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * ... and *fewer* susceptibles at the end
  - * The number of infected individuals at the beginning of the epidemic

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * . . . and *fewer* susceptibles at the end
  - * The number of infected individuals at the beginning of the epidemic
    - *

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * ... and *fewer* susceptibles at the end
  - * The number of infected individuals at the beginning of the epidemic
    - * Usually relatively small (and a relatively small effect)

Epidemic size

- In this model, the epidemic always burns out
  - No source of new susceptibles
- Epidemic size is determined by:
  - * $\mathcal{R}_0$: larger $\mathcal{R}_0$ leads to a bigger epidemic
  - * The number of susceptibles at the beginning of the epidemic
    - * More susceptibles leads to a bigger epidemic
    - * …and *fewer* susceptibles at the end
  - * The number of infected individuals at the beginning of the epidemic
    - * Usually relatively small (and a relatively small effect)

Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$
  - * More generations needed for disease to fade out $\Longrightarrow$



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$
  - * More generations needed for disease to fade out $\Longrightarrow$
  - *



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$
  - * More generations needed for disease to fade out $\Longrightarrow$
  - * More infections after peak

    ...



Overshoot

- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - * More susceptibles $\Longrightarrow$
  - * Faster initial growth $\Longrightarrow$
  - * Bigger epidemic $\Longrightarrow$
  - * More infections at peak (same number of susceptibles) $\Longrightarrow$
  - * More generations needed for disease to fade out $\Longrightarrow$
  - * More infections after peak

    ...



Ebola example

- In September, the US CDC predicted “as many as” 1.5 million Ebola cases in Liberia by January



Ebola example

- In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many *more* cases than that by April



Ebola example

- In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many *more* cases than that by April
- What happened?



Ebola example

- In September, the US CDC predicted “as many as” 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many *more* cases than that by April
- What happened?



What limits epidemics?

- What limits epidemics in our simple models?

What limits epidemics?

- What limits epidemics in our simple models?
  - *

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - *

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines
  - *

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines
  - * Behaviour change; people stay home, wear masks, avoid sick people

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines
  - * Behaviour change; people stay home, wear masks, avoid sick people
  - *

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines
  - * Behaviour change; people stay home, wear masks, avoid sick people
  - * Heterogeneity (differences between hosts, locations, etc.)

What limits epidemics?

- What limits epidemics in our simple models?
  - * Depletion of susceptibles
- What else limits epidemics in real life?
  - * Interventions; changes in government policy, medicine, vaccines
  - * Behaviour change; people stay home, wear masks, avoid sick people
  - * Heterogeneity (differences between hosts, locations, etc.)

Outline

Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?



Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?
  - *



Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?
  - * People might lose immunity



Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?
  - * People might lose immunity
  - *



Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?
  - * People might lose immunity
  - * Births and deaths; newborns are susceptible



Recurrent epidemic models

- If epidemics tend to burn out, why do we often see repeated epidemics?
  - * People might lose immunity
  - * Births and deaths; newborns are susceptible



Recurrent epidemics



Closing the circle



- *

Closing the circle



- * Loss of immunity

Closing the circle



- * Loss of immunity

Closing the circle



- *

Closing the circle



- * Births and deaths

Closing the circle



- * Births and deaths
  - *

Closing the circle



- * Births and deaths
  - * Effect on dynamics is similar to loss of immunity

Closing the circle



- * Births and deaths
  - * Effect on dynamics is similar to loss of immunity

Births and deaths

- $$\frac{dS}{dt} = bN - \beta\frac{SI}{N} - dS$$



Births and deaths

- $$\frac{dS}{dt} = bN - \beta\frac{SI}{N} - dS$$

- $$\frac{dI}{dt} = \beta\frac{SI}{N} - \gamma I - dI$$



Births and deaths

- $$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$
- $$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$
- $$\frac{dR}{dt} = \gamma I - dR$$



Births and deaths

- $$\frac{dS}{dt} = bN - \beta\frac{SI}{N} - dS$$
- $$\frac{dI}{dt} = \beta\frac{SI}{N} - \gamma I - dI$$
- $$\frac{dR}{dt} = \gamma I - dR$$
- We often assume $b = d$



Births and deaths

- $$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$
- $$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$
- $$\frac{dR}{dt} = \gamma I - dR$$
- We often assume $b = d$
  - $\Longrightarrow$ population is constant



Births and deaths

- $$\frac{dS}{dt} = bN - \beta\frac{SI}{N} - dS$$
- $$\frac{dI}{dt} = \beta\frac{SI}{N} - \gamma I - dI$$
- $$\frac{dR}{dt} = \gamma I - dR$$
- We often assume $b = d$
  - $\implies$ population is constant



Outline

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\text{eff}} = 1$

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\text{eff}} = 1$
  - One case per case

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\text{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\text{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $S/N = 1/\mathcal{R}_0$

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\text{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $S/N = 1/\mathcal{R}_0$
- What does this remind you of?

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\mathrm{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $S/N = 1/\mathcal{R}_0$
- What does this remind you of?
  - *

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\mathrm{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $S/N = 1/\mathcal{R}_0$
- What does this remind you of?
  - * Reciprocal control!

Equilibrium

- At equilibrium, we know that $\mathcal{R}_{\mathrm{eff}} = 1$
  - One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $S/N = 1/\mathcal{R}_0$
- What does this remind you of?
  - * Reciprocal control!

Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.

Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?

Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - Per capita replenishment goes down

Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - Per capita replenishment goes down
  - Infections required goes down

Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - Per capita replenishment goes down
  - Infections required goes down

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct
  - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct
  - * If we keep increasing the rate . . .

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct
  - * If we keep increasing the rate ...
    - *

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct
  - * If we keep increasing the rate ...
    - * Number of susceptibles goes down

Reciprocal control

- What happens to *equilibrium* if we protect susceptibles (move them to R class)?
  - * Equation for dI/dt does not change
  - * Number of susceptibles at equilibrium does not change
  - * Fewer susceptibles removed by infection (some are removed by us)
  - * Less disease
- What else could happen?
  - * If we remove susceptibles fast enough, infection could go extinct
  - * If we keep increasing the rate ...
    - * Number of susceptibles goes down

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - *

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - *

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - *

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down
  - *

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down
  - * If we remove infectious individuals fast enough, the infection could go extinct

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down
  - * If we remove infectious individuals fast enough, the infection could go extinct
  - *

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down
  - * If we remove infectious individuals fast enough, the infection could go extinct
  - * $\mathcal{R}_c S/N \leq 1$

Reciprocal control

- What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - * We need more susceptibles to balance dI/dt
  - * If we have more susceptibles, then per capita replenishment goes down
    - * So the number of infectious individuals required for balance goes down
  - * If we remove infectious individuals fast enough, the infection could go extinct
  - * $\mathcal{R}_c S/N \leq 1$

Single-epidemic model (repeat)



Tendency to oscillate



Tendency to oscillate

- "Closed-loop" SIR models (ie., with births or loss of immunity):

Tendency to oscillate

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - Tend to oscillate

Tendency to oscillate

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - Tend to oscillate
  - Oscillations tend to be damped

Tendency to oscillate

- “Closed-loop” SIR models (ie., with births or loss of immunity):
  - Tend to oscillate
  - Oscillations tend to be damped
    - System reaches an **endemic** equilibrium – disease persists

Tendency to oscillate

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - Tend to oscillate
  - Oscillations tend to be damped
    - System reaches an **endemic** equilibrium – disease persists

Source of oscillations

- Similar to predator-prey systems

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - *

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - *

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * ...then a very low number of susceptibles

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * ...then a very low number of susceptibles
  - *

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * ...then a very low number of susceptibles
  - * ...then a very low level of disease

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * ... then a very low number of susceptibles
  - * ... then a very low level of disease
  - *

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * . . . then a very low number of susceptibles
  - * . . . then a very low level of disease
  - * . . . then an increase in the number of susceptibles

Source of oscillations

- Similar to predator-prey systems
- What happens if we start with a lot of susceptibles?
  - * There will be a big epidemic
  - * ...then a very low number of susceptibles
  - * ...then a very low level of disease
  - * ...then an increase in the number of susceptibles

Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour
    - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour
    - * People are more careful when disease levels are high



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour
    - * People are more careful when disease levels are high
  - *



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour
    - * People are more careful when disease levels are high
  - * Pathogen mutations



Persistent oscillations

- If oscillations tend to be damped in simple models, why do they persist in real life?
  - * Weather
    - * Seasonality
    - * Environmental stochasticity
  - * School terms
  - * Demographic stochasticity
  - * Changes in Behaviour
    - * People are more careful when disease levels are high
  - * Pathogen mutations



COVID in Ontario



Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - *

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - *

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - *

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity
    - *

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity
    - * Not everyone mixes the same, or at the same time

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity
    - * Not everyone mixes the same, or at the same time
  - *

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity
    - * Not everyone mixes the same, or at the same time
  - * Is SARS-CoV-2 following a similar pattern now?

Behaviour and policy change

- Why did SARS-CoV-2 not follow this pattern?
  - * People and governments changed behaviour
    - * Fear of overflowing hospitals and chaos in general
  - * Population heterogeneity
    - * Not everyone mixes the same, or at the same time
  - * Is SARS-CoV-2 following a similar pattern now?

Post-pandemic COVID (preview)



Post-pandemic COVID (preview)



Post-pandemic COVID



Outline

Reproductive numbers and risk

- At equilibrium, the proportion of people who are susceptible to disease should be approximately $S/N = 1/\mathcal{R}_0$

Reproductive numbers and risk

- At equilibrium, the proportion of people who are susceptible to disease should be approximately $S/N = 1/\mathcal{R}_0$
- Proportion "affected" (infectious or immune) should be approximately $V/N = 1 - 1/\mathcal{R}_0$

Reproductive numbers and risk

- At equilibrium, the proportion of people who are susceptible to disease should be approximately $S/N = 1/\mathcal{R}_0$
- Proportion "affected" (infectious or immune) should be approximately $V/N = 1 - 1/\mathcal{R}_0$
- If you have a single, fast epidemic, the size is also predicted by $\mathcal{R}_0$.

Reproductive numbers and risk

- At equilibrium, the proportion of people who are susceptible to disease should be approximately $S/N = 1/\mathcal{R}_0$
- Proportion "affected" (infectious or immune) should be approximately $V/N = 1 - 1/\mathcal{R}_0$
- If you have a single, fast epidemic, the size is also predicted by $\mathcal{R}_0$.

Reproductive numbers and risk (repeat)



Reproductive numbers and risk



Examples

- Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria

Examples

- Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero

Examples

- Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero
- Eradication of smallpox!

Examples

- Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero
- Eradication of smallpox!

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?
  - *

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?
  - * Transmission should be reduced by a factor of $\mathcal{R}$, so at least fraction $1 - 1/\mathcal{R}$ should be vaccinated (effectively)

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?
  - * Transmission should be reduced by a factor of $\mathcal{R}$, so at least fraction $1 - 1/\mathcal{R}$ should be vaccinated (effectively)
    - *

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?
  - * Transmission should be reduced by a factor of $\mathcal{R}$, so at least fraction $1 - 1/\mathcal{R}$ should be vaccinated (effectively)
    - * You may need to give vaccines to a larger fraction, since they don't always work

Threshold for elimination

- What proportion of the population should be vaccinated to eliminate a disease?
  - * Transmission should be reduced by a factor of $\mathcal{R}$, so at least fraction $1 - 1/\mathcal{R}$ should be vaccinated (effectively)
    - * You may need to give vaccines to a larger fraction, since they don't always work

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
    - *

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 $=$ 80%
  - *

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world
- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world

- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - *

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world
- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world
- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%
- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%

  - * Kind of worked in much of the world

- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%

- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - *

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.
- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world
- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%
- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - * At least 1-1/2 = 50%

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world

- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%

- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - * At least 1-1/2 = 50%
  - *

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%

  - * Kind of worked in much of the world

- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%

- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - * At least 1-1/2 = 50%

  - * Does not actually work ...

Examples:

- Polio has an $\mathcal{R}_0$ of about 5.

- What proportion of the population should be vaccinated to eliminate polio?
  - * At least 1-1/5 = 80%
  - * Kind of worked in much of the world

- Measles has an $\mathcal{R}_0$ of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - * At least 1-1/20 = 95%

- If gonorrhea has an $\mathcal{R}_0$ of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - * At least 1-1/2 = 50%
  - * Does not actually work ...

Persistence of infectious disease

- Why have infectious diseases persisted?

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*
  - Human populations are **heterogeneous**

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*
  - Human populations are **heterogeneous**
    - People differ in: nutrition, exposure, access to care

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*
  - Human populations are **heterogeneous**
    - People differ in: nutrition, exposure, access to care
  - Information and misinformation

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*
  - Human populations are **heterogeneous**
    - People differ in: nutrition, exposure, access to care
  - Information and misinformation
    - Vaccine scares, trust in health care in general

Persistence of infectious disease

- Why have infectious diseases persisted?
  - The pathogens *evolve*
  - Human populations are **heterogeneous**
    - People differ in: nutrition, exposure, access to care
  - Information and misinformation
    - Vaccine scares, trust in health care in general

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - Elimination is harder

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - Elimination is harder
- Marginal populations

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease
  - Humans rarely do this, however: the populations that need the most support typically have the least access

Heterogeneity and persistence

- Heterogeneity *increases* $\mathcal{R}_0$
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease
  - Humans rarely do this, however: the populations that need the most support typically have the least access

Outline

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - *

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends
  - *

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends
  - * The virus evolves in the way that's best for the virus

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends
  - * The virus evolves in the way that's best for the virus
  - *

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends
  - * The virus evolves in the way that's best for the virus
  - * Host death and host recovery are equally bad!

Pathogen aggressiveness

- Should viruses evolve to become more or less dangerous?
  - * It depends
  - * The virus evolves in the way that's best for the virus
  - * Host death and host recovery are equally bad!

Tradeoffs (repeat)



Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - *

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest “carrying capacity”:

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest "carrying capacity":
  - *

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest “carrying capacity”:
  - * Removes the largest number from susceptible pool

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - *

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest “carrying capacity”:
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$
  - *

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$
  - * This could be more or less deadly

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans

- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$
  - * This could be more or less deadly
  - *

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans
- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$
  - * This could be more or less deadly
  - * Removal by killing and removal by recovery have similar effects on the virus

Which strain will win?

- If the competing strains produce similar immune responses, this is exactly like equal competition: infections are competing for a single resource:
  - * Susceptible humans

- The winner will be the strain that has the highest "carrying capacity":
  - * Removes the largest number from susceptible pool
  - * Highest $\mathcal{R}_0$
  - * This could be more or less deadly
  - * Removal by killing and removal by recovery have similar effects on the virus

Pathogen aggressiveness (repeat)



Pathogen aggressiveness (repeat)



Pathogen aggressiveness (repeat)



Pathogen aggressiveness



- Pathogen will evolve to maximize $\mathcal{R}_0$.

Pathogen aggressiveness



- Pathogen will evolve to maximize $\mathcal{R}_0$.
- Pattern does not depend on whether duration D is ended by host death, or by immune system clearing the pathogen

Pathogen aggressiveness



- Pathogen will evolve to maximize $\mathcal{R}_0$.
- Pattern does not depend on whether duration D is ended by host death, or by immune system clearing the pathogen

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - *

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - *

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better
  - *

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better
  - * Viruses that do well in the lower respiratory tract are more dangerous

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better
  - * Viruses that do well in the lower respiratory tract are more dangerous
  - *

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better
  - * Viruses that do well in the lower respiratory tract are more dangerous
  - * Have we evolved to make this a tradeoff for viruses?

Human evolution

- We have evolved very good immune systems, but we can't always stay ahead of the viruses
- Should people evolve to favor the spread of more or less dangerous viruses?
  - * Less dangerous!
  - * Viruses that do well in the upper respiratory tract may spread better
  - * Viruses that do well in the lower respiratory tract are more dangerous
  - * Have we evolved to make this a tradeoff for viruses?

Omicron example

- Omicron spreads *much* better than earlier SARS-CoV-2 viruses

Omicron example

- Omicron spreads *much* better than earlier SARS-CoV-2 viruses
- It does less well in the lungs and better in the upper airways

Omicron example

- Omicron spreads *much* better than earlier SARS-CoV-2 viruses
- It does less well in the lungs and better in the upper airways
- SARS-CoV-2 apparently evolved to be less dangerous

Omicron example

- Omicron spreads *much* better than earlier SARS-CoV-2 viruses
- It does less well in the lungs and better in the upper airways
- SARS-CoV-2 apparently evolved to be less dangerous
  - This is a pattern, but not a guarantee

Omicron example

- Omicron spreads *much* better than earlier SARS-CoV-2 viruses
- It does less well in the lungs and better in the upper airways
- SARS-CoV-2 apparently evolved to be less dangerous
  - This is a pattern, but not a guarantee