#### UNIT 8: Infectious disease

#### Outline

#### Introduction

Rate of spread

Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics

Reproductive numbers and risk

► Extremely common

- Extremely common
- ► Huge impacts on ecological interactions

- Extremely common
- ▶ Huge impacts on ecological interactions
- ► A form of exploitation, but doesn't fit well into our previous modeling framework

- Extremely common
- Huge impacts on ecological interactions
- ▶ A form of exploitation, but doesn't fit well into our previous modeling framework
  - ► How many people are there?

- Extremely common
- Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - ► How many influenza viruses are there?

- Extremely common
- ▶ Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - How many influenza viruses are there?
  - ► How do they find each other?

- Extremely common
- ▶ Huge impacts on ecological interactions
- A form of exploitation, but doesn't fit well into our previous modeling framework
  - How many people are there?
  - ▶ How many influenza viruses are there?
  - How do they find each other?

▶ Poll: Name an infectious agent that causes disease in humans?

- ▶ Poll: Name an infectious agent that causes disease in humans?
- ▶ Disease agents vary tremendously:

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies

- ▶ Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - •

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - \* influenza virus, Ebola virus, HIV, measles

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - \* influenza virus, Ebola virus, HIV, measles
  - ► **Bacteria** are independent, free-living cells with hundreds or thousands of chemical pathways

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \*

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - ▶ \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \* Tuberculosis, anthrax, pertussis


- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - ▶ \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \* Tuberculosis, anthrax, pertussis
  - ► **Eukaryotic** pathogens are nucleated cells who are more closely related to you than they are to bacteria

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - ▶ \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \* Tuberculosis, anthrax, pertussis
  - Eukaryotic pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - **▶** 3


- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \* Tuberculosis, anthrax, pertussis
  - Eukaryotic pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - \* Malaria, various worms

- Poll: Name an infectious agent that causes disease in humans?
- Disease agents vary tremendously:
  - Most viruses have just a handful of genes that allow them to hijack a cell and get it to make virus copies
    - \* influenza virus, Ebola virus, HIV, measles
  - Bacteria are independent, free-living cells with hundreds or thousands of chemical pathways
    - \* Tuberculosis, anthrax, pertussis
  - Eukaryotic pathogens are nucleated cells who are more closely related to you than they are to bacteria
    - \* Malaria, various worms

### Influenza virus



#### Tuberculosis bacilli



# Malaria sporozoite



► For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages

- ► For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - ► Latently infected

- ► For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - ► Productively infected

- ► For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - Productively infected
  - Recovered

- ► For infections with small pathogens (viruses and bacteria), we don't attempt to count pathogens, but instead divide disease into stages
  - Latently infected
  - Productively infected
  - Recovered

► We model microparasites by counting the number of hosts in various **states**:

- ► We model microparasites by counting the number of hosts in various **states**:
  - ► Susceptible individuals can become infected

- We model microparasites by counting the number of hosts in various states:
  - Susceptible individuals can become infected
  - ► Infectious individuals are infected and can infect others

- We model microparasites by counting the number of hosts in various states:
  - Susceptible individuals can become infected
  - ▶ **Infectious** individuals are infected and can infect others
  - Resistant individuals are not infected and cannot become infected

- We model microparasites by counting the number of hosts in various states:
  - Susceptible individuals can become infected
  - ▶ Infectious individuals are infected and can infect others
  - Resistant individuals are not infected and cannot become infected
- More complicated models might include other states, such as latently infected hosts who are infected with the pathogen but cannot yet infect others


- We model microparasites by counting the number of hosts in various states:
  - Susceptible individuals can become infected
  - ▶ Infectious individuals are infected and can infect others
  - Resistant individuals are not infected and cannot become infected
- More complicated models might include other states, such as latently infected hosts who are infected with the pathogen but cannot yet infect others

#### Models as tools

► Models are the tools that we use to connect scales:



Measles reports from England and Wales






#### Models as tools

- Models are the tools that we use to connect scales:
  - ► individuals to populations



Measles reports from England and Wales




#### Models as tools

- Models are the tools that we use to connect scales:
  - individuals to populations
  - single actions to trends through time



Measles reports from England and Wales




#### Models as tools

- Models are the tools that we use to connect scales:
  - individuals to populations
  - single actions to trends through time



Measles reports from England and Wales



#### Outline

Introduction

Rate of spread

Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics

Reproductive numbers and risk

▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.

▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.

**▶** '

- ▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.
  - \* Instantaneous rate of increase (per capita)

- ▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.
  - \* Instantaneous rate of increase (per capita)

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ► \* Units of 1/t

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \*

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- ▶ Poll: Want to know what factors contribute to that, and how it relates to  $\mathcal{R}$ .

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- ▶ Poll: Want to know what factors contribute to that, and how it relates to  $\mathcal{R}$ .
  - \*

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- Poll: Want to know what factors contribute to that, and how it relates to R.
  - \* number of new cases per case

- ▶ Poll: For many diseases, especially new diseases, we can observe and estimate r.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- ▶ Poll: Want to know what factors contribute to that, and how it relates to  $\mathcal{R}$ .
  - \* number of new cases per case
  - **\***

- ▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- Poll: Want to know what factors contribute to that, and how it relates to R.
  - \* number of new cases per case
  - \* Unitless

- ▶ Poll: For many diseases, especially new diseases, we can *observe* and *estimate r*.
  - \* Instantaneous rate of increase (per capita)
    - ▶ \* Units of 1/t
    - \* Gives the exponential rate of spread
- Poll: Want to know what factors contribute to that, and how it relates to R.
  - \* number of new cases per case
  - \* Unitless

 $\blacktriangleright$  People in the disease field love to talk specifically about  $\mathcal{R}_0$ 

- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :

- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :
  - ► Actual value of R before an epidemic


- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :
  - Actual value of R before an epidemic
  - Hypothetical value assuming no immunity

- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :
  - Actual value of R before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever


- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :
  - Actual value of R before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever
- ▶ Often easier to talk simply about R.

- lacktriangle People in the disease field love to talk specifically about  $\mathcal{R}_0$
- ▶ But they don't always mean the same thing when they say  $\mathcal{R}_0$ :
  - Actual value of R before an epidemic
  - Hypothetical value assuming no immunity
  - Hypothetical value assuming no immunity and no control efforts whatsoever
- Often easier to talk simply about R.


#### Example: the West African Ebola epidemic




 Researchers try to estimate the proportion of transmission that happens for different ages of infection




- Researchers try to estimate the proportion of transmission that happens for different ages of infection
- ► How long from the time you are infected to the time you infect someone else?




- Researchers try to estimate the proportion of transmission that happens for different ages of infection
- How long from the time you are infected to the time you infect someone else?
- ► Analogous to a life table





- Researchers try to estimate the proportion of transmission that happens for different ages of infection
- ► How long from the time you are infected to the time you infect someone else?
- ► Analogous to a life table
- ► The effective generation time  $\hat{G}$  has units of time



- Researchers try to estimate the proportion of transmission that happens for different ages of infection
- ► How long from the time you are infected to the time you infect someone else?
- ► Analogous to a life table
- ► The effective generation time  $\hat{G}$  has units of time







► Which is more dangerous, a fast disease, or a slow disease?

- ► Which is more dangerous, a fast disease, or a slow disease?
  - ► How are we measuring speed?

- ► Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - ► How are we measuring danger?

### Density 0.00 0.02 0.04 0.08 0.08

10 20 30 4 Generation interval (days)

- ► Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - How are we measuring danger?
  - ► What do we already know?

## 002 0.08 0.08 0.08

20

Generation interval (days)

0.00

- ► Which is more dangerous, a fast disease, or a slow disease?
  - How are we measuring speed?
  - How are we measuring danger?
  - What do we already know?

### Density 0.00 0.02 0.04 0.06 0.08

20

Generation interval (days)

# Fighting Ebola



▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?

▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?

- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)


- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)
- ▶ If we know r, what does the generation time tell us about  $\mathcal{R}$ ?


- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)
- ▶ If we know r, what does the generation time tell us about R?
  - >


- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)
- ▶ If we know r, what does the generation time tell us about  $\mathcal{R}$ ?
  - \* The faster the generations (small  $\hat{G}$ ), the the *smaller* the strength of the epidemic (small reproductive number  $\mathcal{R}$ )

- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)
- ▶ If we know r, what does the generation time tell us about  $\mathcal{R}$ ?
  - \* The faster the generations (small  $\hat{G}$ ), the the smaller the strength of the epidemic (small reproductive number  $\mathcal{R}$ )
- $\blacktriangleright \mathcal{R} = \exp(r\hat{G})$

- ▶ If we know  $\mathcal{R}$ , what does the generation time tell us about r?
  - \* The faster the generations (small  $\hat{G}$ ), the faster the exponential growth (large r)
- ▶ If we know r, what does the generation time tell us about  $\mathcal{R}$ ?
  - \* The faster the generations (small  $\hat{G}$ ), the the *smaller* the strength of the epidemic (small reproductive number  $\mathcal{R}$ )
- $\mathbb{R} = \exp(r\hat{G})$







$$ightharpoonup \mathcal{R} = \exp(r\hat{G})$$

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- ► An intuitive view:

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - $\blacktriangleright \ \, \mathsf{Epidemic} \ \mathsf{speed} = \mathsf{Generation} \ \mathsf{strength} \, \times \, \mathsf{Generation} \ \mathsf{speed}$

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ► Epidemic speed = Generation strength × Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- ► If we know generation speed, then a faster epidemic speed means:

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- ▶ If we know generation speed, then a faster epidemic speed means:
  - **\***

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- ▶ If we know generation speed, then a faster epidemic speed means:
  - ▶ \* More strength required (greater R)

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - ▶ \* More strength required (greater R)
- ▶ If we know epidemic speed, a faster generation speed means

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - ▶ \* More strength required (greater R)
- ▶ If we know epidemic speed, a faster generation speed means
  - **▶** ≯

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - ▶ \* More strength required (greater R)
- ▶ If we know epidemic speed, a faster generation speed means
  - ▶ \* Less strength required (smaller R)

- $ightharpoonup \mathcal{R} = \exp(r\hat{G})$
- An intuitive view:
  - ightharpoonup Epidemic speed = Generation strength imes Generation speed
  - Mathematically:  $r = \log(\mathcal{R}) * (1/\hat{G})$
- If we know generation speed, then a faster epidemic speed means:
  - ▶ \* More strength required (greater R)
- ▶ If we know epidemic speed, a faster generation speed means
  - ▶ \* Less strength required (smaller R)

## Outline

Introduction

Rate of spread


Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics


Reproductive numbers and risk

# Single-epidemic model




lacktriangledown Susceptible o Infectious o Recovered

# Single-epidemic model




- ightharpoonup Susceptible ightarrow Infectious ightarrow Recovered
- ▶ We also use *N* to mean the total population


# Single-epidemic model




- ightharpoonup Susceptible ightarrow Infectious ightarrow Recovered
- ▶ We also use *N* to mean the total population




► What factors govern movement through the boxes?



- ▶ What factors govern movement through the boxes?
  - ► People get better independently



- ▶ What factors govern movement through the boxes?
  - ► People get better independently
  - ► People get infected by infectious people



- What factors govern movement through the boxes?
  - ► People get better independently
  - People get infected by infectious people

► Poll: What happens in the long term if we introduce an infectious individual?



► Poll: What happens in the long term if we introduce an infectious individual?


• \*




- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ▶ \* The may be an epidemic
    - an outbreak of disease




- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ★ The may be an epidemic– an outbreak of disease
    - \*



- Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The may be an **epidemic** 
    - an outbreak of disease
  - \* Disease burns out



- Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The *may be* an **epidemic** an outbreak of disease
  - \* Disease burns out
  - \*



- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The *may be* an **epidemic** an outbreak of disease
  - \* Disease burns out
  - \* Everyone winds up either recovered or susceptible



- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The *may be* an **epidemic** an outbreak of disease
  - \* Disease burns out
  - \* Everyone winds up either recovered or susceptible
  - \*



- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The *may be* an **epidemic** an outbreak of disease
  - \* Disease burns out
  - \* Everyone winds up either recovered or susceptible
  - ▶ \* Not everyone gets infected!



- ► Poll: What happens in the long term if we introduce an infectious individual?
  - ► \* The *may be* an **epidemic** an outbreak of disease
  - \* Disease burns out
  - \* Everyone winds up either recovered or susceptible
  - ▶ \* Not everyone gets infected!



► Why might there not be an epidemic?

▶ Why might there not be an epidemic?

**▶** 3

- ▶ Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population

- ▶ Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population
    - **>** 3

- ▶ Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .

- ▶ Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .
  - \*


- ▶ Why might there not be an epidemic?
  - \* If the disease can't spread well enough in the population
    - \* Could depend on season, or immunity . . .
  - ► \* Demographic stochasticity: if we only start with one individual, we expect an element of chance

- Why might there not be an epidemic?
  - \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .
  - ► \* Demographic stochasticity: if we only start with one individual, we expect an element of chance
- ▶ Why doesn't everyone get infected?

- Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .
  - ► \* Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - **▶** 3

- Why might there not be an epidemic?
  - \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .
  - ► \* Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - **\***

- Why might there not be an epidemic?
  - ▶ \* If the disease can't spread well enough in the population
    - ▶ \* Could depend on season, or immunity . . .
  - ► \* Demographic stochasticity: if we only start with one individual, we expect an element of chance
- Why doesn't everyone get infected?
  - **\***



$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$



The simplest way to implement this conceptual model is with differential equations:

$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$

 $\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$ 



$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$

$$\frac{dR}{dt} = \gamma I$$



$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$

$$\frac{dR}{dt} = \gamma I$$

$$N = S + I + R$$





$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$

$$\frac{dR}{dt} = \gamma I$$


$$N = S + I + R$$





#### State variables

 $\triangleright$  S, I, R, N: [people] or [people/ha]



#### State variables

 $\triangleright$  S, I, R, N: [people] or [people/ha]

#### **Parameters**

▶ Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])

- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious

- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - ► Total infection rate is  $\beta I/N$ , because I/N is the proportion of the population infectious


- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - ▶ Total infection rate is  $\beta I/N$ , because I/N is the proportion of the population infectious
- ▶ Infectious people recover at *per capita* rate  $\gamma$  (units [1/time])


- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - ▶ Total infection rate is  $\beta I/N$ , because I/N is the proportion of the population infectious
- ▶ Infectious people recover at *per capita* rate  $\gamma$  (units [1/time])
  - ▶ Total recovery rate is  $\gamma I$

- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - ▶ Total infection rate is  $\beta I/N$ , because I/N is the proportion of the population infectious
- ▶ Infectious people recover at *per capita* rate  $\gamma$  (units [1/time])
  - ▶ Total recovery rate is  $\gamma I$
  - Mean time infectious is  $D = 1/\gamma$  (units [time])


- Susceptible people have **potentially effective** contacts at rate  $\beta$  (units [1/time])
  - These are contacts that would lead to infection if the person contacted is infectious
  - ▶ Total infection rate is  $\beta I/N$ , because I/N is the proportion of the population infectious
- ▶ Infectious people recover at *per capita* rate  $\gamma$  (units [1/time])
  - ▶ Total recovery rate is  $\gamma I$
  - Mean time infectious is  $D = 1/\gamma$  (units [time])


# Simulating the model





# Simulating the model





## Basic reproductive number

► Poll: What *unitless* parameter can you make from the model above?

## Basic reproductive number

▶ Poll: What *unitless* parameter can you make from the model above?

**▶** \*

## Basic reproductive number

- ▶ Poll: What *unitless* parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the basic reproductive number

- ▶ Poll: What *unitless* parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the basic reproductive number
  - **▶** ×

- Poll: What unitless parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the basic reproductive number
  - \* The potential number of infections caused by an average infectious individual

- ▶ Poll: What *unitless* parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the basic reproductive number
  - \* The potential number of infections caused by an average infectious individual

**\*** 

- Poll: What unitless parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the **basic reproductive number**
  - \* The potential number of infections caused by an average infectious individual
    - \* That is: the number they would cause on average if everyone else were susceptible

- ▶ Poll: What *unitless* parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the **basic reproductive number**
  - \* The potential number of infections caused by an average infectious individual
    - ► \* That is: the number they would cause on average if everyone else were susceptible

\*

- Poll: What unitless parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the **basic reproductive number**
  - \* The potential number of infections caused by an average infectious individual
    - \* That is: the number they would cause on average if everyone else were susceptible
  - \* The product of the rate  $\beta$  (units [1/t]) and the duration D ( [t])

- Poll: What unitless parameter can you make from the model above?
  - \*  $\mathcal{R}_0 = \beta D = \beta/\gamma$  is the **basic reproductive number**
  - \* The potential number of infections caused by an average infectious individual
    - \* That is: the number they would cause on average if everyone else were susceptible
  - \* The product of the rate  $\beta$  (units [1/t]) and the duration D ( [t])

▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?

▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?

- ▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?
  - \* Number of infected individuals grows exponentially

- ▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?
  - ▶ \* Number of infected individuals grows exponentially
- ▶ What happens early in the epidemic if  $\mathcal{R}_0 < 1$ ?

- ▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?
  - \* Number of infected individuals grows exponentially
- ▶ What happens early in the epidemic if  $\mathcal{R}_0 < 1$ ?



- ▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?
  - ▶ \* Number of infected individuals grows exponentially
- ▶ What happens early in the epidemic if  $\mathcal{R}_0 < 1$ ?
  - \* Number of infected individuals does not grow (disease cannot invade)

- ▶ Poll: What happens early in the epidemic if  $\mathcal{R}_0 > 1$ ?
  - ▶ \* Number of infected individuals grows exponentially
- ▶ What happens early in the epidemic if  $\mathcal{R}_0 < 1$ ?
  - \* Number of infected individuals does not grow (disease cannot invade)

The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:

**▶** \*

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

Is the disease increasing or decreasing?

The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

Is the disease increasing or decreasing?

**▶** <sup>≯</sup>

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - lacktriangle \* It will increase when  $\mathcal{R}_e>1$  (more than one case per case)

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - $\blacktriangleright$  \* It will increase when  $\mathcal{R}_e > 1$  (more than one case per case)
  - **\***

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - lacktriangleright \* It will increase when  $\mathcal{R}_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - ▶ \* It will increase when  $R_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - \* It will increase when  $\mathcal{R}_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - \*

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - ▶ \* It will increase when  $R_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- ▶ Why doesn't everyone get infected?
  - lacktriangle \* When susceptibles are low enough  $\mathcal{R}_e < 1$

• \* 
$$\mathcal{R}_e = \mathcal{R}_0 S/N$$

- Is the disease increasing or decreasing?
  - ▶ \* It will increase when  $R_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- Why doesn't everyone get infected?
  - lacktriangle \* When susceptibles are low enough  $\mathcal{R}_e < 1$
  - \*

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - \*  $\mathcal{R}_e = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - ▶ \* It will increase when  $R_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- ▶ Why doesn't everyone get infected?
  - lacktriangle \* When susceptibles are low enough  $\mathcal{R}_e < 1$
  - \* When  $\mathcal{R}_e < 1$ , the disease dies out on its own (less than one case per case)

- The effective reproductive number gives the number of new infections per infectious individual in a partially susceptible population:
  - \*  $\mathcal{R}_e = \mathcal{R}_0 S/N$
- Is the disease increasing or decreasing?
  - ▶ \* It will increase when  $R_e > 1$  (more than one case per case)
  - ▶ \* This happens when  $S/N > 1/\mathcal{R}_0$
- ▶ Why doesn't everyone get infected?
  - lacktriangle \* When susceptibles are low enough  $\mathcal{R}_e < 1$
  - \* When  $\mathcal{R}_e < 1$ , the disease dies out on its own (less than one case per case)

#### Outline

Introduction

Rate of spread

Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics

Reproductive numbers and risk

▶ In this model, the epidemic always burns out

- ▶ In this model, the epidemic always burns out
  - ► No source of new susceptibles

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- ► Epidemic size is determined by:

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - **▶** 3

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
    - \*

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - ▶ \* The number of susceptibles at the beginning of the epidemic

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - ▶ \* The number of susceptibles at the beginning of the epidemic
    - **▶** ∤

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic

- ▶ In this model, the epidemic always burns out
  - ► No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - **▶** ∤

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - ▶ \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end

- ▶ In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end
  - **>** 3


- In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end
  - ► \* The number of infected individuals at the beginning of the epidemic

- In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end
  - ► \* The number of infected individuals at the beginning of the epidemic
    - \*

- In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - ▶ \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end
  - ► \* The number of infected individuals at the beginning of the epidemic
    - \* Usually relatively small (and a relatively small effect)


- In this model, the epidemic always burns out
  - ▶ No source of new susceptibles
- Epidemic size is determined by:
  - ▶ \*  $\mathcal{R}_0$  larger  $\mathcal{R}_0$  leads to a bigger epidemic
  - ▶ \* The number of susceptibles at the beginning of the epidemic
    - ▶ \* More susceptibles leads to a bigger epidemic
    - \* ... and fewer susceptibles at the end
  - ► \* The number of infected individuals at the beginning of the epidemic
    - \* Usually relatively small (and a relatively small effect)

► Why does more susceptibles at the beginning mean fewer susceptibles at the end?




Why does more susceptibles at the beginning mean fewer susceptibles at the end?

\*




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒

\*




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒⇒




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ► \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒

**k** 




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ► \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒
  - \* Bigger epidemic  $\Longrightarrow$




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒
  - ▶ \* Bigger epidemic ⇒


\*




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ► \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒
  - ▶ \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒
  - → \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)
  - \*



- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒
  - ▶ \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)
  - ▶ \* More generations needed for disease to fade out ⇒




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒
  - ▶ \* Faster initial growth ⇒⇒
  - ▶ \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)
  - ▶ \* More generations needed for disease to fade out ⇒
  - \*




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒⇒
  - \* Faster initial growth  $\Longrightarrow$
  - \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)  $\Longrightarrow$
  - \* More generations needed for disease to fade out  $\Longrightarrow$

\* More infections after peak




- Why does more susceptibles at the beginning mean fewer susceptibles at the end?
  - ▶ \* More susceptibles ⇒⇒
  - \* Faster initial growth  $\Longrightarrow$
  - \* Bigger epidemic ⇒
  - \* More infections at peak (same number of susceptibles)  $\Longrightarrow$
  - \* More generations needed for disease to fade out  $\Longrightarrow$


\* More infections after peak




► In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January




- ► In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many more cases than that by April



- ► In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many more cases than that by April
- ► What happened?



- ► In September, the US CDC predicted "as many as" 1.5 million Ebola cases in Liberia by January
- In fact, their model predicted many more cases than that by April
- ▶ What happened?



▶ Poll: What limits epidemics in our simple models?

▶ Poll: What limits epidemics in our simple models?

- ▶ Poll: What limits epidemics in our simple models?
  - ► \* Depletion of susceptibles

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ► Poll: What else limits epidemics in real life?

- ▶ Poll: What limits epidemics in our simple models?
  - ▶ \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - **▶** 3

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions
    - **k**

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions
  - ▶ \* Behaviour change

- ▶ Poll: What limits epidemics in our simple models?
  - ► \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions
  - ▶ \* Behaviour change
    - \*

# What limits epidemics?

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions
  - \* Behaviour change
  - ► \* Heterogeneity (differences between hosts, locations, etc.)

# What limits epidemics?

- ▶ Poll: What limits epidemics in our simple models?
  - \* Depletion of susceptibles
- ▶ Poll: What else limits epidemics in real life?
  - \* Interventions
  - \* Behaviour change
  - ► \* Heterogeneity (differences between hosts, locations, etc.)

### Outline

Introduction

Rate of spread


Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics


Reproductive numbers and risk

► Poll: If epidemics tend to burn out, why do we often see repeated epidemics?




▶ Poll: If epidemics tend to burn out, why do we often see repeated epidemics?


\*




- ▶ Poll: If epidemics tend to burn out, why do we often see repeated epidemics?
  - \* People might lose immunity




- ▶ Poll: If epidemics tend to burn out, why do we often see repeated epidemics?
  - \* People might lose immunity
  - . \*




- ▶ Poll: If epidemics tend to burn out, why do we often see repeated epidemics?
  - \* People might lose immunity
  - \* Births and deaths; newborns are susceptible





- ▶ Poll: If epidemics tend to burn out, why do we often see repeated epidemics?
  - \* People might lose immunity
  - \* Births and deaths; newborns are susceptible




# Recurrent epidemics









\* Loss of immunity




\* Loss of immunity















- \* Births and deaths
  - \* Effect on dynamics is similar to loss of immunity



- \* Births and deaths
  - \* Effect on dynamics is similar to loss of immunity

$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$



$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$



$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$

$$\frac{dR}{dt} = \gamma I - dR$$



$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$



$$\frac{dR}{dt} = \gamma I - dR$$

 $\blacktriangleright$  We often assume b=d

$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$



$$\frac{dR}{dt} = \gamma I - dR$$

- ightharpoonup We often assume b=d
  - ▶ ⇒ population is constant

$$\frac{dS}{dt} = bN - \beta \frac{SI}{N} - dS$$

$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I - dI$$



$$\frac{dR}{dt} = \gamma I - dR$$

- ightharpoonup We often assume b = d
  - population is constant

### Outline

Introduction

Rate of spread

Single-epidemic model Epidemic size

Recurrent epidemic models

Dynamics

Reproductive numbers and risk

lacktriangle At equilibrium, we know that  $\mathcal{R}_e=1$ 

- lacktriangle At equilibrium, we know that  $\mathcal{R}_e=1$ 
  - ► One case per case

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - ► Number of susceptibles at equilibrium determined by the number required to keep infection in balance

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - ►  $S/N = 1/\mathcal{R}_0$

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance
    - $\triangleright$   $S/N = 1/\mathcal{R}_0$
- ▶ What does this remind you of?

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance

▶ 
$$S/N = 1/\mathcal{R}_0$$

▶ What does this remind you of?

\*

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance

▶ 
$$S/N = 1/\mathcal{R}_0$$

- What does this remind you of?
  - \* Reciprocal control!

- At equilibrium, we know that  $\mathcal{R}_e = 1$ 
  - ▶ One case per case
  - Number of susceptibles at equilibrium determined by the number required to keep infection in balance

▶ 
$$S/N = 1/\mathcal{R}_0$$

- What does this remind you of?
  - \* Reciprocal control!

► Number of infectious individuals determined by number required to keep susceptibles in balance.

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- ► As susceptibles go up, what happens?

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - ► Per capita replenishment goes down

## Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - ▶ Per capita replenishment goes down
  - ► Infections required goes down

## Equilibrium

- Number of infectious individuals determined by number required to keep susceptibles in balance.
- As susceptibles go up, what happens?
  - ▶ Per capita replenishment goes down
  - Infections required goes down

► What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?

▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?

**k** 

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - $\blacktriangleright$  \* Equation for dI/dt does not change

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - \* Equation for dI/dt does not change
  - \*

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for *dI/dt* does not change
  - \* Number of susceptibles does not change

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - **▶** \*

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for *dI/dt* does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for *dI/dt* does not change
  - \* Number of susceptibles does not change
  - ► \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \*

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for *dI/dt* does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- ► What else could happen?

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - **▶** ≯

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct
  - \*

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct
  - ▶ \* If we keep increasing the rate . . .

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct
  - ▶ \* If we keep increasing the rate . . .
    - \*

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct
  - ▶ \* If we keep increasing the rate . . .
    - \* Number of susceptibles goes down

- ▶ What happens to *equilibrium* if we protect susceptibles (move them to *R* class)?
  - ▶ \* Equation for dI/dt does not change
  - \* Number of susceptibles does not change
  - \* Fewer susceptibles need to be removed by infection (some are removed by us)
  - \* Number of infectious individuals goes down
- What else could happen?
  - ► \* If we remove susceptibles fast enough, infection could go extinct
  - ▶ \* If we keep increasing the rate . . .
    - \* Number of susceptibles goes down

► Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?

▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?

**,** 

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - **\***

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - ▶ \* We need more susceptibles to balance dI/dt
  - ► \* If we have more susceptibles, then per capita replenishment goes down

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - \* If we have more susceptibles, then per capita replenishment goes down
    - **\***


- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - ▶ \* If we have more susceptibles, then per capita replenishment goes down
    - ► \* So the number of infectious individuals required for balance goes down


- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - ▶ \* If we have more susceptibles, then per capita replenishment goes down
    - \* So the number of infectious individuals required for balance goes down

\*

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - ▶ \* If we have more susceptibles, then per capita replenishment goes down
    - ► \* So the number of infectious individuals required for balance goes down
  - \* If we remove infectious individuals fast enough, the infection could go extinct

- ▶ Poll: What happens if we remove infectious individuals at a constant rate (find them and cure them or isolate them)?
  - $\blacktriangleright$  \* We need more susceptibles to balance dI/dt
  - ▶ \* If we have more susceptibles, then per capita replenishment goes down
    - ► \* So the number of infectious individuals required for balance goes down
  - \* If we remove infectious individuals fast enough, the infection could go extinct





"Closed-loop" SIR models (ie., with births or loss of immunity):

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - ► Tend to oscillate

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - ► Tend to oscillate
  - ► Oscillations tend to be damped

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - ► Tend to oscillate
  - Oscillations tend to be damped
    - ► System reaches an **endemic** equilibrium disease persists

- "Closed-loop" SIR models (ie., with births or loss of immunity):
  - ► Tend to oscillate
  - Oscillations tend to be damped
    - ▶ System reaches an **endemic** equilibrium disease persists

#### Source of oscillations

► Similar to predator-prey systems

- Similar to predator-prey systems
- ▶ What happens if we start with too many susceptibles?

- Similar to predator-prey systems
- ▶ What happens if we start with too many susceptibles?
  - **▶** 3

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ▶ \* There will be a big epidemic

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ▶ \* There will be a big epidemic
  - **\***

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ▶ \* There will be a big epidemic
  - ▶ \* ...then a very low number of susceptibles

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ▶ \* There will be a big epidemic
  - \* ... then a very low number of susceptibles
  - \*


- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ► \* There will be a big epidemic
  - \* ... then a very low number of susceptibles
  - ▶ \* ...then a very low level of disease

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ► \* There will be a big epidemic
  - \* ...then a very low number of susceptibles
  - ▶ \* ... then a very low level of disease
  - \*

- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ► \* There will be a big epidemic
  - \* ... then a very low number of susceptibles
  - ▶ \* ... then a very low level of disease
  - ▶ \* ... then an increase in the number of susceptibles


- Similar to predator-prey systems
- What happens if we start with too many susceptibles?
  - ► \* There will be a big epidemic
  - \* ... then a very low number of susceptibles
  - ▶ \* ... then a very low level of disease
  - ▶ \* ... then an increase in the number of susceptibles

► Poll: If oscillations tend to be damped in simple models, why do they persist in real life?




▶ Poll: If oscillations tend to be damped in simple models, why do they persist in real life?


> 1




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - ▶ \* Weather
    - \* Seasonality



- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - ▶ \* Weather
    - \* Seasonality
    - > 1




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity


\*



- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms



- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - . .




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity


# 

date


- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity
  - \*




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity
  - \* Changes in Behaviour




- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity
  - \* Changes in Behaviour
    - \*



- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - ▶ \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity
  - \* Changes in Behaviour
    - \* People are more careful when disease levels are high



- Poll: If oscillations tend to be damped in simple models, why do they persist in real life?
  - ▶ \* Weather
    - \* Seasonality
    - \* Environmental stochasticity
  - \* School terms
  - \* Demographic stochasticity
  - \* Changes in Behaviour
    - \* People are more careful when disease levels are high



## Outline

Introduction

Rate of spread

Single-epidemic model Epidemic size

Recurrent epidemic models


Dynamics


▶ At equilibrium, the proportion of people who are susceptible to disease should be approximately  $S/N = 1/\mathcal{R}_0$ 


- At equilibrium, the proportion of people who are susceptible to disease should be approximately  $S/N = 1/\mathcal{R}_0$
- ▶ Proportion "affected" (infectious or immune) should be approximately  $V/N=1-1/\mathcal{R}_0$

- At equilibrium, the proportion of people who are susceptible to disease should be approximately  $S/N = 1/\mathcal{R}_0$
- Proportion "affected" (infectious or immune) should be approximately  $V/N=1-1/\mathcal{R}_0$
- ▶ If you have a single, fast epidemic, the size is also predicted by  $\mathcal{R}_0$ .

- ▶ At equilibrium, the proportion of people who are susceptible to disease should be approximately  $S/N = 1/\mathcal{R}_0$
- Proportion "affected" (infectious or immune) should be approximately  $V/N=1-1/\mathcal{R}_0$
- ▶ If you have a single, fast epidemic, the size is also predicted by  $\mathcal{R}_0$ .







# **Examples**

► Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria

# Examples

- ► Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero

# Examples

- ▶ Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero
- ► Eradication of smallpox!

- ▶ Ronald Ross predicted 100 years ago that reducing mosquito densities by a factor of 5 or so would *eliminate* malaria
- Gradual disappearance of polio, typhoid, etc., without risk factors going to zero
- Eradication of smallpox!

► What proportion of the population should be vaccinated to eliminate a disease?

► What proportion of the population should be vaccinated to eliminate a disease?

\* •

- What proportion of the population should be vaccinated to eliminate a disease?
  - \* Transmission should be reduced by a factor of  $\mathcal{R}$ , so at least fraction  $1-1/\mathcal{R}$  should be vaccinated

- What proportion of the population should be vaccinated to eliminate a disease?
  - \* Transmission should be reduced by a factor of  $\mathcal{R}$ , so at least fraction  $1-1/\mathcal{R}$  should be vaccinated

▶ Polio has an  $\mathcal{R}_0$  of about 5.

- ▶ Polio has an  $\mathcal{R}_0$  of about 5.
- ► Poll: What proportion of the population should be vaccinated to eliminate polio?

- ▶ Polio has an  $\mathcal{R}_0$  of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - **▶** ³

- ▶ Polio has an  $\mathcal{R}_0$  of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - ► \* At least 1-1/5 = 80%

- ▶ Polio has an  $\mathcal{R}_0$  of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?

- ▶ Polio has an  $\mathcal{R}_0$  of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - **▶** ≯

- ▶ Polio has an R<sub>0</sub> of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - ► \* At least 1-1/20 = 95%

- ▶ Polio has an R<sub>0</sub> of about 5.
- ► Poll: What proportion of the population should be vaccinated to eliminate polio?
  - ► \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - ► \* At least 1-1/20 = 95%
- ▶ If gonorrhea has an  $\mathcal{R}_0$  of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?

- ▶ Polio has an R<sub>0</sub> of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - ► \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - ► \* At least 1-1/20 = 95%
- ▶ If gonorrhea has an R<sub>0</sub> of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - **\***

- ▶ Polio has an R<sub>0</sub> of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - ▶ \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - ► \* At least 1-1/20 = 95%
- ▶ If gonorrhea has an R<sub>0</sub> of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - ▶ \* At least 1-1/2 = 50%

- ▶ Polio has an R<sub>0</sub> of about 5.
- ▶ Poll: What proportion of the population should be vaccinated to eliminate polio?
  - ▶ \* At least 1-1/5 = 80%
- ▶ Measles has an  $\mathcal{R}_0$  of about 20. What proportion of the population should be vaccinated to eliminate measles?
  - ► \* At least 1-1/20 = 95%
- ▶ If gonorrhea has an R<sub>0</sub> of about 2, what proportion of unprotected sexual encounters should be protected to eliminate gonorrhea?
  - ▶ \* At least 1-1/2 = 50%

► Why have infectious diseases persisted?

- ▶ Why have infectious diseases persisted?
  - ► The pathogens *evolve*

- ▶ Why have infectious diseases persisted?
  - ► The pathogens *evolve*
  - ► Human populations are **heterogeneous**

- Why have infectious diseases persisted?
  - ► The pathogens *evolve*
  - Human populations are heterogeneous
    - ▶ People differ in: nutrition, exposure, access to care

- Why have infectious diseases persisted?
  - ► The pathogens *evolve*
  - Human populations are heterogeneous
    - ▶ People differ in: nutrition, exposure, access to care
  - ► Information and misinformation

- Why have infectious diseases persisted?
  - ► The pathogens *evolve*
  - Human populations are heterogeneous
    - ▶ People differ in: nutrition, exposure, access to care
  - ▶ Information and misinformation
    - Vaccine scares, trust in health care in general

- Why have infectious diseases persisted?
  - ► The pathogens *evolve*
  - Human populations are heterogeneous
    - ▶ People differ in: nutrition, exposure, access to care
  - ▶ Information and misinformation
    - Vaccine scares, trust in health care in general

▶ Heterogeneity increases  $\mathcal{R}_0$ 

- ▶ Heterogeneity increases  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations

- ▶ Heterogeneity *increases*  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - ► Cases per case is high

- Heterogeneity increases  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - ► Elimination is harder

- Heterogeneity increases  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - ► Elimination is harder
- Marginal populations

- Heterogeneity increases  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - ▶ Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease

- Heterogeneity increases  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - ► Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease
  - Humans rarely do this, however: the populations that need the most support typically have the least access

- ▶ Heterogeneity *increases*  $\mathcal{R}_0$ 
  - When disease is rare, it is concentrated in the most vulnerable populations
    - Cases per case is high
    - ▶ Elimination is harder
- Marginal populations
  - Heterogeneity could make it easier to concentrate on the most vulnerable populations and eliminate disease
  - Humans rarely do this, however: the populations that need the most support typically have the least access