

Problem Set 03 Discussion

16 September 2025

Kayla Wilhoit


General Notes

- Grades now visible on Canvas – Problem sets 02 + 03 available soon
 - Check for comments if not discussed in class
- Problem sets worth 2 points for completion
 - Late submission within 48 hours = 1 point
 - Late submission past 48 hours/no submission = 0 points
- HTML rendering – **embed-resources**


```
1 ---
2 title: "Problem Set 03"
3 author:
4 date: today
5 date-format: iso
6 format:
7   html:
8     embed-resources: true
9 editor: source
10 ---
```

```
---
title: "Problemset_03"
format: html
editor: visual
---
```

- **coord_fixed** = forces a specified ratio between the physical representation of data units on the axes
 - ratio = 1 (default) ensures that one unit on the x-axis is the same length as one unit on the y-axis
 - Ratios higher than one make units on the y axis longer than units on the x-axis, and vice versa
 - Useful when the axis scales are directly comparable – mothers vs. fathers ages



without coord_fixed



with coord_fixed

- **fill vs. color**
 - **color** = geom_density outline, geom_rug
 - **fill** = geom_density area shading
- **guides(fill = “none”)** to get rid of redundant legend for fill vs color when including both
- **position = “jitter”** – make sure not to accidentally jitter your scatterplots!
- **drop_na** to remove the NA values
- Remember to include your plus signs to link your themes/last elements to the whole plot

